

TOPCARE PAIN RELIEF- acetaminophen tablet
Topco Associates LLC

Topco Associates LLC. Pain Relief Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - muscular aches
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid

*may contain one or more of these ingredients

Questions or comments?

1-888-423-0139

Principal Display Panel

TopCare® health

COMPARE TO EXTRA STRENGTH TYLENOL® CAPLETS ACTIVE INGREDIENT

EXTRA STRENGTH

Pain Relief

ACETAMINOPHEN 500 mg

PAIN RELIEVER • FEVER REDUCER

500 CAPLETS

For Adults

actual size

TopCare health

NDC 36800-484-90

COMPARE TO EXTRA STRENGTH TYLENOL® CAPLETS ACTIVE INGREDIENT!

EXTRA STRENGTH

Pain Relief

ACETAMINOPHEN 500 mg
PAIN RELIEVER • FEVER REDUCER

500 CAPLETS For Adults actual size

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet)
Acetaminophen 500 mg. **Pain reliever/fever reducer**

Uses ■ temporarily relieves minor aches and pains due to:
 ■ the common cold ■ headache ■ backache ■ minor pain of arthritis
 ■ muscular aches ■ toothache ■ premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin redness ■ blisters ■ rash
 ■ if a skin reaction occurs, stop use and seek medical help right away.

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 10 days ■ new symptoms occur
 ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not take more than directed (see overdose warning)
 ■ take 2 caplets every 6 hours while symptoms last
 ■ do not take more than 6 caplets in 24 hours,
 unless directed by a doctor
 ■ do not use for more than 10 days unless directed by a doctor
 children under 12 years ask a doctor

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients carnauba wax, corn starch*, croscarmellose sodium*, hypromellose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate*, stearic acid *may contain one or more of these ingredients

Questions or comments? 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007 This product is not manufactured or distributed by Johnson & Johnson.
 TOPCO, FEM0521 QUESTIONS? 1-888-423-0139
 topcarehcs.com www.topcarehcs.com
 TopCare Health is a registered trademark of Extra Strength Tylenol Caplets.

EXP. LOT

QUANTITY GUARANTEED
 8 7 7 7 1 00895
 GLUTEN FREE

Search by product name
 topcarehcs.com
 or call 1-888-423-0139

48490 BA F30

TOPCARE PAIN RELIEF

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-484
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	L484
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-484-76	1 in 1 CARTON	07/15/1987	
1		120 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:36800-484-62	1 in 1 CARTON	07/15/1987	
2		24 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:36800-484-71	1 in 1 CARTON	07/15/1987	
3		50 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:36800-484-78	1 in 1 CARTON	07/15/1987	
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:36800-484-90	500 in 1 BOTTLE; Type 0: Not a Combination Product	07/15/1987	
6	NDC:36800-484-82	2 in 1 CARTON	07/15/1987	
6		100 in 1 BOTTLE; Type 0: Not a Combination Product		
7	NDC:36800-484-47	150 in 1 BOTTLE; Type 0: Not a Combination Product	07/15/1987	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/15/1987	

Labeler - Topco Associates LLC (006935977)

Revised: 10/2024

Topco Associates LLC