

NUMB SKIN - lidocaine and benzethonium chloride cream cream

Seenext Venture Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Lidocaine 4%

benzethonium Chloride 0.25%

Purpose

External Analgesic and First Aid Antiseptic

Uses

- Can be used instead of soap and water to help clean minor cuts, scrapes, and burns
- For the temporary relief of discomfort and pain associated with dermal procedures such as tattoo removal, dermarolling, electrolysis, microblading, and piercing
- Temporarily relieves pain and itch while helping to prevent infection.

Warnings

- **For external use only**
- avoid contact with eyes

Do not use

- do not use in large quantities particularly over raw surfaces or blistered area
- do not exceed the recommended dosage unless directed by a doctor
- in the eyes or apply over large areas of body
- longer than one week unless directed by a doctor

Ask a doctor before use if you have

- deep or puncture wounds, animal bites or serious burns

Stop the use and consult doctor if:

- condition worsens or symptoms persist for more than 7 days or clear up and occur again within few days.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Use NumbSkin® Topical Anesthetic Foam Soap to cleanse the targeted area.
- Shake well before each use.
- Apply 2 to 3 pumps of foam soap and gently rub into the skin. Leave it on for 5 to 10 minutes. Rinse off gently with running water or wipe with clean paper towel.
- Use before, during and after the procedure.
- Make sure to cover the bottle tightly when not in use, otherwise, the anesthetic effect will be lessened.

Adults and children two years old and older: Use to clean minor cuts, scrapes, and burns by thoroughly washing with water. Rinse and air dry. Use no more than three times daily.

Children under two years of age, ask a doctor.

Other information

- Store at controlled room temperature 59 °-86 °F (15 °-30 °C)
- Do not expose to temperature above 120 °F (49 °C)
- Protect from freezing

Inactive Ingredients

Allantoin, Aloe Barbadensis Leaf Juice, Arnica Montana Flower Extract, Benzyl Alcohol, Glycerin, Lauramidopropyl Betaine, Leuconostoc/Radish Root Ferment Filtrate, Menthoxypropanediol, Phenoxyethanol, Selaginella Lepidophylla Extract, Sodium Hydroxide, Water.

Question or comments?

Call weekdays 9 AM to 6 PM PST at 1-844-700- NUMB(6862) or email us at support@numbskin.com

Principal Display Panel

NDC 70907-002-50

NUMBSKIN

TOPICAL ANESTHETIC FOAM SOAP

4% LIDOCAINE

0.25% BENZETHONIUM CHLORIDE

DISINFECT NUMB SANITIZE

1.7 oz

Exp. Date: 2019.12.12

Batch No.: 1234

FOR EXTERNAL USE ONLY

NDC 70907-002-50

Drug Facts

Active Ingredient	Purpose
Lidocaine 4%	External Anesthetic
Benzethonium Chloride 0.25%	First Aid Antiseptic

Uses

- Can be used instead of soap and water to help clean minor cuts, scrapes, and burns.
- For the temporary relief of discomfort and pain associated with dermal procedures such as tattoo removal, tattoo, dermarolling, electrolysis, microblading, and piercing.
- Temporarily relieves pain and itch while helping to prevent infection.

Warnings

- **For external use only.**
- avoid contact with the eyes
- do not exceed recommended dosage unless directed by a doctor
- **Do not use**
 - in the eyes or apply over large areas of body
 - longer than one week unless directed by a doctor
 - in large quantities, particularly over raw surfaces or blistered areas
- **Ask a doctor before use if you have**
 - deep or puncture wounds, animal bites, or serious burns
- **Stop use and ask a doctor if**
 - condition worsens or symptoms persist for more than 7 days or clear up and occur again within few days.

Drug Facts (continued)

Directions

Use NumbSkin® Topical Anesthetic Foam Soap to cleanse the targeted area. Shake well before each use. Apply 2 to 3 pumps of foam soap and gently rub into the skin. Leave it on for 5 to 10 minutes. Rinse off gently with running water or wipe with clean paper towel. Use before, during and after the procedure. Make sure to cover the bottle tightly when not in use, otherwise, the anesthetic effect will be lessened.

Adults and children two years old and older: Use to clean minor cuts, scrapes, and burns by thoroughly washing with water. Rinse and air dry. Use no more than three times daily. Children under two years of age, ask a doctor.

Inactive Ingredients

Allantoin, Aloe Barbadosensis Leaf Juice, Arnica Montana Flower Extract, Benzyl Alcohol, Glycerin, Lauramidopropyl Betaine, Lauconostoc/Radish Root Ferment Filtrate, Menthoxypropanediol, Phenoxylethanol, Selaginella Lapidophylla Extract, Sodium Hydroxide, Water

Other Information

Store at controlled room temperature 59° - 86°F (15° - 30°C) - Do not expose to temperatures above 120°F (49°C) - Protect from freezing.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

NUMBSKIN®
TOPICAL ANESTHETIC FOAM SOAP

4% LIDOCAINE
0.25% BENZETHONIUM CHLORIDE
1.7oz

DISINFECT • NUMB • SANITIZE

NUMBSKIN®
TOPICAL ANESTHETIC FOAM SOAP
4% LIDOCAINE
0.25% BENZETHONIUM CHLORIDE

Distributed by:
Seenext Venture Ltd.
1124 Fir Avenue, Blaine,
Washington, USA 98230

www.NumbSkin.com

Questions or comments?
Call weekdays 9 AM to 6 PM PST
at 1-844-780-NUMB (6862) or
email us at support@numbskin.com



MADE IN USA

NUMBSKIN®
TOPICAL ANESTHETIC FOAM SOAP

4% LIDOCAINE
0.25% BENZETHONIUM CHLORIDE

NUMB SKIN

lidocaine and benzethonium chloride cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70907-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 mg in 50 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.25 mg in 50 g

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ARNICA MONTANA FLOWER (UNII: OZ0E5Y15PZ)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAURAMIDOPROPYL BETAINE (UNII: 23D6XVI233)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SELAGINELLA LEPIDOPHYLLA (UNII: 02JQ564P1G)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70907-002-50	1 in 1 CARTRIDGE	09/11/2017	
1		50 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/11/2017	

Labeler - Seenext Venture Ltd (203416862)**Registrant** - Seenext Venture Ltd (203416862)

