

LAXATIVE PILLS MAXIMUM STRENGTH- sennosides tablet
Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

- are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

- do not use for a period longer than 1 week

Stop use and ask a doctor if

- rectal bleeding or failure to have a bowel movement occur after use of a laxative

These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole, do not crush, break, or chew

adults and children 12 years of age and older	take 2 tablets once or twice daily
children 6 to under 12 years of age	take 1 tablet once or twice daily
children under 6 years of age	ask a doctor

Other information

- **each tablet contains:** calcium 40 mg
- very low sodium
- store between 20-25°C (68-77°F)

Inactive ingredients

acacia, calcium phosphate dihydrate, calcium sulfate anhydrous, carnauba wax, corn starch, croscarmellose sodium, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone*, shellac, silicon dioxide, stearic acid, sucrose, talc, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN EX-LAX® MAXIMUM STRENGTH†

Maximum Strength

Laxative

Sennosides USP, 25 mg

- Stimulant laxative for gentle, dependable overnight relief

TABLETS

†This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of ex-lax®.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

Product Label

<p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>		<p>Directions</p> <ul style="list-style-type: none"> swallow tablet(s) with a glass of water swallow tablet(s) whole, do not crush, break, or chew <p>adults and children take 2 tablets once or twice daily</p>					
<p>Inactive ingredients acacia, calcium phosphate dihydrate, calcium sulfate anhydrous, carnauba wax, colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C blue #1 aluminum lake, iron oxide, iron oxide black, iron oxide yellow, kaolin, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, shellac, stearic acid, sugar, talc, titanium dioxide</p>		<p>When using this product</p> <ul style="list-style-type: none"> do not use for a period longer than 1 week rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition. 					
<p>Other information</p> <ul style="list-style-type: none"> each tablet contains: calcium 40 mg very low sodium store between 20-25°C (68-77°F) 		<p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> do not use for a period longer than 1 week rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition. 					
<p>Drug Facts (continued)</p> <table border="1"> <tr> <td>ask a doctor</td> <td>children under 6 years of age</td> </tr> <tr> <td>take 1 tablet once or twice daily</td> <td>children 6 to under 12 years of age</td> </tr> </table>		ask a doctor	children under 6 years of age	take 1 tablet once or twice daily	children 6 to under 12 years of age	<p>Ask a doctor or pharmacist before use if you</p> <ul style="list-style-type: none"> are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs. do not use for a period longer than 1 week rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition. 	
ask a doctor	children under 6 years of age						
take 1 tablet once or twice daily	children 6 to under 12 years of age						
<p>Drug Facts (continued)</p>		<p>Drug Facts (continued)</p>					

<p>Drug Facts (continued)</p> <p>Warnings</p> <p>Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> noticed a sudden change in bowel habits that persists over a period of 2 weeks 		<p>Drug Facts (continued)</p> <p>Uses</p> <ul style="list-style-type: none"> relieves occasional constipation (irregularity) generally produces bowel movement in 6 to 12 hours 	
<p>Drug Facts (continued)</p>		<p>Drug Facts (continued)</p>	

Best Choice®

COMPARE TO THE ACTIVE INGREDIENT IN EX-LAX® MAXIMUM STRENGTH†

Maximum Strength Laxative

Sennosides USP, 25 mg

Actual Size



24 TABLETS

• Stimulant laxative for gentle, dependable overnight relief

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING. KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

†This product is not manufactured or distributed by GlaxoSmithKline plc, distributor of ex-lax®.



PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106



PLD-F16J
FC005550

BEST CHOICE Maximum Strength Laxative

LAXATIVE PILLS MAXIMUM STRENGTH

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-815
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	

Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	TCL083
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-815-24	24 in 1 CARTON	12/31/2018	12/27/2024
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	12/31/2018	12/27/2024

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 10/2022

Best Choice (Valu Merchandisers Company)