

ROLAIDS EXTRA STRENGTH MINT- calcium carbonate and magnesium hydroxide tablet, chewable
Chattem, Inc.

Roloids Extra Strength Tablets Mint

Extra Strength Antacid Roloids *Mint 10* Chewable Tablets

Drug Facts

Active ingredient

(in each tablet)

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

Purpose

Antacid

Use

relieves:

- heartburn
- sour stomach
- acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are

now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

Directions

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

Other information

each tablet contains: **calcium 270 mg, magnesium 55 mg**

Inactive ingredients

dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-059)

Dist. by CHATTEM, INC.
P.O. Box 2219
Chattanooga, TN 37409

Regular Strength Antacid Roloids *Mint 96* Chewable Tablets

Drug Facts

Active ingredient

(in each tablet)

Calcium carbonate USP 675 mg
Magnesium hydroxide USP 135 mg

Purpose

Antacid

Use

relieves:

- heartburn
- sour stomach
- acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are

now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

Directions

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

Other information

each tablet contains: **calcium 270 mg, magnesium 55 mg**

Inactive ingredients

dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-054)

As a daily source of calcium and magnesium, chew 2 tablets twice daily.

Supplement Facts

Serving Size: 2 Tablets, Servings Per Container: 48, Amount Per Serving: Calories 8, Total Carb 2 g (<1% DV*), Sugars 2 g (†DV), Calcium 540 mg (54% DV), Magnesium 110 mg (29% DV). *Percent Daily Values (DV) are based on a 2,000 calories diet.

†Daily Value not established.

Other ingredients

sucrose, dextrose, stearic acid, magnesium stearate, silicon dioxide, flavor, sucralose

Regular Strength Antacid Roloids *Mint 30* Chewable Tablets

Drug Facts

Active ingredient

(in each tablet)

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

Purpose

Antacid

Use

relieves:

- heartburn
- sour stomach
- acid indigestion

Warnings

Ask a doctor or pharmacist before use if you are

now taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

Directions

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

Other information

each tablet contains: **calcium 270 mg, magnesium 55 mg**

Inactive ingredients

dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-059)

Dist. by CHATTEM, INC.
P.O. Box 2219
Chattanooga, TN 37409

PRINCIPAL DISPLAY PANEL

EXTRA STRENGTH ANTACID

Roloids®

10 Mint Chewable Tablets

EXTRA STRENGTH ANTACID

©2013 Chattem, Inc. 0083425-01

Rolaid's®



10 Mint Chewable Tablets



0-41167-10015-8

Drug Facts

Drug Facts (continued)

Active ingredients (in each tablet)	Purpose
Calcium carbonate USP 675 mg	Antacid
Magnesium hydroxide USP 135 mg	Antacid

Keep out of reach of children.
Directions ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor

Uses relieves: ■ heartburn ■ sour stomach ■ acid indigestion

Other information each tablet contains: calcium 270 mg, magnesium 55 mg

Warnings Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. **When using this product** ■ do not take more than 10 tablets in a 24-hour period ■ do not use the maximum dosage for more than 2 weeks

Inactive ingredients dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-059)

Dist. by Chattem, Inc., P.O. Box 2219, Chattanooga, TN 37409

Safety Sealed - Do not use if foil wrapping is damaged

PRINCIPAL DISPLAY PANEL

EXTRA STRENGTH ANTACID

Rolaid's®

Rapid Relief of:

Heartburn

Acid Indigestion

96 Chewable Tablets

Mint

<p>Drug Facts (continued)</p> <p>Directions ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor</p> <p>Other information ■ each tablet contains: calcium 270 mg, magnesium 55 mg</p> <p>Inactive ingredients dextrose, flavor, magnesium stearate, maltodextrin, silicon dioxide, stearic acid, sucralose, sucrose</p>	<p style="text-align: center;">EXTRA STRENGTH</p> <h1 style="text-align: center;">Rolaids®</h1> <p style="text-align: center;">ANTACID/CALCIUM & MAGNESIUM SUPPLEMENT</p> <p style="text-align: center;"><i>Goes to Work INSTANTLY</i></p>  <p style="text-align: center;">96 Chewable Tablets</p> <p style="text-align: center;">Mint <i>Naturally & Artificially Flavored</i></p>	<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients (in each tablet)</th> <th>Purposes</th> </tr> </thead> <tbody> <tr> <td>Calcium carbonate USP 675 mg</td> <td>Antacid</td> </tr> <tr> <td>Magnesium hydroxide USP 135 mg</td> <td>Antacid</td> </tr> </tbody> </table> <p>Uses relieves: ■ heartburn ■ sour stomach ■ acid indigestion ■ upset stomach associated with these symptoms</p> <p>Warnings Ask a doctor or pharmacist before use if you ■ are now taking a prescription drug. Antacids may interact with certain prescription drugs.</p> <p>When using this product ■ do not take more than 10 tablets in a 24-hour period ■ do not use the maximum dosage for more than 2 weeks</p> <p>Keep out of reach of children.</p>	Active ingredients (in each tablet)	Purposes	Calcium carbonate USP 675 mg	Antacid	Magnesium hydroxide USP 135 mg	Antacid
Active ingredients (in each tablet)	Purposes							
Calcium carbonate USP 675 mg	Antacid							
Magnesium hydroxide USP 135 mg	Antacid							
<p>333-036</p> <p>As a daily source of calcium and magnesium, chew 2 tablets twice daily</p>		<p>Do not use if inner foil seal on bottle is broken or missing.</p>  <p>SANOFI</p> <p>Distributed by Chatterem, Inc., a Sanofi Company P.O. Box 2219 Chattanooga, TN 37409 ©2019 Chatterem, Inc. 0100701-01</p>						
<p>Supplement Facts</p> <p>Serving Size: 2 Tablets, Servings Per Container: 48, Amount Per Serving: Calories 10, Total Carb 2 g (<1% DV)*, Total Sugars 2 g (1DV), Includes 2 g Added Sugars (4% DV), Calcium 540 mg (40% DV), Magnesium 110 mg (25% DV). *% Daily Values (DV) are based on a 2,000-calorie diet. †Daily Value not established.</p> <p>Other ingredients: sucrose, dextrose, stearic acid, maltodextrin, magnesium stearate, silicon dioxide, flavor, sucralose</p>								
<p>10022-10-19</p>								

PRINCIPAL DISPLAY PANEL

EXTRA STRENGTH

Rolaids®

ANTACID

Rapid Relief of:

Heartburn

Acid Indigestion

3 Rolls

30 Chewable Tablets

Mint

<p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredients (in each tablet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Calcium carbonate USP 675 mg</td> <td>Antacid</td> </tr> <tr> <td>Magnesium hydroxide USP 135 mg</td> <td>Antacid</td> </tr> </tbody> </table> <p>Uses relieves: ■ heartburn ■ sour stomach ■ acid indigestion</p> <p>Warnings Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.</p> <p>When using this product ■ do not take more than 10 tablets in a 24-hour period ■ do not use the maximum dosage for more than 2 weeks</p> <p>Keep out of reach of children.</p> <p>Directions ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor</p> <p>Other information ■ each tablet contains: calcium 270 mg, magnesium 55 mg</p> <p>Inactive ingredients dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-059)</p>	Active ingredients (in each tablet)	Purpose	Calcium carbonate USP 675 mg	Antacid	Magnesium hydroxide USP 135 mg	Antacid	 <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Distributed by Chatterem, Inc., P.O. Box 2219, Chattanooga, TN 37409 ©2013 Chatterem, Inc. 0083426-01</p>	<p style="text-align: center;">EXTRA STRENGTH</p> <h1 style="text-align: center;">Rolaids®</h1> <p style="text-align: center;">ANTACID</p> <div style="text-align: center;">  </div> <p>RAPID RELIEF of:</p> <ul style="list-style-type: none"> • HEARTBURN • ACID INDIGESTION  <p>3 Rolls (30 Chewable Tablets)</p> <p style="text-align: right;">Mint</p>
Active ingredients (in each tablet)	Purpose							
Calcium carbonate USP 675 mg	Antacid							
Magnesium hydroxide USP 135 mg	Antacid							

ROLAIDS EXTRA STRENGTH MINT

calcium carbonate and magnesium hydroxide tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-1001
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	675 mg
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	135 mg

Inactive Ingredients

Ingredient Name	Strength
DEXTROSE (UNII: IY9XDZ35W2)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	16mm
Flavor	MINT	Imprint Code	R;X
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1001-6	3 in 1 CELLO PACK	09/01/2013	03/31/2016
1	NDC:41167-1001-5	10 in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:41167-1001-1	96 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	
3	NDC:41167-1001-3	116 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	03/31/2019
4	NDC:41167-1001-0	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	08/01/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2013	

Labeler - Chattem, Inc. (003336013)

Revised: 1/2025

Chattem, Inc.