

MILK OF MAGNESIA CHERRY- magnesium hydroxide liquid
FREDS, INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

FREDS milk of mag cherry

Active ingredient (in each 15 mL tablespoonful)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- a magnesium-restricted diet
- kidney disease
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- shake well before use
- do not use if under restricted sugar diet
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass of (8oz) of liquid with each dose

age	dose
adults and children 12 years and over	2 to 4 tablespoonfuls
children 6 years to 11 years	1 to 2 tablespoonfuls

children under 6 years | ask a doctor


Other information

- each tablespoonful contains: magnesium 500 mg, sodium 6 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients

carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

PACKAGE LABEL



Drug Facts TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

Active ingredient (in each 15 mL tablespoonful)	Purpose
Magnesium hydroxide 1200 mg	Saline laxative

Use

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have

- a magnesium restricted diet
- kidney disease
- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not use if under restricted sugar diet
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass of (8oz) of liquid with each dose

age	dose
adults and children 12 years and over	2 to 4 tablespoonfuls
children 6 years to 11 years	1 to 2 tablespoonfuls
children under 6 years	ask a doctor

Other information

- each tablespoonful contains: magnesium 500 mg, sodium 6 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients carboxymethylcellulose sodium, citric acid, D & C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

*This product is not manufactured or distributed by Bayer Healthcare LLC, distributors of Phillips® brand Milk of Magnesia.

FRED'S Promise
Not Happy With This Product?
Just Bring It Back For a Refund!

4300 New Getwell Rd., Memphis, TN 38118
www.fredshc.com
909-19312-5 REV0618



MILK OF MAGNESIA CHERRY

magnesium hydroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55315-648
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDRO XIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
WATER (UNII: 059QF0K00R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	pink (opaque light pink)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-648-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2014	
2	NDC:55315-648-26	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/01/2014	

Labeler - FREDS, INC (005866116)

Registrant - GCP Laboratories (965480861)**Establishment**

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	pack(55315-648) , manufacture(55315-648)

Revised: 12/2018

FREDS, INC