

HUMCO CALAGESIC- calamine and pramoxine hydrochloride lotion
Humco Holding Group, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Private Label Calagesic Lotion

Drug Facts

Active Ingredients

Calamine 8%

Pramoxine HCl 1%

Purpose

Skin Protectant

External analgesic

Uses

Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other skin irritations.

Warnings

For external use only. Use only as directed.

When using this product. Avoid contact with eyes and mucous membranes.

Stop use and ask a doctor if

condition worsens. Symptoms last for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

Adults and children 2 yr. of age and older. Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

Children under 2 yrs. of age. Consult a doctor before use.

Inactive Ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methycelulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

Other information

Store at room temperature 15-30C (59-86F)

Good Neighbor Pharmacy Label



NDC 24385-072-82

Caldyphen Lotion

External Analgesic / Skin Protectant

relieves **ITCHING** due to:

- Poison Ivy • Insect Bites
- Poison Oak • Minor Skin Irritations


6 FL OZS (177 mL)

Drug Facts	Purpose
Active ingredients	Skin protectant
Calamine 8%.....	External analgesic
Pramoxine HCl 1%.....	
Use	
Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.	
Warnings For External Use Only. Use only as directed.	
■ When using this product avoid contact with eyes and mucous membranes.	
Stop use and ask a doctor if ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Directions	
■ Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 yrs. of age: Consult a doctor.	
Other information ■ Store at room temperature 15° - 30°C (59° - 85°F).	
Inactive ingredients ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methyl Paraben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.	

Distributed by: AmerisourceBergen
1300 Morris Drive, Cheslerbrook, PA 19087
Questions or Comments? 31-800-662-3435 • www.goodneighborpharmacy.com



Leader Label



NDC 70090-0400-1

Calamine Plus

External Analgesic | Skin Protectant

Relieves Itching Due to:
Poison Ivy, Poison Oak, Insect Bites, Minor Skin Irritations

COMPARE TO CALADRYL® LOTION active ingredients*

100% Money Back Guarantee

6 FL OZ (177 mL)

Drug Facts	Purpose
Active ingredients	Skin protectant
Calamine 8%.....	External analgesic
Pramoxine HCl 1%.....	
Uses	
■ temporarily relieves pain and itching associated with: ■ rashes due to poison ivy, poison oak or poison sumac ■ insect bites ■ minor skin irritation ■ minor cuts ■ dries the oozing and weeping of poison ivy, poison oak and poison sumac	
Warnings ■ For external use only. Use only as directed. ■ Avoid contact with eyes and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.	
Stop use and ask a doctor if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately (1-800-222-1222).	
Directions	
■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 years of age: Consult a doctor before use.	
Other information ■ Store at room temperature 15-30°C (59-86°F)	
Inactive ingredients ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.	
Questions or Comments? 1-800-462-3435	

*This product is not manufactured or distributed by Valeant Pharmaceuticals, owner of the registered trademark "Caladryl" Lotion.

© 2008 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

CIN 5455456 REV. 11/18



Return to place of purchase.



DISTRIBUTED BY
CARDINAL HEALTH
DUBLIN, OHIO 43007
www.myleader.com
1-800-200-6333

Quality Choice Label

Drug Facts	
Active Ingredients	Purpose
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic
Indication Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
Warnings	
■ For external use only. Use only as directed.	
■ Avoid contact with eyes and mucous membranes.	
■ Ask a doctor before using on children under 2 years of age.	
When using this product discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<i>Continued</i>	

*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Lotion.



***Compare to ingredient in Caladryl® Lotion™**

Anti-Itch Medicated Lotion

Skin protectant

External Analgesic
Helps Relieve Pain & Itch Caused by Poison Ivy, Poison Oak & Poison Sumac



6 fl oz (177mL)

Drug Facts (CONTINUED)	
Directions	
■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 years of age: Consult a doctor before use.	
Other information Store at room temperature 15-30°C (59-86°F)	
Inactive ingredients SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.	

Distributed by C.D.M.A., Inc.®
 43157 W. Nine Mile
 Novi, MI 48376-0995
 www.qualitychoice.com
 Questions: 248-449-9300

MADE IN USA



Sunmark Label

sunmark™

COMPARE TO CALADRYL® LOTION™ ACTIVE INGREDIENT*
 NDC 49348-337-36

caldyphen lotion

Skin protectant
External analgesic



0 10939 14533 8

Distributed by McKesson
 One Post Street, San Francisco, CA 94104
 Money Back Guarantee

6 FL OZ (177 mL)

Drug Facts	
Active Ingredients	Purpose
Pramoxine HCl 1% and Calamine 8%.....	External Analgesic/Skin Protectant
Uses Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac and other minor skin irritations.	
Warnings For External Use Only. Use only as directed.	
■ Avoid contact with eye and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.	
When using this product Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days or clear up and occur again within a few days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Directions	
Adults and children 2 yrs. of age and older	Shake well before using. Cleanse the skin with soap and water. Let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
Children under 2 yrs. of age	Consult a doctor before use.
Inactive ingredients SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, and Purified Water.	
Other information Store at room temperature 15° - 30° (59°-86°F).	

*Caladryl® Lotion™ is the registered trade mark of Warner-Lambert Co.

Publix Label

Publix

calamine

MEDICATED LOTION

skin protectant • external analgesic

For the temporary relief of pain and itching associated with minor skin irritations.

Compare to the active ingredient of Caladryl Lotion®*

NET WT. 6 FLOZ (177 mL)

Drug Facts	Purpose
Active ingredients	Calamine 8%Skin protectant Pramoxine HCl 1%External analgesic
Use	Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.
Warnings For External Use Only.	Use only as directed.
	■ When using this product avoid contact with eyes.
Stop use and ask a doctor if	■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.
Keep out of reach of children.	In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
Directions	■ Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ Children under 2 yrs. of age: Consult a doctor.
Other information	■ Store at room temperature 15° - 30°C (59° - 85°F).
Inactive ingredients	■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.

* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.
 R05231RLC
 DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.
 3300 PUBLIX CORPORATE PARKWAY, JACLAND, FL 33811
 800-242-1227 • publix.com
 PUBLIX GUARANTEE
 COMPLETE SATISFACTION OR YOUR MONEY BACK 0 41415 06675 5

Premier Value

* Compare to the active ingredients in Caladryl®



CALAGESIC™

LOTION

For the Temporary Relief of Pain and Itching Associated with Minor Skin Irritations.

NET 6 FL OZ (177mL)



Drug Facts	Purpose
Active ingredients	Calamine 8%Skin protectant Pramoxine HCl 1%External analgesic
Use	Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.
Warnings For External Use Only.	Use only as directed.
	■ When using this product avoid contact with eyes.
Stop use and ask a doctor if	■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.
Keep out of reach of children.	In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
Directions	■ Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ Children under 2 yrs. of age: Consult a doctor.
Other information	■ Store at room temperature 15° - 30°C (59° - 85°F).
Inactive ingredients	■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.

* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.
 Distributed by
 Chain Drug Consortium, LLC.
 2300 NW Corporate Blvd., Suite 115
 Boca Raton, FL 33431
 8 40986 02460 3

CVS Label



Compare to the active ingredients in Caladryl®*

Calamine Plus

ITCH RELIEF

Topical analgesic
Skin protectant
Calamine plus
Itch reliever



6 FL OZ (177 mL)

Drug Facts

Active Ingredients

Calamine 8%.....Skin protectant
Pramoxine HCl 1%.....External analgesic

Use Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.

Warnings For External Use Only. Use only as directed.

■ **When using this product** avoid contact with eyes.

Stop use and ask a doctor if ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

■ **Adults and children 2 yrs. of age and older:** Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort.

■ **Children under 2 yrs. of age:** Consult a doctor.

Other information ■ Store at room temperature 15° - 30°C (59° - 85°F).

Inactive ingredients ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.

* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®. #109405

Distributed by:

CVS Pharmacy, Inc.
One CVS Drive,
Woonsocket, RI 02895
© 2015 CVS/pharmacy
CVS.com® 1-800-SHOP-CVS

V-17624



0 150428 27840 6



Vida Mia Label

Drug Facts

Active ingredients	Purpose
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic

Uses Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

Warnings

- **For external use only.** Use only as directed.
- **Avoid contact with eyes and mucous membranes.**
- **Ask a doctor before using on children under 2 years of age.**

When using this product discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. **Continued** ▶

*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Lotion

Compare to Caladryl® Lotion*



Compare con Caladryl® Lotion*

Calagesic™ Lotion

LOCIÓN CALAGESIC™

External analgesic • Skin protectant
 • Drying agent & itch relief
 Analgésico externo • Protector de la piel
 • Seca y alivia la picazón

6 FL. OZ. (177 mL) • 6 ONZAS FL. (177 mL)

Drug Facts (CONTINUED)**Directions**

■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

■ Children under 2 years of age: Consult a doctor before use.

Other information

Store at room temperature 15-30°C (50-86°F)

Inactive ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.

Distributed by/Distribuido por:



Medley, Florida 33178
 Questions or Comments? ☎1-800-862-3435

R071213.RLG



Levante etiqueta para información

TIEDOWN

Información sobre el Medicamento

Ingredientes Activos	Propósito
Calamina 8%.....	Protector de la Piel
Pramoxina HCl 1%.....	Analgésico externo

Usos Seca la supuración y el lagrimeo y alivia temporalmente el dolor y la picazón de la hiedra venenosa, el roble venenoso y el zumaque así como otras irritaciones leves de la piel.

Advertencias

- **Para uso externo solamente.** Utilice únicamente según las indicaciones.
- **Evite el contacto con los ojos y las membranas mucosas**
- **Consulte un médico antes de usar en niños menores de 2 años de edad.**

Al utilizar este producto Suspenda el uso de este producto y consulte un médico si la condición empeora, no mejora o si los síntomas persisten durante más de 7 días o desaparecen y vuelven a ocurrir de nuevo dentro de pocos días.

Mantener fuera del alcance de los niños. En caso de ingestión accidental, busque asistencia profesional o contacte un Centro de Control de Envenenamiento inmediatamente. **Continuación** ▶

*Este producto no es fabricado ni distribuido por Johnson & Johnson Consumer Products Company, propietario de la marca registrada Caladryl® Lotion



Compare con Caladryl® Lotion*

LOCIÓN CALAGESIC™

Analgésico externo • Protector de la piel
 • Seca y alivia la picazón

6 ONZAS FL. (177 mL)

**Información sobre el Medicamento (CONTINUACIÓN)****Instrucciones**

■ **Adultos y niños de 2 años de edad o mayores:** Agite bien antes de usar. Limpie la piel con agua y jabón y deje secar antes de cada uso. Aplique la loción en el área afectada usando algodón o un paño suave, no más de 3 a 4 veces al día según sea necesario.

■ **Para niños menores de 2 años de edad:** Consulte un médico antes de usar.

Otra información

Almacene a una temperatura de 15-30°C (50-86°F)

Ingredientes inactivos


SD Alcohol 38B 2.5%, Alcanfor, Diazolidinilurea, Fragancias, Glicerina, Hidroxipropil Metilcelulosa, Metilparabeno, Polisorbato 80, Propilenglicol, Propilparabeno, Agua Purificada.

Distributed by/Distribuido por:



Medley, Florida 33178
 ¿Preguntas o comentarios? ☎1-800-862-3435

Best Choice Label



Topical Analgesic • Skin Protectant
 • Medicated Pain & Itch Relief Lotion
 6 fl oz (177 mL)

Drug Facts	Purpose
Active ingredients Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic	
Indication Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
Warnings For External Use Only. Use only as directed.	
■ When using this product avoid contact with eyes.	
Stop use and ask a doctor if ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Directions	
■ Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 yrs. of age: Consult a doctor.	
Other information ■ Store at room temperature.	
Inactive ingredients ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol Propylparaben and Purified Water.	

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.
 RD41013RLG
 BEST CHOICE

 0 70038 59260 0
Best Choice
 100% Guaranteed
 www.bestchoicebrand.com
 PROUDLY DISTRIBUTED BY:
 VALLI MERCHANTSERS. CO.
 5000 KANSAS AVE
 KANSAS CITY, KS 66106

HEB Label



Drug Facts	Purpose
Active ingredients Calamine 8%.....Skin protectant Pramoxine 1%.....External analgesic	
Uses Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.	
Warnings: For External Use Only. Use only as directed.	
■ Avoid contact with eyes and mucous membranes ■ Ask a doctor before using on children under 2 yrs. of age	
When using this product ■ Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
Directions	
■ Adults and children 2 yrs. and older: Shake well before using. Wash the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 yrs. of age: Consult a doctor.	
■ Other information ■ Store at room temperature 15° - 30°C (59° - 85°F)	
Inactive ingredients ■ SD alcohol 38B 2.5%, camphor, diazolidinyl urea, fragrances, glycerin, hydroxypropyl methylcellulose, methylparaben, polysorbate 80, propylene glycol, propylparaben and purified water.	

MADE WITH PRIDE AND CARE FOR H-E-B, SAN ANTONIO, TX 78204
 Questions or Comments? Call 1-800-662-3435
 We believe the high quality of this H-E-B product makes it an outstanding value. We hope you'll agree. If not, we'll cheerfully refund your money. 0 4 1220 66068 1
 1104

DrugMart Label



Calamine Lotion Medicated



Topical Analgesic • Skin Protectant
• Medicated Pain & Itch Relief Lotion

*Compare to the Active Ingredients of Caladryl® Lotion

6 fl oz (177 mL)

Drug Facts
Purpose Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic
Use Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other minor skin irritations.
Warnings For External Use Only. Use only as directed. ■ When using this product avoid contact with eyes. Stop use and ask a doctor if ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days. Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.
Directions ■ Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort. ■ Children under 2 yrs. of age: Consult a doctor.
Other information ■ Store at room temperature.
Inactive ingredients ■ SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hypromellose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl®.

Satisfaction guaranteed - If dissatisfied, return unused portion and package to store where purchased. If unable to return to store, send reason for dissatisfaction, name, address and empty package to: Discount Drug Mart, 211 Commerce Drive, Medina, Ohio 44136

DISTRIBUTED BY:
DRUG MART-FOOD FAIR
211 Commerce Dr.
MEDINA, OHIO Zip 44136
Questions or Comments? 1-800-833-8278
www.DISCOUNT-DRUGMART.COM



0 93351 01302 7

Top care Label

NDC 36800-258-06



COMPARE TO CALADRYL® LOTION ACTIVE INGREDIENT*

Calagesic Lotion

EXTERNAL ANALGESIC SKIN PROTECTANT

Relieves Itching Due to:

- Poison Ivy
- Poison Oak
- Insect Bites
- Minor Skin Irritations



6 FL OZ (177 mL)

Drug Facts
Active ingredients Calamine 8%.....Skin protectant Pramoxine HCl 1%.....External analgesic
Use Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.
Warnings ■ For external use only. Use only as directed ■ Avoid contact with eyes and mucous membranes ■ Ask a doctor before using on children under 2 years of age Stop use and ask a doctor if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 immediately.
Directions ■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort. ■ Children under 2 years of age: Consult a doctor before use
Other information ■ Store at room temperature 15-30°C (59-86°F)
Inactive ingredients SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water

*This product is not manufactured or distributed by Valiant Pharmaceuticals, owner of the registered trademark Caladryl® Lotion.

DISTRIBUTED BY TOPCO ASSOCIATES, LLC
ELY GROVE LAKE, IL 60407 ©2010 CO H4240819
QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com
Visit here for more information:
http://topco.com/462a/1/



0 36800 44341 9

HUMCO CALAGESIC

calamine and pramoxine hydrochloride lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-9111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-9111-96	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	03/25/1998	

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Humco Holding Group, Inc. (825672884)

Establishment

Name	Address	ID/FEI	Business Operations
Humco Holding Group, Inc.		825672884	manufacture(0395-9111) , analysis(0395-9111) , pack(0395-9111) , label(0395-9111)

Revised: 6/2020

Humco Holding Group, Inc.