

**HUMCO CASTOR OIL- castor oil liquid**  
**Humco Holding Group, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Private Label Castor Oil, USP (Odorless - Tasteless)**

Drug Facts

**Active Ingredient**

Castor Oil

**Purpose**

Stimulant Laxative

**Use**

For the temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.

**Warnings**

Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

**Ask a doctor before use**

if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.

**When using this product**

Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.

**If pregnant or breast feeding**

ask a health professional before use

**Keep out of reach of children.**

In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

Preferably take on an empty stomach. May be taken with juice to improve taste.

Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.

Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single dose or as directed by a doctor.

Children under 2 yrs. of age: Consult a doctor before use.

**WARNINGS:**

Do not use if Taper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For your Protection" or foil seal under cap.

**Other Information**

storage. Keep tightly closed and away from excessive heat.

**Inactive Ingredient**

None

**GNP Label**

2 fl oz



\*SAFETY SEALED  
NDC 24385-515-46

**Castor Oil USP**  
(Odorless - Tasteless)

**Stimulant Laxative**

\*WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or an inner seal under cap.

**2 FL OZ (59 mL)**

**Drug Facts**  
**Active Ingredient**  
Castor Oil.....Stimulant Laxative

**Purpose**  
Stimulant Laxative

**Use** ■ For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.

**Warnings** ■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.

**Ask a doctor before use** if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor.

**Stop use and consult a doctor** if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.

**Keep out of reach of children.** In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

**Directions** ■ Preferably take on an empty stomach. May be taken with juice to improve taste. Directions are for a single daily dose. ■ **Adults and children 12 yrs of age and older:** 1 to 4 teaspoonsful. ■ **Children 2 to under 12 yrs of age:** 1 to 3 teaspoonsful or as directed by a doctor. ■ **Children under 2 yrs of age:** Consult a doctor before use.

**Other information** ■ Storage. Keep tightly closed and away from excessive heat.



0 8770140091 9  
ABC# 003-140 R071111RLG  
Dist. by: AmerisourceBergen • 1300 Morris Dr., Chesterbrook, PA 19087  
Questions or Comments? ☎1-800-662-3435 • [www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)

6 fl oz



\*Safety Sealed  
NDC 24385-515-30

**Castor Oil USP**  
(Odorless - Tasteless)

**Stimulant Laxative**

**Gastro • Intestinal**

\*WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.

**6 FL OZ (177 mL)**

<b>Drug Facts</b>	<b>Purpose</b> Stimulant Laxative
<b>Active Ingredient</b> Castor Oil.....	Stimulant Laxative
<b>Use</b> For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.	
<b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor.	
<b>Stop use and consult a doctor</b> if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
<b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.	
Adults and children 12 yrs of age and older.	1 to 4 teaspoonsful in a single daily dose.
Children 2 to under 12 yrs of age.	1 to 3 teaspoonsful in a single daily dose or as directed by a doctor.
Children under 2 yrs of age.	Consult a doctor before use.
<b>Other Information</b> Storage. Keep tightly closed and away from excessive heat.	



0 8770140068 1  
ABC# 919055 R080813RLG  
Dist. by: AmerisourceBergen • 1300 Morris Drive, Chesterbrook, PA 19087  
Questions or Comments? ☎1-800-662-3435  
[www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)

Leader Label



NDC 37205-024-30 \*SAFETY SEALED



Odorless - Tasteless

# Castor Oil USP

STIMULANT LAXATIVE

100% SATISFACTION  
GUARANTEED

All Leader® Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund.

6 FL OZ (177 mL)

**\*WARNING:** Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active Ingredient</b> Castor Oil.....	Stimulant Laxative
<b>Use</b>	For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.
<b>Warnings</b>	Do not use when abdominal pain, nausea or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.
<b>Ask a doctor before use</b>	If you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor.
<b>Stop use and consult a doctor</b>	If you have rectal bleeding or a failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.
<b>If pregnant or breast feeding</b>	ask a health professional before use.
<b>Keep out of reach of children</b>	In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.
<b>Directions</b>	Preferably take on an empty stomach. May be taken with juice to improve taste.
<b>Adults and children 12 yrs. and older:</b>	1 to 4 tablespoonfuls in a single daily dose.
<b>Children 2 to under 12 yrs. of age:</b>	1 to 3 teaspoonfuls in a single daily dose or as directed by a doctor.
<b>Children under 2 yrs. of age:</b>	consult a doctor.

**Other information:** - Keep tightly closed and away from excessive heat.

Distributed by: Cardinal Health  
Dublin, Ohio 43017  
1-800-200-6313  
www.myleader.com

R07211LSI  
CIN 3698065  
0 9629511386 0

## Quality Choice Label

**Drug Facts**

<b>Active ingredient</b> Castor Oil.....	<b>Purpose</b> Stimulant laxative
<b>Use</b> For the temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b>	
■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.	
■ Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.	
<b>When using this product</b>	
Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
If pregnant or breast feeding ask a health professional before use.	
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	

*Continued* ▶



NDC 63868-322-06

**\*Safety Sealed**

# Castor Oil USP

Odorless - Tasteless

Stimulant laxative



6 fl OZ (177mL)

**\*WARNING:** Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.

**Drug Facts (CONTINUED)**

**Directions**  
Preferably take on an empty stomach. May be taken with juice to improve taste.

■ **Adults and children 12 yrs. of age and older:** 1 to 4 tablespoonfuls in a single daily dose or as directed by a doctor.

■ **Children 2 to under 12 yrs. of age:** 1 to 3 teaspoonfuls in a single daily dose or as directed by a doctor.

■ **Children under 2 yrs. of age:** Consult a doctor before use.

**Other information**  
Storage. Keep tightly closed and away from excessive heat.



6 35515 95496 0  
R062514RLG

Distributed by C.D.M.A., Inc®  
4337 W. Nine Mile  
Novi, MI 48376-0995  
www.qualitychoice.com  
Questions: 248-449-9300

## Sunmark Label

**sunmark**®

NDC 48348-016-36 \*SAFETY SEALED

# castor oil USP

Stimulant laxative  
Odorless & tasteless



0 10939 97333 7

\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP (PRINTED "SEALED FOR YOUR PROTECTION") OR A FOIL SEAL UNDER CAP.

6 OZ (177 mL)

Distributed by: McKesson  
One Post Street, San Francisco, CA 94114  
Money Back Guarantee

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active Ingredient</b> Castor Oil.....	Stimulant Laxative
<b>Use</b>	For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.
<b>Warnings</b>	Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.
<b>Ask a doctor before use</b>	If you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor.
<b>Stop use and consult a doctor</b>	If you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.
<b>If pregnant or breast feeding</b>	ask a health professional before use.
<b>Keep out of reach of children</b>	In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.
<b>Directions</b>	Preferably take on an empty stomach. May be taken with juice to improve taste.
<b>Adults and children 12 yrs of age and older</b>	1 to 4 tablespoonfuls in a single daily dose.
<b>Children 2 to under 12 yrs. of age</b>	1 to 3 teaspoonfuls in a single daily dose or as directed by a doctor.
<b>Children under 2 yrs of age</b>	Consult a doctor before use.

**Other information** Storage. Keep tightly closed and away from excessive heat.

A48839 01 2022

# Premier Value Label

\*SAFETY SEALED



## CASTOR OIL USP

**Odorless - Tasteless  
STIMULANT LAXATIVE**

**\*WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.**

NET 6 FL OZ (177mL)

<b>Drug Facts</b>	<b>Purpose</b> Stimulant Laxative
<b>Active ingredient</b> Castor Oil	
<b>Use</b> For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives. <b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. <b>Stop use and consult a doctor</b> if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. <b>If pregnant or breast feeding</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.	
Adults and children 12 yrs of age and older	1 to 4 tablespoons in a single daily dose.
Children 2 to under 12 yrs of age	1 to 3 teaspoons in a single daily dose or as directed by a doctor.
Children under 2 yrs of age	Consult a doctor before use.
<b>Other Information</b> Storage: Keep tightly closed and away from excessive heat.	

DISTRIBUTED BY: CHAIN DRUG CONSORTIUM  
3301 NW BOCA RATON BLVD  
SUITE 101, BOCA RATON, FL 33431  
MADE IN U.S.A.



8 40986 02554 9 R011510RLG

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.



# DDM Label

\*SAFETY SEALED



## CASTOR OIL USP

**Odorless - Tasteless**

**STIMULANT LAXATIVE**

**\*WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.**

DISTRIBUTED BY:  
DRUG MART-FOOD FAIR  
2111 Commerce Dr., MEDINA, OH 44256  
www.discount-drugmart.com  
Questions? 1-800-839-5278

**6 FL OZ  
(178 mL)**

<b>Drug Facts</b>	<b>Purpose</b> Stimulant laxative
<b>Active ingredient</b> Castor Oil	
<b>Use</b> For the temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. <b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.	
<b>When using this product</b> <b>Discontinue use and consult a doctor</b> if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
<b>If pregnant or breast feeding</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.	
Adults and children 12 yrs. of age and older	1 to 4 tablespoons in a single daily dose or as directed by a doctor.

# Rite Aid Label



**RITE AID PHARMACY** \*SAFETY SEALED

# laxative castor oil

castor oil USP 100% stimulant laxative

odorless tasteless

**\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH A FOIL SEAL UNDER CAP.**

6 FL OZ (177mL)

<b>Drug Facts</b>	<b>Purpose</b> Stimulant Laxative
<b>Active ingredient</b> Castor Oil	Stimulant Laxative
<b>Use</b> For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> Do not use when abdominal pain, nausea or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives. <b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. <b>Stop use and consult a doctor</b> if you have rectal bleeding or a failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. <b>If pregnant or breast feeding</b> ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.	
	1 to 4 tablespoons in a single daily dose.
	1 to 3 teaspoons in a single daily dose or as directed by a doctor.
	Children under 2 yrs. of age consult a doctor.
<b>Other information:</b> • Keep tightly closed and away from excessive heat.	

ITEM 0306451 R011510RLG  
 DISTRIBUTED BY: RITE AID  
 30 HUNTER LANE  
 CAMP HILL, PA 17011

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

0 11822 06451 4

## Harris Teeter Label

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient</b> Castor Oil	Stimulant laxative
<b>Use</b> For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> ■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. ■ Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.	
<b>When using this product</b> Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
<b>If pregnant or breast feeding</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
	<i>Continued</i> ▶

**Harris Teeter** \*Safety Sealed

# Castor Oil USP

Odorless - Tasteless  
Stimulant Laxative

6 FL OZ (177mL)

**\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR FOIL SEAL UNDER CAP.**

<b>Drug Facts</b> (continued)
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.
■ Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.
■ Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor.
■ Children under 2 yrs. of age: Consult a doctor before use
<b>Other information</b> Storage. Keep tightly closed and away from excessive heat.

your<sup>plus</sup>guarantee.

1-800-432-6111 or harristeeter.com

PROUDLY DISTRIBUTED BY:  
HARRIS TEETER®  
MATTHEWS, NC 28105



R061021

**Harris Teeter** \*Safety Sealed

# Castor Oil USP

Odorless - Tasteless  
Stimulant Laxative

6 FL OZ (177mL)

**\*WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.**

<b>Drug Facts</b>	<b>Purpose</b> Stimulant Laxative
<b>Active ingredient</b> Castor Oil	Stimulant Laxative
<b>Use</b> For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives. <b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. <b>Stop use and consult a doctor</b> if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. <b>If pregnant or breast feeding</b> ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.	
	1 to 4 tablespoons in a single daily dose.
	1 to 3 teaspoons in a single daily dose or as directed by a doctor.
	Children under 2 yrs. of age. Consult a doctor before use.
<b>Other information</b> Storage. Keep tightly closed and away from excessive heat.	

PROUDLY DISTRIBUTED BY:  
HARRIS TEETER®  
MATTHEWS, NC 28105  
your<sup>plus</sup>guarantee.  
1-800-432-6111 or harristeeter.com



R011510RLG



# Vida Mia Label

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b>..... <i>Purpose</i> Castor Oil.....Stimulant laxative</p> <p><b>Use</b> For the temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.</p> <p><b>Warnings</b>  <ul style="list-style-type: none"> <li>Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.</li> </ul> </p> <p><b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.</p> <p><b>When using this product</b> Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.</p> <p><b>If pregnant or breast feeding</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.</p> <p><b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste. <i>Continued</i> ▶</p>	<p>ODORLESS SIN OLOR</p> <p>FOR SPANISH DRUG FACTS INFORMATION SEE INNER CARTON.</p>  <p>TASTELESS SIN SABOR</p> <p>LAS INSTRUCCIONES EN ESPAÑOL APARECEN IMPRESAS EN LA PARTE INTERNA DEL EMPAQUE.</p> <p>mi salud</p> <p><b>Castor Oil</b> USP</p> <p><b>ACEITE DE RICINO</b> USP</p> <p>A TRUSTED, ALL NATURAL LAXATIVE</p> <p>UN LAXANTE NATURAL CONFIABLE</p> <p>6 FL. OZ. (178 mL) • 6 ONZAS FL. (178 mL)</p>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"> <li>Adults and children 12 yrs. of age and older: 1 to 4 tablespoons in a single daily dose or as directed by a doctor.</li> <li>Children 2- to under 12 yrs. of age: 1 to 3 teaspoons in a single daily dose or as directed by a doctor.</li> <li>Children under 2 yrs. of age: Consult a doctor before use.</li> </ul> <p><b>Other Information</b> Storage: Keep tightly closed and away from excessive heat.</p> <p><b>Warning:</b> Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed for Your Protection" or foil seal under cap.</p> <p>Distributed by/Distribuido por:</p> <p><b>MAGEJLAN</b>  DISTRIBUTION SOLUTIONS Medley, Florida 33178</p>  <p>8 47717 06061 9</p>
--	--	---

3/8" TIEDOWN	<p><b>Información sobre el Medicamento</b></p> <p><b>Ingrediente Activo</b>..... <i>Propósito</i> Aceite de Ricino.....Laxante estimulante</p> <p><b>Uso</b> Para el alivio temporal del estreñimiento ocasional. Generalmente se produce un movimiento intestinal en 6 a 12 horas.</p> <p><b>Advertencias</b>  <ul style="list-style-type: none"> <li>No utilice este producto cuando hay dolor abdominal, náusea, o vómito e inanzas que sea indicado por un médico.</li> </ul> </p> <p>Consulte un médico antes de usar este producto si ha notado cambios súbitos, que persisten por más de 2 semanas, en sus hábitos intestinales. Los productos laxantes no deben ser usados por un período de más de 1 semana a menos que sea indicado por un médico. Su uso frecuente o prolongado puede resultar en dependencia de los laxantes.</p> <p><b>Al utilizar este producto</b> Suspenda el uso de este producto y consulte un médico si tiene sangrado rectal o no puede tener evacuación intestinal después de usar un laxante. Estos síntomas pueden ser indicio de una condición seria.</p> <p><b>Si está embarazada o lactando</b> consulte a un profesional de la salud antes de utilizar este producto.</p> <p>Mantenga fuera del alcance de los niños. En caso de sobredosis accidental, busque ayuda profesional o contacte un Centro de Control de Envenenamiento inmediatamente. <i>Continúa</i> ▶</p>	<p>SIN OLOR</p>  <p>SIN SABOR</p> <p>mi salud</p> <p><b>ACEITE DE RICINO</b> USP</p> <p>UN LAXANTE NATURAL CONFIABLE</p> 	<p><b>Información sobre el Medicamento (continuación)</b></p> <p><b>Instrucciones</b> Tome este producto preferentemente con el estómago vacío. Se puede tomar con jugo para mejorar el sabor.</p> <ul style="list-style-type: none"> <li>Adultos y niños de 12 años o mayores: 1 a 4 cucharadas en una sola dosis diaria o según las instrucciones del médico.</li> <li>Niños de 2 años hasta menos de 12 años de edad: 1 a 3 cucharitas en una sola dosis diaria o según las instrucciones del médico.</li> <li>Niños menores de 2 años de edad: Consulte un médico antes de usar.</li> </ul> <p><b>Otra información</b> Almacenamiento: Mantenga herméticamente tapado y lejos del calor excesivo.</p> <p><b>ADVERTENCIA:</b> No utilice si el Sello de Protección está roto o ha sido removido. Este producto está sellado con una banda impresa con las palabras "Sealed for Your Protection" alrededor de la tapa o con un sello de aluminio bajo la tapa.</p> <p>¿Preguntas o comentarios? ☎1-800-862-3435</p>
--------------	---	---	---

# Heamth Mart Label

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b>..... <i>Purpose</i> Castor Oil.....Stimulant laxative</p> <p><b>Indications</b> For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.</p> <p><b>Warnings</b>  <ul style="list-style-type: none"> <li>Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.</li> </ul> </p> <p><b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.</p> <p><b>When using this product</b> Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.</p> <p><b>If pregnant or breast feeding</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. <i>Continued</i> ▶</p>	<p>NDC 62011-0141-1 *Safety Sealed</p>  <p><b>Castor Oil</b> USP</p> <p>Odorless - Tasteless</p> <p>Stimulant Laxative</p> <p>Cold Pressed Contains no Hexanes</p> <p>For temporary relief of occasional constipation</p> <p>6 Fl oz (177 mL)</p>	<p><b>*WARNING:</b> Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap.</p> <p><b>Drug Facts (CONTINUED)</b></p> <p><b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.</p> <ul style="list-style-type: none"> <li>Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.</li> <li>Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor.</li> <li>Children under 2 yrs. of age: Consult a doctor before use.</li> </ul> <p><b>Other information</b> Storage: Keep tightly closed and away from excessive heat.</p> <p><b>MCKESSON</b> Another Quality Product Distributed by McKesson One First Street, San Francisco, CA 94134 Money Back Guarantee healthmart.com</p> <p>R102017</p>  <p>0 52569 13536 5</p>
--	--	---



NDC 62011-0141-1



# castor oil

usp  
stimulant laxative  
odorless - tasteless

**\*WARNING:** Do not use if Tamper Evident Seal is broken or missing. This product is sealed with a foil seal under cap.


6 fl oz (177 mL) \*Safety Sealed

<b>Drug Facts</b>	<b>Purpose</b> Stimulant Laxative						
<b>Active ingredient</b> Castor Oil							
<b>Use</b> For temporary relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.							
<b>Warnings</b> Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives. <b>Ask a doctor before use</b> if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. <b>Stop use and consult a doctor</b> if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition. <b>If pregnant or breast feeding</b> ask a health professional before use. Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.							
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Adults and children 12 yrs of age and older</td> <td>1 to 4 tablespoons in a single daily dose.</td> </tr> <tr> <td>Children 2 to under 12 yrs. of age</td> <td>1 to 3 teaspoons in a single daily dose or as directed by a doctor.</td> </tr> <tr> <td>Children under 2 yrs of age</td> <td>Consult a doctor before use.</td> </tr> </table>	Adults and children 12 yrs of age and older	1 to 4 tablespoons in a single daily dose.	Children 2 to under 12 yrs. of age	1 to 3 teaspoons in a single daily dose or as directed by a doctor.	Children under 2 yrs of age	Consult a doctor before use.
Adults and children 12 yrs of age and older	1 to 4 tablespoons in a single daily dose.						
Children 2 to under 12 yrs. of age	1 to 3 teaspoons in a single daily dose or as directed by a doctor.						
Children under 2 yrs of age	Consult a doctor before use.						
<b>Other information</b> Storage. Keep tightly closed and away from excessive heat.							

Distributed by McKesson  
One Post Street  
San Francisco, CA 94104  
Money Back Guarantee  
www.healthmart.com/healthmartbrand  
R020712.RLG

## Top Care Label

<b>Drug Facts</b>	
<b>Active ingredient</b> Castor Oil	<b>Purpose</b> Stimulant laxative
<b>Use</b> For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> <ul style="list-style-type: none"> <li>■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.</li> <li>■ Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.</li> </ul>	
<b>When using this product</b> Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
<b>If pregnant or breast feeding</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. <span style="float: right;">Continued ▶</span>	



NDC 36800-270-96

# Castor Oil U.S.P.

STIMULANT LAXATIVE ORAL LIQUID


- For Relief of Occasional Constipation
- Odorless & Tasteless
- Contains no Hexanes

4 FL OZ (118 mL)

**\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR FOIL SEAL UNDER CAP.**

<b>Drug Facts</b> (continued)
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.
<ul style="list-style-type: none"> <li>■ Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.</li> <li>■ Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor.</li> <li>■ Children under 2 yrs. of age: Consult a doctor before use</li> </ul>
<b>Other information</b> Storage. Keep tightly closed and away from excessive heat.

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL 60007  
© TOPCO HHGA0521  
QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com



Scan here for more information or call 1-888-423-0139

QUALITY GUARANTEED



<b>Drug Facts</b>	
<b>Active ingredient</b> Castor Oil	<b>Purpose</b> Stimulant laxative
<b>Use</b> For relief of occasional constipation. Bowel movement is generally produced in 6 to 12 hours.	
<b>Warnings</b> <ul style="list-style-type: none"> <li>■ Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor.</li> <li>■ Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks. Laxative products should not be used for a period of longer than 1 week unless directed by a doctor. Frequent or prolonged use may result in the dependence on laxatives.</li> </ul>	
<b>When using this product</b> Discontinue use and consult a doctor if you have rectal bleeding or failure to have a bowel movement after the use of a laxative. These symptoms may indicate a serious condition.	
<b>If pregnant or breast feeding</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. <span style="float: right;">Continued ▶</span>	



NDC 36800-270-96

# Castor Oil U.S.P.

STIMULANT LAXATIVE ORAL LIQUID

- For Relief of Occasional Constipation
- Odorless & Tasteless
- Cold Pressed
- Contains no Hexanes



4 FL OZ (118 mL)

**\*WARNING: DO NOT USE IF TAMPER EVIDENT SEAL IS BROKEN OR MISSING. THIS PRODUCT IS SEALED WITH EITHER A SHRINK BAND AROUND CAP IMPRINTED "SEALED FOR YOUR PROTECTION" OR FOIL SEAL UNDER CAP.**

<b>Drug Facts</b> (continued)
<b>Directions</b> Preferably take on an empty stomach. May be taken with juice to improve taste.
<ul style="list-style-type: none"> <li>■ Adults and children 12 yrs. of age and older: 15 to 60 milliliters in a single daily dose or as directed by a doctor.</li> <li>■ Children 2 to under 12 yrs. of age: 5 to 15 milliliters in a single daily dose or as directed by a doctor.</li> <li>■ Children under 2 yrs. of age: Consult a doctor before use</li> </ul>
<b>Other information</b> Storage. Keep tightly closed and away from excessive heat.

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 60007  
© TOPCO HHGH1119 QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com  
Visit here for more information: <http://topbrnds.com/482uia>



Scan here for more information or call 1-888-423-0139

QUALITY GUARANTEED



**HUMCO CASTOR OIL**  
castor oil liquid



**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0395-9113
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
CASTOR OIL (UNII: D5340Y2I9G) (CASTOR OIL - UNII:D5340Y2I9G)	CASTOR OIL	1 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0395-9113-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	
2	NDC:0395-9113-96	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	
3	NDC:0395-9113-92	59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part334	01/01/2008	

**Labeler** - Humco Holding Group, Inc. (825672884)**Registrant** - Humco Holding Group, Inc. (825672884)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Humco Holding Group, Inc.		825672884	manufacture(0395-9113) , analysis(0395-9113) , pack(0395-9113) , label(0395-9113)