

**ISOPROPYL ALCOHOL 91 PERCENT- isopropyl alcohol liquid**  
**Humco Holding Group, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Private Label Isopropyl Alcohol 91 Percent USP**

Drug Facts

**Active Ingredient**

Isopropyl Alcohol 91% by volume

**Purpose**

First aid antiseptic

**Use**

First aid to help prevent the risk of infection in.

- minor cuts
- scrapes
- burns

**Warnings**

For external use only.

- Flammable, keep away from spark, heat and flame.

**Ask a doctor before use for**

- deep wounds
- animal bites
- serious burns

**When using this product**

- do not get into eyes.
- do not apply over large areas of the body
- do not use longer than 1 week

**Stop use and ask a doctor if**

If condition persists or gets worse.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

## Directions

- clean the affected area.
- apply a small amount of this product on the affected area 1 to 3 times daily.
- may be covered with sterile bandage.
- if bandaged, let it dry first.

## Other Information

- store at controlled room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol.
- will produce serious gastric disturbances if taken internally.

## Inactive Ingredient

purified water


## Good Neighbor Label

|  |  |  |
|--|--|--|
| <b>Drug Facts</b><br><b>Active ingredient</b><br>Isopropyl alcohol 91% by volume.....First aid antiseptic<br><b>Purpose</b><br>First aid antiseptic  |  <b>GOOD NEIGHBOR PHARMACY®</b><br>NDC 46122-332-43<br><i>*Safety Sealed</i>  | <b>*Warning:</b> Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.   |
| <b>Indications</b><br>First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns  | <b>ISOPROPYL RUBBING ALCOHOL 91% USP</b><br><b>First Aid Antiseptic</b><br>First aid, helps prevent the risk of infection in minor cuts, scrapes, and burns<br>• Use for massage, rubbing and sponge bath<br><b>16 fl oz (1 pt) 473 mL</b> | <b>(Drug Facts continued)</b>  |
| <b>Warnings</b><br><i>For external use only</i><br>■ Flammable, keep away from spark, heat and flame<br><b>Ask a doctor before use</b> for ■ deep wounds ■ animal bites ■ serious burns                                |  | <b>Other information</b><br>■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally |
| <b>When using this product</b><br>■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week   |  | <b>Inactive ingredient</b><br>■ purified water   |
| <b>Stop use and ask a doctor if</b> condition persists or gets worse   |  | Distributed by: AmerisourceBergen<br>1300 Morris Drive<br>Chesterbrook, PA 19087<br>Questions or concerns?<br>Visit us at <a href="http://www.mygnp.com">www.mygnp.com</a><br>Made in U.S.A.           |
| <b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.  |  |   |
| <b>Directions</b><br>■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first<br><i>Continued ►</i> | R071015DL ABC# 470-334<br>10158336<br><br>0 87701 42731 2   |  |

## Health Mart Label

|  |  |
|--|--|
| <b>Drug Facts</b>  |  |
| <b>Active ingredient</b><br>Isopropyl alcohol 91% by volume.....   | <b>Purpose</b><br>First aid antiseptic |
| <b>Indications</b><br>First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns  |  |
| <b>Warnings</b><br><i>For external use only</i><br>■ Flammable, keep away from spark, heat and flame   |  |
| Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns   |  |
| <b>When using this product</b><br>■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week   |  |
| Stop use and ask a doctor if condition persists or gets worse  |  |
| Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.   |  |
| <b>Directions</b><br>■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first |  |
| Continued ▶  |  |

NDC 62011-0272-1  
\* Safety Sealed



Health Mart.

# Isopropyl Rubbing Alcohol

## 91% USP

Antiseptic

- First aid antiseptic to help prevent the risk of infection in minor cuts, scrapes & burns
- For rubbing, massage & sponge bath

16 Fl oz (473 mL) 1 pt

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

|  |
|--|
| <b>(Drug Facts continued)</b>  |
| <b>Other information</b><br>■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally |
| <b>Inactive ingredient</b><br>■ purified water   |


A46697  
03 2025  
**McKESSON**

Another Quality Product  
Distributed by McKesson  
6555 State Highway 161, Lee Collins, TX 75039  
Money Back Guarantee  
healthmart.com



|  |  |
|--|--|
| <b>Drug Facts</b>  |  |
| <b>Active ingredient</b><br>Isopropyl alcohol 91% by volume.....   | <b>Purpose</b><br>First aid antiseptic |
| <b>Indications</b><br>First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns  |  |
| <b>Warnings</b><br><i>For external use only</i><br>■ Flammable, keep away from spark, heat and flame   |  |
| Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns   |  |
| <b>When using this product</b><br>■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week   |  |
| Stop use and ask a doctor if condition persists or gets worse  |  |
| Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.   |  |
| <b>Directions</b><br>■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first |  |
| Continued ▶  |  |

NDC 62011-0272-1  
\* Safety Sealed



Health Mart.

# Isopropyl Rubbing Alcohol

## 91% USP

Antiseptic

- First aid antiseptic to help prevent the risk of infection in minor cuts, scrapes & burns
- For rubbing, massage & sponge bath

16 Fl oz (473 mL) 1 pt

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

|  |
|--|
| <b>(Drug Facts continued)</b>  |
| <b>Other information</b><br>■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally |
| <b>Inactive ingredient</b><br>■ purified water   |

**McKESSON**

Another Quality Product  
Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
healthmart.com



Sunmark Label

|   |  |
|---|--|
| <b>Drug Facts</b>   |  |
| <b>Active ingredient</b><br>Isopropyl alcohol 91% by volume.....  | <b>Purpose</b><br>First aid antiseptic |
| <b>Indications</b><br>First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns   |  |
| <b>Warnings</b><br>For external use only<br>■ Flammable, keep away from spark, heat and flame   |  |
| Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns  |  |
| When using this product<br>■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week   |  |
| Stop use and ask a doctor if condition persists or gets worse   |  |
| Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.  |  |
| <b>Directions</b><br>■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first<br>Continued ► |  |




\*Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

|  |
|--|
| <b>(Drug Facts continued)</b>  |
| <b>Other information</b><br>■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally |
| <b>Inactive ingredient</b><br>■ purified water   |

**McKesson** A46845  
04 2025  
Another Quality Product  
Distributed By McKesson  
6055 State Highway 161, Lee Collins, TX 76639  
Money Back Guarantee  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)



|   |  |
|---|--|
| <b>Drug Facts</b>   |  |
| <b>Active ingredient</b><br>Isopropyl alcohol 91% by volume.....  | <b>Purpose</b><br>First aid antiseptic |
| <b>Indications</b><br>First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns   |  |
| <b>Warnings</b><br>For external use only<br>■ Flammable, keep away from spark, heat and flame   |  |
| Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns  |  |
| When using this product<br>■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week   |  |
| Stop use and ask a doctor if condition persists or gets worse   |  |
| Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.  |  |
| <b>Directions</b><br>■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first<br>Continued ► |  |



\*Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

|  |
|--|
| <b>(Drug Facts continued)</b>  |
| <b>Other information</b><br>■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally |
| <b>Inactive ingredient</b><br>■ purified water   |

**McKesson**  
Another Quality Product  
Distributed By McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)



## ISOPROPYL ALCOHOL 91 PERCENT

isopropyl alcohol liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0395-9119 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  |  | Basis of Strength                                     | Strength             |                    |
|--|--|---|----------------------|--------------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302) |  | ISOPROPYL ALCOHOL                                     | 910 mg in 1 mL       |                    |
| <b>Inactive Ingredients</b>  |  |   |                      |                    |
| Ingredient Name  |  | Strength  |                      |                    |
| WATER (UNII: 059QF0K00R)   |  |   |                      |                    |
| <b>Packaging</b>   |  |   |                      |                    |
| #  | Item Code                                | Package Description                                   | Marketing Start Date | Marketing End Date |
| 1  | NDC:0395-9119-16                         | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2016           |                    |
| <b>Marketing Information</b>   |  |   |                      |                    |
| Marketing Category   | Application Number or Monograph Citation | Marketing Start Date                                  | Marketing End Date   |                    |
| OTC monograph not final  | part333A                                 | 01/01/2016  |                      |                    |

**Labeler** - Humco Holding Group, Inc. (825672884)

**Registrant** - Humco Holding Group, Inc. (825672884)

### Establishment

| Name                      | Address | ID/FEI    | Business Operations   |
|---------------------------|---------|-----------|---|
| Humco Holding Group, Inc. |         | 825672884 | analysis(0395-9119) , manufacture(0395-9119) , pack(0395-9119) , label(0395-9119) |

Revised: 6/2020

Humco Holding Group, Inc.