

**ISOPROPYL RUBBING ALCOHOL 70 PERCENT- isopropyl alcohol liquid**  
**Humco Holding Group, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Private Label Isopropyl Rubbing Alcohol 70 Percent, USP**

Drug Facts

**Active Ingredient**

Isopropyl Alcohol 70% by volume

**Purpose**

First aid antiseptic

**Use**

First aid to help prevent the risk of infection in.

- minor cuts
- scrapes
- burns

**Warnings**

For external use only.

- Flammable, keep away from spark, heat and flame.

**Ask a doctor before use for**

- deep wounds
- animal bites
- serious burns

**When using this product**

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week

**Stop use and ask a doctor if**

condition persists or gets worse

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

## Directions

- clean the affected area.
- apply a small amount of this product on the affected area 1 to 3 times daily.
- may be covered with sterile bandage.
- if bandaged, let it dry first.

## Other Information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol.
- will produce serious gastric disturbances if taken internally.

## Inactive Ingredient

purified water

## Good Neighbor Label

<b>Drug Facts</b> <b>Active ingredient</b> Isopropyl alcohol 70% by volume.....First aid antiseptic <b>Purpose</b> First aid antiseptic	 <b>GOOD NEIGHBOR PHARMACY</b> NDC 46122-330-43 <i>*Safety Sealed</i>	<b>*Warning:</b> Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.
<b>Indications</b> First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns		
<b>Warnings</b> <i>For external use only</i> ■ <b>Flammable</b> , keep away from spark, heat and flame <b>Ask a doctor before use</b> for ■ deep wounds ■ animal bites ■ serious burns <b>When using this product</b> ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week <b>Stop use and ask a doctor</b> if condition persists or gets worse <b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	<b>ISOPROPYL RUBBING ALCOHOL 70% USP</b> <b>First Aid Antiseptic</b> First aid, helps prevent the risk of infection in minor cuts, scrapes, and burns • Use for massage, rubbing and sponge bath	<b>(Drug Facts continued)</b> <b>Other information</b> ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally <b>Inactive ingredient</b> ■ purified water
<b>Directions</b> ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first <i>Continued ►</i>		
	16 fl oz (1 pt) 473 mL	ABC# 470+310 R071015DL 10158331  0 87701 42729 9

## Health Mart Label

<b>Drug Facts</b>	
<b>Active ingredient</b> Isopropyl alcohol 70% by volume.....	<b>Purpose</b> First aid antiseptic
<b>Indications</b> First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns	
<b>Warnings</b> <i>For external use only</i> ■ Flammable, keep away from spark, heat and flame	
Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns	
<b>When using this product</b> ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week	
Stop use and ask a doctor if condition persists or gets worse	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first <i>Continued ►</i>	

A46718  
04 2025



NDC 62011-0266-1  
\* Safety Sealed

# Isopropyl Rubbing Alcohol 70% USP

Antiseptic

- First aid antiseptic to help prevent the risk of infection in minor cuts, scrapes & burns
- For rubbing, massage & sponge bath

16 Fl oz (473 mL) 1 pt

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

**(Drug Facts continued)**

**Other information**

■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally

**Inactive ingredient**

■ purified water

Another Quality Product  
Distributed by McKesson  
6565 State Highway 161, Los Colinas, TX 75009  
Money Back Guarantee  
healthmart.com



<b>Drug Facts</b>	
<b>Active ingredient</b> Isopropyl alcohol 70% by volume.....	<b>Purpose</b> First aid antiseptic
<b>Indications</b> First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns	
<b>Warnings</b> <i>For external use only</i> ■ Flammable, keep away from spark, heat and flame	
Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns	
<b>When using this product</b> ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week	
Stop use and ask a doctor if condition persists or gets worse	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first <i>Continued ►</i>	



NDC 62011-0266-1  
\* Safety Sealed

# isopropyl rubbing alcohol 70% usp

first aid antiseptic to help prevent the risk of infection in minor cuts, scrapes & burns

for rubbing, massage & sponge bath

antiseptic

16 fl oz (473 mL) 1 pt

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

**(Drug Facts continued)**

**Other information**

■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally

**Inactive ingredient**

■ purified water

**MCKESSON**

Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
www.healthmart.com/healthmartbrand



Sunmark Label

<b>Drug Facts</b>	
<b>Active ingredient</b> Isopropyl alcohol 70% by volume.....	<b>Purpose</b> First aid antiseptic
<b>Indications</b> First aid to help prevent the risk of infection in ■ minor cuts ■ scrapes ■ burns	
<b>Warnings</b> <i>For external use only</i> ■ Flammable, keep away from spark, heat and flame	
Ask a doctor before use for ■ deep wounds ■ animal bites ■ serious burns	
When using this product ■ do not get into eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week	
Stop use and ask a doctor if condition persists or gets worse	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> ■ clean the affected area ■ apply a small amount of this product on the affected area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged, let dry first Continued ►	

A46782  
04 2025

**sunmark**™ NDC 49348-173-38  
\*Safety Sealed

isopropyl rubbing  
**alcohol**  
70% USP

First aid antiseptic to help prevent infection in minor cuts, scrapes & burns  
For rubbing, massaging & sponge baths

16 FL OZ (1 PT) 473 mL

**\*Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

<b>(Drug Facts continued)</b>
<b>Other information</b> ■ store at room temperature ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol ■ will produce serious gastric disturbances if taken internally
<b>Inactive ingredient</b> ■ purified water

**McKesson**  
Another Quality Product  
Distributed By McKesson  
6555 State Highway 161, Las Colinas, TX 75039  
Money Back Guarantee  
Please visit us at [www.sunmarkbrand.com](http://www.sunmarkbrand.com)



**sunmark**™ NDC 49348-030-40

isopropyl rubbing  
**alcohol**  
70% USP

First aid antiseptic to help prevent infection in minor cuts, scrapes & burns  
For rubbing, massaging & sponge baths

WARNING: FLAMMABLE, KEEP AWAY FROM SPARK, HEAT, OR FLAME

0 10939 13833 0  
Distributed By McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
128 FL OZ (1 GAL) 3.8 L

<b>Drug Facts</b>	
<b>Active Ingredient</b> Isopropyl Alcohol 70% U.S.P. by volume.....	<b>Purpose</b> First Aid Antiseptic
<b>Uses</b> First aid to help prevent infection in minor cuts, scrapes, and burns. For rubbing massage and as an external stimulant.	
<b>Warnings For External use only.</b> <b>USE IN WELL VENTILATED AREA. FUMES MAY BE HARMFUL.</b> Do not use in the eyes or apply over a large area of the body when used as an antiseptic. In case of deep or puncture wounds, animal bites, or serious burns, consult a doctor.	
<b>When using this product:</b> ■ Do not apply to irritated skin and avoid getting into eyes or mucous membranes. ■ Stop use and consult a doctor if the condition persists or gets worse. Do not use longer than 1 week unless directed by a doctor. ■ Discontinue use if excessive irritation of the skin develops. If taken internally serious gastric disturbances will result.	
<b>Keep out of reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately. ■ In case of eye contact, flush eyes with running water for 15 minutes.	
<b>Directions</b> <b>For antiseptic use:</b> ■ Apply a small amount of this product to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first. <b>For rubbing or massage use:</b> ■ Apply compound externally on body until liquid has been absorbed or has been evaporated.	
<b>Inactive Ingredient:</b> Purified Water.	
<b>Other Information: FLAMMABLE:</b> Keep away from spark, heat, and flame. <b>NOTICE:</b> This product does not contain ethyl or grain alcohol and is not sold as a substitute for preparations containing ethyl or grain alcohol.	

## ISOPROPYL RUBBING ALCOHOL 70 PERCENT

isopropyl alcohol liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0395-9120

<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	700 mg in 1 mL	
<b>Inactive Ingredients</b>				
	<b>Ingredient Name</b>	<b>Strength</b>		
	WATER (UNII: 059QF0K00R)			
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0395-9120-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	
2	NDC:0395-9120-32	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	
3	NDC:0395-9120-28	3800 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2016	
<b>Marketing Information</b>				
	<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	OTC monograph not final	part333A	01/01/2016	

**Labeler** - Humco Holding Group, Inc. (825672884)

**Registrant** - Humco Holding Group, Inc. (825672884)

### Establishment

Name	Address	ID/FEI	Business Operations
Humco Holding Group, Inc.		825672884	manufacture(0395-9120) , analysis(0395-9120) , pack(0395-9120) , label(0395-9120)

Revised: 6/2020

Humco Holding Group, Inc.