

**MEDIQUE ALCALAK- calcium carbonate tablet, chewable**  
**MEDI-FIRST ANTACID- calcium carbonate tablet, chewable**  
**MEDI-FIRST PLUS ANTACID- calcium carbonate tablet, chewable**  
**Unifirst First Aid Corporation**

-----  
**Unifirst First Aid Antacid**

***Drug Facts***

***Active ingredient (in each tablet)***

Calcium Carbonate 420 mg

***Purpose***

Antacid

***Uses***

***relieves***

- acid indigestion
- sour stomach
- heartburn
- upset stomach associated with these symptoms

***Warnings***

***Do not use***

■ the maximum dosage of this product for more than 2 weeks except under the advice and supervision of a

doctor

***Ask a doctor or pharmacists before use if you***

- are taking a prescription drug. Antacids may interact with certain prescription drugs.
- have kidney disease

***When using this product***

- do not take more than 19 tablets in a 24 hour period. If symptoms persist for more than two weeks, stop using this product and see a doctor.

***If pregnant or breast feeding,*** ask a health professional before use.

***Keep out of the reach of children.***

***Directions***

***Adults and children: (12 years and older)*** Chew 2 tablets every 2 - 3 hours or as symptoms occur, repeat hourly if needed. Do not exceed 19 tablets in 24 hours.

***Children under 12 years:*** Ask a doctor

***Other information***

- calcium content per tablet: 168 mg
- **phenylketonurics:** each tablet may contain 1.5 mg phenylalanine

- store at room temperature 59-86°F (15-30°C) in a dry place
- tamper-evident sealed packets
- do not use any opened or torn packets

### Inactive ingredients

aspartame\*, croscarmellose sodium\*, gum acacia\*, magnesium stearate, maltodextrin, mint flavor, sorbitol\*, sucrose\*

\*may contain

**Questions or comments?** Call 1-800-634-7680

## Medique Alcalak

Medique ®

Alcalak

Calcium Rich Chewable Tablets

Tabletas Masticables, Ricas en Calcio

Pull to Open

Tire Para Abrir

Heartburn, Indigestion • Calcium Carbonate 420 mg

las agruras, la indigestion • Carbonato de Calcio 420 mg

Mint Flavor

200

Tablets

(100 x 2)

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b> Purpose Calcium Carbonate 420 mg Antacid</p> <p><b>Uses</b> relieves acid indigestion ■ sour stomach ■ heartburn upset stomach associated with these symptoms</p> <p><b>Warnings</b> Do not use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs. have kidney disease</p> <p><b>When using this product</b> do not take more than 19 tablets in a 24 hour period. If symptoms persist for more than two weeks, stop using this product and see a doctor. If pregnant or breastfeeding, ask a health professional before use. Keep out of the reach of children.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b> Adults and children (12 years and older) Chew 2 tablets every 2 – 3 hours or as symptoms occur, repeat hourly if needed. Do not exceed 19 tablets in 24 hours. Children under 12 years: Ask a doctor</p> <p><b>Other information</b> Calcium content per tablet: 168 mg phenylalanine Store at room temperature 59°-86°F (15°-30°C) in a dry place do not use any opened or torn packets</p> <p><b>Inactive ingredients</b> aspartame, croscarmellose sodium, magnesium stearate, maltodextrin, mint flavor, sorbitol</p> <p><b>Questions or comments</b> Call 1-800-634-7680</p>	<p><b>Medique®</b></p> <p><b>Alcalak</b></p> <p>Calcium Rich Chewable Tablets Tabletas Masticables, Ricas en Calcio</p> <p>Pull to Open Tire Para Abrir</p> <p>Heartburn, Indigestion • Calcium Carbonate 420 mg las agruras, la indigestion • Carbonato de Calcio 420 mg</p> <p>Mint Flavor Sabor a Menta</p> <p>100 Tablets (50 x 2)</p>	<p><b>Información del Medicamento</b></p> <p><b>Ingrediente activo (en cada tableta)</b> Propiedad Carbonato de Calcio 420 mg Antácido</p> <p><b>Usos</b> alivia la indigestión por ácido ■ la acidez estomacal las agruras malestar estomacal asociado a estos síntomas</p> <p><b>Advertencias</b> No consuma la dosis máxima de este producto por más de 2 semanas excepto bajo indicaciones y supervisión de un médico Consulte con el doctor o un farmacéutico antes de consumir este medicamento si usted está actualmente tomando un medicamento recetado. Los antácidos pueden interactuar con ciertos medicamentos recetados. tiene enfermedad renal</p> <p><b>Cuando está usando este producto</b> no tomar más de 19 tabletas en un periodo de 24 horas Si los síntomas persisten por más de dos semanas, deje de tomar este producto y consulte a un médico. Si está embarazada o en período de lactancia, consulte a un médico antes de consumir este producto.</p>	<p><b>Información del Medicamento (continuación)</b></p> <p>Mantenga este producto fuera del alcance de los niños</p> <p><b>Instrucciones</b> Adultos y niños (para 12 años y mayores) Mastique 2 tabletas cada 2 o 3 horas o como se presenten los síntomas, repita cada una hora si es necesario. No consuma más de 19 tabletas en 24 horas. Niños menores de 12 años: Consulte al médico</p> <p><b>Otra información</b> cada tableta contiene 168 mg de calcio elemental fenilalanina: puede contener 1.5 mg de fenilalanina por tableta almacenamiento: consérvase a temperatura ambiente 59°-86°F (15°-30°C) y en un lugar seco empaquetado con sellado evidente no use ningún paquete abierto o roto</p> <p><b>Ingredientes inactivos</b> aspartame, croscarmellose sódica, estearato de magnesio, maltodextrina, sabor de la menta, sorbitol</p> <p>¿Tiene alguna pregunta o comentario? Lláme al 1-800-634-7680</p> <p>Reorder #10133 Manufactured for Medique Products Fort Myers, FL 33967 1-800-634-7680 www.mediqueproducts.com</p> <p>3 47682 10133 6</p>
<p>Retain carton for complete product information</p>	<p>Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias</p>	<p>Conserve la caja para obtener la información completa del producto</p>		

## Medi-First Antacid Label

100

Tablets  
(50 x 2)

MEDI-FIRST®

Antacid Calcium Carbonate

Compare active ingredient to:

Compare el ingrediente activo con:

Tums®

Registered Trademark of Smithkline-Beecham

Marca Registrada de Smithkline-Beecham

Pull to Open

Tire Para Abrir

Heartburn, Indigestion • Calcium Carbonate 420mg

las agruras, la indigestion • Antiácido Carbonato de Calcio 420mg

Antiácido Carbonato de Calcio

Tamper Evident Unit Dose Packets

Empaquetado con Sellado Evidente en Dosis Unitarias

<b>Drug Facts</b> <b>Active ingredient (in each tablet)</b> Purpose Calcium Carbonate 420 mg Antacid <b>Uses</b> relieves ■ acid indigestion ■ sour stomach ■ heartburn ■ upset stomach associated with these symptoms <b>Warnings</b> Do not use ■ the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor <b>Ask a doctor or pharmacist before use if you</b> ■ are taking a prescription drug. Antacids may interact with certain prescription drugs. ■ have kidney disease <b>When using this product</b> ■ do not take more than 19 tablets in a 24 hour period. If symptoms persist for more than two weeks, stop using this product and see a doctor. If pregnant or breastfeeding, ask a health professional before use. Keep out of the reach of children.	<b>Drug Facts (continued)</b> <b>Directions</b> Adults and children (12 years and older) Chew 2 tablets every 2–3 hours or as symptoms occur, repeat hourly if needed. Do not exceed 19 tablets in 24 hours. Children under 12 years: Ask a doctor. <b>Other information</b> ■ calcium content per tablet: 168 mg ■ phenylethanolic: each tablet may contain 1.5 mg phenylalanine ■ store at room temperature 59°-86°F (15°-30°C) in a dry place ■ tamper-evident sealed packets ■ do not use any opened or torn packets <b>Inactive ingredients</b> aspartame, croscarmellose sodium, magnesium stearate, maltodextrin, mint flavor, sorbitol <b>Questions or comments</b> Call 1-800-634-7680	<b>MEDI-FIRST®</b> <b>Antacid Calcium Carbonate</b> Compare active ingredient to: <b>TUMS®</b> Registered Trademark of Smithkline-Beecham Marca Registrada de Smithkline-Beecham Pull to Open Tire Para Abrir ✓ Heartburn, Indigestion • Calcium Carbonate 420 mg las agruras, la indigestion • Carbonato de Calcio 420 mg <b>Antiácido Carbonato de Calcio</b> Tamper Evident Unit Dose Packets Empaquetado con Sellado Evidente en Dosis Unitarias	<b>Información del Medicamento</b> <b>Ingrediente activo (en cada tableta)</b> Propiedad Carbonato de Calcio 420 mg Antiácido <b>Usos</b> alivia ■ la indigestión por acidez ■ la acidez estomacal ■ las agruras ■ malestar estomacal asociado a estos síntomas <b>Advertencias</b> No consuma ■ la dosis máxima de este producto por más de 2 semanas, excepto bajo indicaciones y supervisión de un médico <b>Consulte con el doctor o un farmacéutico antes de consumir este medicamento si usted</b> ■ está actualmente tomando un medicamento recetado. Los antiácidos pudieran interactuar con ciertos medicamentos recetados. ■ tiene enfermedad renal <b>Cuando esté usando este producto</b> ■ no tomar más de 19 tabletas en un periodo de 24 horas. Si los síntomas persisten por más de dos semanas, deje de tomar este producto y consulte a un médico. Si está embarazada o en período de lactancia, consulte la opinión de un médico antes de consumir este producto.	<b>Información del Medicamento (continuación)</b> Mantenga este producto fuera del alcance de los niños. <b>Instrucciones</b> Adultos y niños (para mayores de 12 años) ■ Mastique 2 tabletas cada 2 o 3 horas ó como se presenten los síntomas, repete cada una hora si es necesario. No consuma más de 19 tabletas en 24 horas. Niños menores de 12 años: Consultar al médico <b>Otra información</b> ■ cada tableta contiene: 168 mg de calcio elemental ■ fenilalaninicos: puede contener 1.5 mg de fenilalanina por tableta ■ almacenamiento: consérvese a temperatura ambiente 59°-86°F (15°-30°C) y en un lugar seco ■ empaquetado con sellado evidente ■ no use ningún paquete abierto o roto <b>Ingredientes inactivos</b> aspartamo, croscarmelosa sódica, estearato de magnesio, maltodextrina, sabor de la menta, sorbitol <b>¿Tiene alguna pregunta o comentario?</b> Llame al 1-800-634-7680	<b>MEDI-FIRST®</b> <b>Antacid Calcium Carbonate</b> <b>Antiácido Carbonato de Calcio</b> Reorder #80133 Manufactured for Medi-First Products Fort Myers, FL 33967 1-800-634-7680 www.medi-firstproducts.com 47682180233
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Medi-First Plus Antacid Label

100  
Tablets  
(50 x 2)

MEDI-FIRST®

Plus

Antacid

Calcium Carbonate 420 mg

Carbonato de Calcio 420mg

Pull to Open

Tire Para Abrir  
 Calcium Rich  
 Chewable Tablets  
 Tabletas Masticables, Ricas en Calcio  
 Compare active ingredient to:  
 Tums®  
 Registered Trademark of Smithkline-Beecham  
 Tamper Evident  
 Unit Dose Packets  
 Empaquetado con Sellado  
 Evidente en Dosis Unitarias

<b>MEDIQUE ALCALAK</b>			
calcium carbonate tablet, chewable			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-201
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
	<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	420 mg
<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
	<b>ASPARTAME</b> (UNII: Z0H242BBR1)		
	<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)		

<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;036
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-201-69	3 in 1 BOX	06/15/2014	
1	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-201-64	12 in 1 BOX	06/15/2014	
2	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-201-33	50 in 1 BOX	06/15/2014	
3	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-201-47	100 in 1 BOX	06/15/2014	
4	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-201-13	250 in 1 BOX	06/15/2014	
5	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product		
6	NDC:47682-201-99	2 in 1 PACKET; Type 0: Not a Combination Product	06/15/2014	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/15/2014	

## MEDI-FIRST ANTACID

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-820
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	420 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>ASPARTAME</b> (UNII: Z0H242BBR1)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;036
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-820-13	250 in 1 BOX	06/15/2014	
1	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-820-48	125 in 1 BOX	06/15/2014	
2	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:47682-820-33	50 in 1 BOX	06/15/2014	
3	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:47682-820-50	25 in 1 BOX	04/01/2019	
4	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product		
5	NDC:47682-820-99	2 in 1 PACKET; Type 0: Not a Combination Product	06/15/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	06/15/2014	

# MEDI-FIRST PLUS ANTACID

calcium carbonate tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-920
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	420 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>ASPARTAME</b> (UNII: Z0H242BBR1)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	white (white)	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND)	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;036
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-920-33	50 in 1 BOX	06/15/2014	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-920-48	125 in 1 BOX	06/15/2014	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	------------------------------------------	----------------------	--------------------

OTC Monograph Drug M001

06/15/2014

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Unifirst First Aid Corporation