

**ZAPZYT ACNE TREATMENT GEL- benzoyl peroxide gel**  
**Focus Consumer Healthcare, LLC**

-----  
**Zapzyt Acne Treatment Gel**

Benzoyl Peroxide 10%

Acne treatment

***Uses***

for the treatment and prevention of acne pimples, blemishes, blackheads or whiteheads

***Warnings***

**For external use only.**

DO NOT USE this product if you have sensitive skin or if you are sensitive to benzoyl peroxide

When using this product

**Avoid unnecessary sun exposure and use sunscreen. Allow ZAPZYT acne gel to dry, then follow the sunscreen directions.**

**Avoid contact with hair or dyed fabric, including carpet and clothing which may be bleached by this product.**

**Skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Mild irritation may be reduced by using this product less frequently or in a lower concentration. If irritation becomes severe, discontinue use; if irritation still occurs consult a doctor.**

Using other topical acne medications at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

Keep away from eyes, lips and mouth

**OTC - Keep out of Reach of Children**

If swallowed, get medical help or contact a Poison Control Center right away. Store at room temperature 15-30 degrees C (59-86 degrees F).

***Directions***

Use a ZAPZYT cleaning product to thoroughly wash face before applying gel.

Apply ZAPZYT Acne Treatment Gel to areas where pimples and excess oil occur

Apply ZAPZYT before using moisturizer or makeup; do not rinse.

If excessive drying of the skin occurs, reduce applications to once a day, or every other

day.

For best results use up to three times daily. Once your skin has cleared, continue using ZAPZYT to keep new pimples from forming

**Inactive ingredients**

Laureth-4, Carbomer, Disodium EDTA, Dilsopropanolamine, Purified Water USP

Zapzyt Acne Treatment Gel

10% benzoyl peroxide gel

kills 99% of acne-causing bacteria

clears acne pinples and blackheads fast

oil free, odorless gel vanishes as it clears skin



# ACNE TREATMENT GEL

satisfaction guaranteed

**kills 99% of acne-causing bacteria**

clears acne pimples and blackheads fast  
oil free, odorless gel vanishes as it clears skin

NET WT 1 OZ (28.35g)

# ZAPZYT<sup>®</sup>

## ACNE TREATMENT GEL

### 10% benzoyl peroxide gel



|  |
|--|
| <b>Drug Facts</b>  |
| <b>Active Ingredient</b><br>Benzoyl Peroxide 10% ..... Acne treatment  |
| <b>Purpose</b><br>..... Acne treatment   |
| <b>Uses:</b> for the treatment and prevention of acne pimples, blemishes, blackheads or whiteheads.  |
| <b>Warnings</b><br><b>For external use only.</b><br>DO NOT USE this product if you have sensitive skin or if you are sensitive to benzoyl peroxide.<br>When using this product<br>Avoid unnecessary sun exposure and use sunscreen. Allow ZAPZYT acne gel to dry, then follow the sunscreen directions.<br><b>Avoid contact with hair or dyed fabric, including carpet and clothing which may be bleached by this product.</b><br><b>Skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Mild irritation may be reduced by using this product less frequently or in a lower concentration. If irritation becomes severe, discontinue use; if irritation still occurs, consult a doctor.</b><br>Using other topical acne medications at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.<br>Keep away from eyes, lips and mouth. |
| <b>Keep out of reach of children.</b><br>If swallowed, get medical help or contact a Poison Control Center right away. Store at room temperature 15° - 30° C (59° - 86° F).  |
| <b>Inactive Ingredients</b><br>Laureth-4, Carbomer, Disodium EDTA, Dilsopropanolamine, Purified Water USP  |

0051002-01

Made in the USA.

www.zapzyt.com

©2023 Focus Consumer Healthcare, LLC.

Chattanooga, TN 37402 USA

Distributed by: Focus Consumer Healthcare, LLC, 801 Broad Street,

**refund of the purchase price.**

**ZAPZYT is guaranteed to clear your skin. If you are not satisfied return receipt to below address for full**

to keep new pimples from forming.

• For best results use up to three times daily. Once your skin has cleared, continue using ZAPZYT

• If excessive drying of the skin occurs, reduce applications to once a day, or every other day.

• Apply ZAPZYT before using moisturizers or makeup; do not rinse.

• Apply ZAPZYT Acne Treatment Gel to areas where pimples and excess oil occur.

• Use a ZAPZYT cleaning product to thoroughly wash face before applying gel.

### Directions

are the results.  
instantly into your skin. The only thing you will notice

penetrates deep into your pores where pimples begin, delivering the fastest results possible. ZAPZYT vanishes

formula recommended by dermatologists. ZAPZYT  
The maximum strength formula in ZAPZYT is the same

# ACNE TREATMENT GEL

## 10% benzoyl peroxide gel

# ZAPZYT<sup>®</sup>

**TREATMENT**  
DERMATOLOGIST RECOMMENDED



# ZAPZYT ACNE TREATMENT GEL

benzoyl peroxide gel

## Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:71687-0011 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>BENZOYL PEROXIDE</b> (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM) | BENZOYL PEROXIDE  | 10 g<br>in 100 g |

## Inactive Ingredients

| Ingredient Name                              | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)              |          |
| <b>DIISOPROPANOLAMINE</b> (UNII: 0W44HYL8T5) |          |
| <b>LAURETH-4</b> (UNII: 6HQ855798J)          |          |
| <b>CARBOMER 980</b> (UNII: 4Q93RCW27E)       |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)   |          |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:71687-0011-1 | 1 in 1 CARTON                                     | 12/16/2017           |                    |
| 1 |                  | 28 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M006                                     | 12/16/2017           |                    |

**Labeler** - Focus Consumer Healthcare, LLC (080743737)

Revised: 5/2024

Focus Consumer Healthcare, LLC