GOLDEN DARK FOUNDATION SPF 15- titanium dioxide, zinc oxide powder Bare Escentuals Beauty Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Golden Dark Foundation SPF 15

Drug Facts

Active Ingredients

Zinc Oxide 20% Titanium Dioxide 7%

Purpose

Sunscreen Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- Skin cancer/skin aging alert: spending time in the sun increases your risk of cancer and early aging
- This product has been shown only to help prevent sunburn, not skin cancer or early aging
- For External use only
- Do not use on damage or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- **Stop use and ask doctor if** rash occurs
- Keep out of reach of children
- If product is swallowed get medical help or contact a poison control center right away

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water-resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun protection measures. Spending time in the sun increases your risk of skin cancer or early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. 2 p.m.
- Wear long sleeve shirts, pants, hats, and sunglasses
- Children under 6 month: ask a doctor


Inactive Ingredients

Bismuth Oxychloride, Iron Oxides, Mica

Questions or Comments?

Call toll free 1-888-795-4747







Product Inform	ation						
Product T ype		HUMAN OTC DRUG	Item Code (Sou	Item Code (Source)		NDC:98132-890	
Route of Administr	ation	TOPICAL					
Active Ingredie	nt/Active Moi	ety					
	Ingredient Name Basis of Str				rength	Strength	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) Zinc Oxide					20 g in 100 g		
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) Titanium Dioxid					le	7 g in 100 g	
Inactive Ingred	ents	Ingredient Name				Strength	
-						Strength	
MICA (UNII: V8A1AV							
MICA (UNII: V8A1AV BISMUTH O XYCHL		7921587)					
BISMUTH O XYCHL	DRIDE (UNII: 4ZR						
BISMUTH O XYCHL FERROSOFERRIC O	DRIDE (UNII: 4ZR XIDE (UNII: XM0	M87F357)					
BISMUTH O XYCHL FERRO SO FERRIC O FERRIC O XIDE RED	D RIDE (UNII: 4ZR XIDE (UNII: XM0 (UNII: 1K09F3G6	M87F357) 75)					
MICA (UNII: V8 A1AV BISMUTH O XYCHL FERROSOFERRIC O FERRIC O XIDE RED FERRIC O XIDE YEL	D RIDE (UNII: 4ZR XIDE (UNII: XM0 (UNII: 1K09F3G6	M87F357) 75)					
BISMUTH O XYCHL FERRO SO FERRIC O FERRIC O XIDE RED	D RIDE (UNII: 4ZR XIDE (UNII: XM0 (UNII: 1K09F3G6	M87F357) 75)					
BISMUTH O XYCHL FERRO SO FERRIC O FERRIC O XIDE RED FERRIC O XIDE YEL	D RIDE (UNII: 4ZR XIDE (UNII: XM0 (UNII: 1K09F3G6	M87F357) 75)					
BISMUTH O XYCHL FERRO SO FERRIC O FERRIC O XIDE RED FERRIC O XIDE YEL	ORIDE (UNII: 4ZR XIDE (UNII: XM0 (UNII: 1K09F3G6 LOW (UNII: EX43	M87F357) 75)	Marketing Start	Date N	Marketin	g End Date	
BISMUTH O XYCHL FERRO SO FERRIC O FERRIC O XIDE RED FERRIC O XIDE YEL	e Pac	M87F357) 75) 8O2MRT) kage Description	Marketing Start	Date N	Marketin	g End Date	

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not final	part352	0 1/16/20 12				

Labeler - Bare Escentuals Beauty Inc. (087008363)

Registrant - Ei Inc. (105803274)

Establishment						
Name	Address	ID/FEI	Business Operations			
Ei Inc.		105803274	manufacture(98132-890), label(98132-890), pack(98132-890)			

Revised: 2/2013

Bare Escentuals Beauty Inc.