

DUST - MOLD - DANDER - felis catus skin, canis lupus familiaris skin, ortcyolagus cuniculus skin, equus caballus skin, serinus canaria feather, gallus gallus feather, anas platyrhynchos feather, anser anser feather, melopsittacus undulatus feather, phasianus colchicus feather, meleagris gallopavo feather, felis catus hair, human dander, canis lupus familiaris hair, equus caballus hair, oryctolagus cuniculus hair, human hair, human skin, sheep wool, bos taurus hair, capra hircus hair, cavia porcellus hair pellet
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Dust - Mold - Dander

INDICATIONS & USAGE SECTION

Formulated for associated symptoms such as nasal catarrh, post-nasal drip, sneezing, glandular swellings and pharyngitis.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.

OTC - ACTIVE INGREDIENT SECTION

Allersodes 65x, Allersodes 20x, Candida alb. 20x, Histaminum hydrochloricum 20x, Torula cerevisiae 20x, Ustilago maidis 20x, Antimon. crud. 15x, Apis mel. 15x, Arsenicum alb. 15x, Baptisia 15x, Blatta or. 15x, Bromium 15x, Bryonia 15x, Carduus ben. 15x, Chelidonium maj. 15x, Cinchona 15x, Ipecac. 15x, Lycopodium 15x, Nux vom. 15x, Podoph. pelt. 15x, Rhus tox. 15x, Silicea 15x, Iris versicolor 8x, Solidago 8x, Iris versicolor 3x, Solidago 3x.

OTC - PURPOSE SECTION

Formulated for associated symptoms such as nasal catarrh, post-nasal drip, sneezing, glandular swellings and pharyngitis.

INACTIVE INGREDIENT SECTION

Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012
Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

NEWTON
homeopathics™ **PRO**
Nurturing Naturally Since 1987™
NDC# 55714-4575-1

**Dust~Mold
~Dander**
Formulated for associated symptoms such as nasal catarrh, post-nasal drip, sneezing, glandular swellings and pharyngitis.
1 OZ (28 G)

Dispensed by health professionals - not sold over-the-counter.
Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water.
Active Ingredients: Iris vers. 3x, Solidago 3x, Iris vers. 8x, Solidago 8x, Antimon. crud. 15x, Apis mel. 15x, Arsenicum alb. 15x, Baptisia 15x, Blatta or. 15x, Bromium 15x, Bryonia 15x, Carduus ben. 15x, Chelidonium maj. 15x, Cinchona 15x, Ipecac. 15x, Lycopodium 15x, Nux vom. 15x, Podoph. pelt. 15x, Rhus tox. 15x, Silicea 15x, Allersodes 20x, Candida alb. 20x, Histaminum hydrochloricum 20x, Torula cerevisiae 20x, Ustilago maidis 20x, Allersodes 65x.
Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# R088 Lot#

www.newtonlabs.net
Newton Laboratories, Inc. FDA E3 #1051203 • Canyons, GA 30012
Questions? 800.448.7256
Label statements have not been reviewed by the FDA.
WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

DUST - MOLD - DANDER

felis catus skin, canis lupus familiaris skin, ortcyolagus cuniculus skin, equus caballus skin, serinus canaria feather, gallus gallus feather, anas platyrhynchos feather, anser anser feather, melopsittacus undulatus feather, phasianus colchicus feather, meleagris gallopavo feather, felis catus hair, human dander, canis lupus familiaris hair, equus caballus hair, oryctolagus cuniculus hair, human hair, human skin, sheep wool, bos taurus hair, capra hircus hair, cavia porcellus hair pellet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:55714-4575
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Felis Catus Skin (UNII: 5308ED00EL) (Felis Catus Skin - UNII:5308ED00EL)	Felis Catus Skin	65 [hp_X] in 1 g
Canis Lupus Familiaris Skin (UNII: X2W7CLE97T) (Canis Lupus Familiaris Skin - UNII:X2W7CLE97T)	Canis Lupus Familiaris Skin	65 [hp_X] in 1 g

Oryctolagus Cuniculus Skin (UNII: Z91W4U43WC) (Oryctolagus Cuniculus Skin - UNII:Z91W4U43WC)	Oryctolagus Cuniculus Skin	65 [hp_X] in 1 g
Equus Caballus Skin (UNII: 88VZV9HGT4) (Equus Caballus Skin - UNII:88VZV9HGT4)	Equus Caballus Skin	65 [hp_X] in 1 g
Serinus Canaria Feather (UNII: 9EL3384IQY) (Serinus Canaria Feather - UNII:9EL3384IQY)	Serinus Canaria Feather	65 [hp_X] in 1 g
Gallus Gallus Feather (UNII: 1FCM16V0FV) (Gallus Gallus Feather - UNII:1FCM16V0FV)	Gallus Gallus Feather	65 [hp_X] in 1 g
Anas Platyrhynchos Feather (UNII: 83B65P4796) (Anas Platyrhynchos Feather - UNII:83B65P4796)	Anas Platyrhynchos Feather	65 [hp_X] in 1 g
Anser Anser Feather (UNII: 15XI414745) (Anser Anser Feather - UNII:15XI414745)	Anser Anser Feather	65 [hp_X] in 1 g
Melopsittacus Undulatus Feather (UNII: 1XY644QKWG) (Melopsittacus Undulatus Feather - UNII:1XY644QKWG)	Melopsittacus Undulatus Feather	65 [hp_X] in 1 g
Phasianus Colchicus Feather (UNII: 95ZNE214EZ) (Phasianus Colchicus Feather - UNII:95ZNE214EZ)	Phasianus Colchicus Feather	65 [hp_X] in 1 g
Meleagris Gallopavo Feather (UNII: CAC78E2Q9S) (Meleagris Gallopavo Feather - UNII:CAC78E2Q9S)	Meleagris Gallopavo Feather	65 [hp_X] in 1 g
Felis Catus Hair (UNII: 1564HD0N96) (Felis Catus Hair - UNII:1564HD0N96)	Felis Catus Hair	65 [hp_X] in 1 g
Human Dander (UNII: 30X630U81C) (Human Dander - UNII:30X630U81C)	Human Dander	65 [hp_X] in 1 g
Canis Lupus Familiaris Hair (UNII: 05S7L91ZTR) (Canis Lupus Familiaris Hair - UNII:05S7L91ZTR)	Canis Lupus Familiaris Hair	65 [hp_X] in 1 g
Equus Caballus Hair (UNII: 4F35XG0149) (Equus Caballus Hair - UNII:4F35XG0149)	Equus Caballus Hair	65 [hp_X] in 1 g
Oryctolagus Cuniculus Hair (UNII: 09N62XQ70Y) (Oryctolagus Cuniculus Hair - UNII:09N62XQ70Y)	Oryctolagus Cuniculus Hair	65 [hp_X] in 1 g
Human Hair (UNII: 1AWP0DKL4I) (Human Hair - UNII:1AWP0DKL4I)	Human Hair	65 [hp_X] in 1 g
Human Skin (UNII: 0EE2343509) (Human Skin - UNII:0EE2343509)	Human Skin	65 [hp_X] in 1 g
Sheep Wool (UNII: 503LYG631H) (Sheep Wool - UNII:503LYG631H)	Sheep Wool	65 [hp_X] in 1 g
Bos Taurus Hair (UNII: TOQ97Z8644) (Bos Taurus Hair - UNII:TOQ97Z8644)	Bos Taurus Hair	65 [hp_X] in 1 g
Capra Hircus Hair (UNII: 16M9MK8C4W) (Capra Hircus Hair - UNII:16M9MK8C4W)	Capra Hircus Hair	65 [hp_X] in 1 g
Cavia Porcellus Hair (UNII: KBA5Y6X57N) (Cavia Porcellus Hair - UNII:KBA5Y6X57N)	Cavia Porcellus Hair	65 [hp_X] in 1 g
Mesocricetus Auratus Hair (UNII: EFG2YD102P) (Mesocricetus Auratus Hair - UNII:EFG2YD102P)	Mesocricetus Auratus Hair	65 [hp_X] in 1 g
Wheat Gluten (UNII: 1534K8653J) (Wheat Gluten - UNII:1534K8653J)	Wheat Gluten	20 [hp_X] in 1 g
Aspergillus Niger Var. Niger (UNII: 9IOA40ANG6) (Aspergillus Niger Var. Niger - UNII:9IOA40ANG6)	Aspergillus Niger Var. Niger	20 [hp_X] in 1 g
Cladosporium Herbarum (UNII: O64JF11198) (Cladosporium Herbarum - UNII:O64JF11198)	Cladosporium Herbarum	20 [hp_X] in 1 g
House Dust (UNII: EYO007VX98) (House Dust - UNII:EYO007VX98)	House Dust	20 [hp_X] in 1 g
Candida Albicans (UNII: 4D7G21HDBC) (Candida Albicans - UNII:4D7G21HDBC)	Candida Albicans	20 [hp_X] in 1 g
Histamine Dihydrochloride (UNII: 3POA0Q644U) (Histamine - UNII:820484N8I3)	Histamine Dihydrochloride	20 [hp_X] in 1 g
Saccharomyces Cerevisiae (UNII: 978D8U419H) (Saccharomyces Cerevisiae - UNII:978D8U419H)	Saccharomyces Cerevisiae	20 [hp_X] in 1 g
Ustilago Maydis (UNII: 4K7Z7K7SWG) (Ustilago Maydis - UNII:4K7Z7K7SWG)	Ustilago Maydis	20 [hp_X] in 1 g
Antimony Trisulfide (UNII: F79059A38U) (Antimony Trisulfide - UNII:F79059A38U)	Antimony Trisulfide	15 [hp_X] in 1 g

Apis Mellifera (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	15 [hp_X] in 1 g
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Cation (3+)	15 [hp_X] in 1 g
Baptisia Tinctoria Root (UNII: 5EF0HWI5WU) (Baptisia Tinctoria Root - UNII:5EF0HWI5WU)	Baptisia Tinctoria Root	15 [hp_X] in 1 g
Blatta Orientalis (UNII: 535787266D) (Blatta Orientalis - UNII:535787266D)	Blatta Orientalis	15 [hp_X] in 1 g
Bromine (UNII: SBV4XY874G) (Bromine - UNII:SBV4XY874G)	Bromine	15 [hp_X] in 1 g
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 g
Centaurea Benedicta (UNII: 6L5ZL09795) (Centaurea Benedicta - UNII:6L5ZL09795)	Centaurea Benedicta	15 [hp_X] in 1 g
Chelidonium Majus (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)	Chelidonium Majus	15 [hp_X] in 1 g
Cinchona Officinalis Bark (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB)	Cinchona Officinalis Bark	15 [hp_X] in 1 g
Ipecac (UNII: 62BC8233L) (Ipecac - UNII:62BC8233L)	Ipecac	15 [hp_X] in 1 g
Lycopodium Clavatum Spore (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	15 [hp_X] in 1 g
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 g
Podophyllum (UNII: 2S713A4VP3) (Podophyllum - UNII:2S713A4VP3)	Podophyllum	15 [hp_X] in 1 g
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 g
Silicon Dioxide (UNII: ETJ7Z6XBU4) (Silicon Dioxide - UNII:ETJ7Z6XBU4)	Silicon Dioxide	15 [hp_X] in 1 g
Iris Versicolor Root (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	8 [hp_X] in 1 g
Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	8 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4575-1	28 g in 1 BOTTLE, GLASS		
2	NDC:55714-4575-2	57 g in 1 BOTTLE, GLASS		
3	NDC:55714-4575-0	7 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4575)

Revised: 6/2011

Newton Laboratories, Inc.