

**PAMPRIN MULTI-SYMPTOM MAXIMUM STRENGTH- acetaminophen,  
pamabrom, pyrilamine maleate tablet  
Focus Consumer Healthcare, LLC**

-----  
**Pamprin MultiSymptom**

***Drug Facts***

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Pamabrom 25 mg  
Pyrilamine maleate 15 mg

***Purposes***

Pain reliever  
Diuretic  
Antihistamine

***Uses*** for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- headache
- bloating
- backache
- water-weight gain
- muscular aches
- irritability

***Allergy warning:*** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

***Liver warning:*** This product contains acetaminophen. Severe liver damage may occur if you take • more than 8 caplets in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

***Do not use*** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

***Ask a doctor before use if you have*** • liver disease • glaucoma • a breathing problem such as emphysema or chronic bronchitis • difficulty in urination due to enlargement of the prostate gland

***Ask a doctor or pharmacist before use if you are*** • taking the blood thinning drug

warfarin • taking sedatives or tranquilizers

**When using this product** • you may get drowsy, avoid alcoholic beverages • alcohol, sedatives and tranquilizers may increase drowsiness • use caution when driving or operating machinery • excitability may occur, especially in children

**Stop use and ask a doctor if**

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**adults and children 12 years and over:**

- take 2 caplets with water every 6 hours as needed
- do not exceed 8 caplets in a 24 hour period or as directed by a doctor
- do not use more than directed (see warnings)

**children under 12 years:** ask a doctor

blue 2, candelilla wax, corn starch, ethylparaben, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, propylparaben, red 40, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Questions or Comments?**

[www.pamprin.com](http://www.pamprin.com)

**IF IMPRINTED INNER SEAL ON BOTTLE IS BROKEN OR MISSING, DO NOT USE.**

Easy-open bottle with child-resistant packaging. Purchase only if carton end flaps are sealed.

**Distributed by:**

Focus Consumer Healthcare, LLC  
801 Broad Street, Chattanooga, TN 37402

Made in Canada

©2017 Focus Consumer Healthcare, LLC

[www.pamprin.com](http://www.pamprin.com)

**Maximum Strength**


## Pamprin Multi-Symptom

for complete Relief of • Cramps • Headache • Backache • Irritability • Bloating

## Menstrual Pain Relief

Aspirin-free and Caffeine-free with Acetaminophen, Pamabrom and Pyrilamine Maleate

**20 Caplets**



**Maximum Strength**  **Menstrual Pain Relief**  
**MULTI-SYMP TOM**

**Drug Facts**

<b>Active ingredients (in each caplet)</b>	<b>Purposes</b>
Acetaminophen 500 mg .....	Pain reliever
Pamabrom 25 mg .....	Diuretic
Pyrilamine maleate 15 mg .....	Antihistamine

**Uses** for the temporary relief of these symptoms associated with menstrual periods: • cramps • headache • bloating • backache • water-weight gain • muscular aches • irritability ▼

**Drug Facts (continued)**

**Warnings**

**Allergy warning:** Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take • more than 8 caplets in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have** • liver disease • glaucoma • a breathing problem such as emphysema or chronic bronchitis • difficulty in urination due to enlargement of the prostate gland ▼



## PAMPRIN MULTI-SYMP TOM MAXIMUM STRENGTH

acetaminophen, pamabrom, pyrilamine maleate

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71687-3003
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg
<b>PAMABROM</b> (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	25 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ETHYLPARABEN</b> (UNII: 14255EXE39)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	purple	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	P
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71687-3003-1	1 in 1 CARTON	06/01/2016	
1		20 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:71687-3003-4	1 in 1 CARTON	06/01/2016	
2		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/01/2016	

**Labeler** - Focus Consumer Healthcare, LLC (080743737)

Revised: 4/2025

Focus Consumer Healthcare, LLC