

GENTIAN VIOLET 2%- gentian violet 2% solution
The Podiatree Company

Active Ingredient

Gentian Violet 2%

Purpose

Antiseptic

Purpose

First aid antiseptic to help protect against skin infection in minor cuts, scrapes or burns

Warnings

For external use only

Do not use

in eyes; with bandages; on large areas of the body; longer than one week unless directed by a doctor; stop use and consult a doctor if condition persists; in case of deep puncture wounds, animal bites or serious burns, consult a doctor; if known to be sensitive to any ingredients in the product; do not apply to ulcerative lesions as this may result in tattooing of the skin.

Stop use and ask a doctor or pharmacist

if skin irritation or sensitivity develops or increases or if the condition persists or gets worse.

KEEP OUT OF REACH OF CHILDREN.

In case of accidental ingestion, seek medical help or contact a Poison Control Center immediately.

Directions

Clean the affected area. Apply a small amount using a cotton-tipped applicator one to three times daily. Do not bandage.

Other Information

Store at controlled room temperature. Will stain skin and clothing.

Inactive Ingredients

SD alcohol (10%), water

Questions or Suggestions?

1.855.763.8733 or visit us at www.thepodiatreecompany.com

PRINCIPAL DISPLAY PANEL

 <p>NDC 54633-014-02 Use Caution: Will Stain Skin & Clothing</p> <p>Gentian Violet Topical Solution 2%</p> <p>2 fl oz (59.14mL)</p>	<p>First Aid Antiseptic</p>	<p>Drug Facts</p> <table border="1"> <tr> <th>Active Ingredient</th> <th>Purpose</th> </tr> <tr> <td>Gentian Violet 2%</td> <td>First Aid Antiseptic</td> </tr> </table> <p>Uses First aid antiseptic to help protect against skin infection in minor cuts, scrapes or burns</p> <p>Warnings <i>For external use only</i> Do not use • in eyes • with bandages • on large areas of the body • longer than one week unless directed by a doctor • stop use and consult a doctor if condition persists • in case of deep puncture wounds, animal bites or serious burns, consult a doctor • if known to be sensitive to any ingredients in the product • do not apply to ulcerative lesions as this may result in tattooing of the skin Stop use and ask a doctor or pharmacist if skin irritation or sensitivity develops or increases or if the condition persists or gets worse. KEEP OUT OF REACH OF CHILDREN. In case of accidental ingestion, seek medical help or contact a Poison Control Center immediately.</p> <p>Directions • clean the affected area • apply a small amount using a cotton-tipped applicator one to three times daily • do not bandage</p> <p>Other Information • store at controlled room temperature • will stain skin and clothing</p> <p>Inactive Ingredients SD alcohol (10%), water</p> <p>Questions or Suggestions? 1.855.763.8733 or visit us at www.thepodiatreecompany.com</p>	Active Ingredient	Purpose	Gentian Violet 2%	First Aid Antiseptic
		Active Ingredient	Purpose			
Gentian Violet 2%	First Aid Antiseptic					
 <p>0 40232 12079 4</p> <p>Manufactured for: The Podiatree Company Holbrook, NY 11741 639014020514</p>						

GENTIAN VIOLET 2%

gentian violet 2% solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54633-014
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GENTIAN VIOLET (UNII: J4Z741D6O5) (GENTIAN VIOLET CATION - UNII:3GVJ31T6YY)	GENTIAN VIOLET	2 g in 100 mL

Inactive Ingredients

Ingredient Name		Strength		
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54633-014-02	59.14 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/14/2014	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	10/14/2014		

Labeler - The Podiatree Company (078656000)

Revised: 1/2026

The Podiatree Company