

# **CORRECT AND PROTECT SERUM BROAD SPECTRUM SPF 45- zinc oxide lotion** Murad, LLC

-----  
**Correct & Protect Serum Broad Spectrum  
SPF 45**

## ***Drug Facts***

### **Active ingredient**

Zinc Oxide 17.0%

### **Purpose**

Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***) decreases the risk of skin cancer and early skin aging caused by the sun

### **Warnings**

#### **For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

#### **Stop use and ask a doctor**

- if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.

- wear long-sleeved shirts, pants, hats, and sunglasses.

### **Inactive ingredients**

Isododecane, Water (Aqua), Dimethicone, Propanediol, Caprylic/Capric Triglyceride, Polyglyceryl-6 Polyricinoleate, Polymethylsilsesquioxane/Trimethylsiloxysilicate, C12-15 Alkyl Benzoate, Coco-Caprylate/Caprinate, Ethylhexyl Palmitate, Polymethylsilsesquioxane, Glycerin, Tapioca Starch, Polyglyceryl-10 Dioleate, Polyhydroxystearic Acid, Fructooligosaccharides, Simmondsia Chinensis (Jojoba) Seed Oil, Lecithin, Butyrospermum Parkii (Shea) Butter, Beta Vulgaris (Beet) Root Extract, Hedychium Coronarium Root Extract, Solanum Lycopersicum (Tomato) Fruit Extract, Niacinamide, Squalane, Urea, Yeast Amino Acids, Trehalose, Taurine, Inositol, Betaine, Tocopheryl Acetate, Ascorbic Acid, Retinyl Palmitate, Potassium Lactate, Ethylhexylglycerin, Lactic Acid, Leuconostoc/Radish Root Ferment Filtrate, Polysilicone-11, Distearidimonium Hectorite, Caprylyl/Capryl Glucoside, Decyl Glucoside, Propylene Carbonate, Caprylyl Glycol, Hexylene Glycol, Triethoxycaprylylsilane, Chlorphenesin, Phenoxyethanol, Iron Oxides (CI 77492)

### **Other information**

- protect this product from excessive heat and direct sun

### **Questions or comments?**

**1.800.33.MURAD or Murad.com**

### **PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton**

STEP 3 Moisturize | Protect

Murad®

ENVIRONMENTAL  
SHIELD™

Correct & Protect  
Serum Broad  
Spectrum  
SPF 45 | PA++++

mineral sunscreen  
water resistant (40 mins)

DEVELOPED BY  
+Murad+  
EST.  
1989  
DOCTOR MURAD

e 30 mL NET VOL 1 FL OZ

STEP 3 Moisturize | Protect

# Murad.

ENVIRONMENTAL  
SHIELD™

Correct & Protect  
Serum Broad  
Spectrum  
SPF 45 | PA++++

mineral sunscreen  
water resistant (40 mins)



### Drug Facts

Active ingredient	Purpose
Zinc Oxide 17.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** ■ if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 40 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ children under 6 months of age: ask a doctor ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses.

### Inactive ingredients

Isododecane, Water (Aqua), Dimethicone, Propanediol, Caprylic/Capric Triglyceride, Polyglyceryl-6 Polyricinoleate, Polymethylsilsesquioxane/Trimethylsiloxysilicate, C12-15 Alkyl Benzoate, Coco-Caprylate/Caprate, ▶



NON-COMEDOGENIC

e 30 mL NET VOL 1 FL OZ

ALL INFORMATION  
Global Animal Test Policy

BUY 1 GIVE 10000

Murad.com




Made in USA | © MURAD  
USA: Los Angeles, CA 90245  
UK: London SE1 0LH  
DE: Wiesenstr. 21, D-40549 Düsseldorf  
AUS: 111 Chandos St, Crows Nest, NSW 2065

605345/1021



7 67332 15389 6



Feels and corrects like a serum,  
protects with SPF! This clinically  
proven, 100% mineral sunscreen  
serum melts invisibly into skin to  
help protect against photodamage.  
UV-responsive technology helps  
brighten and visibly correct skin tone.  
Reet root extract imparts fast-acting

2

106238\_Multi—Vitamin\_infusion\_oil

Beet root extract imparts fast acting and long-lasting hydration.

**TO USE:** SHAKE WELL. AM. Apply liberally to face, neck and chest.



**Drug Facts** (continued)

Ethylhexyl Palmitate, Polymethylsilsesquioxane, Glycerin, Tapioca Starch, Polyglyceryl-10 Dioleate, Polyhydroxystearic Acid, Fructooligosaccharides, Simmondsia Chinensis (Jojoba) Seed Oil, Lecithin, Butyrospermum Parkii (Shea) Butter, Beta Vulgaris (Beet) Root Extract, Hedychium Coronarium Root Extract, Solanum Lycopersicum (Tomato) Fruit Extract, Niacinamide, Squalane, Urea, Yeast Amino Acids, Trehalose, Taurine, Inositol, Betaine, Tocopheryl Acetate, Ascorbic Acid, Retinyl Palmitate, Potassium Lactate, Ethylhexylglycerin, Lactic Acid, Leuconostoc/Radish Root Ferment Filtrate, Polysilicone-11, Distearidimonium Hectorite, Caprylyl/Capryl Glucoside, Decyl Glucoside, Propylene Carbonate, Caprylyl Glycol, Hexylene Glycol, Triethoxycaprylylsilane, Chlorphenesin, Phenoxyethanol, Iron Oxides (CI 77492)

**Other information** ■ protect this product from excessive heat and direct sun

**Questions or comments?**

1.800.33.MURAD or Murad.com



# CORRECT AND PROTECT SERUM BROAD SPECTRUM SPF 45

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70381-120
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>POLYGLYCERYL-6 POLYRICINOLEATE</b> (UNII: YPM0ZOC2HR)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>COCOYL CAPRYLOCAPRATE</b> (UNII: 8D9H4QU99H)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>POLYMETHYLSILSESQUIOXANE/TRIMETHYLSILOXYSILICATE</b> (UNII: X2PZH4Y6HT)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>STARCH, TAPIOCA</b> (UNII: 24SC3U704I)	
<b>POLYGLYCERYL-10 DIOLEATE</b> (UNII: 598RES7AXX)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>BETA VULGARIS ROOT FRUCTOOLIGOSACCHARIDES</b> (UNII: N2UDM48ZD6)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>SOYBEAN LECITHIN</b> (UNII: 1DI56QDM62)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>BEET</b> (UNII: N487KM8COK)	
<b>HEDYCHIUM CORONARIUM ROOT</b> (UNII: 92A6N0IQN9)	
<b>TOMATO</b> (UNII: Z4KHF2C175)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>AMINO ACIDS, SOURCE UNSPECIFIED</b> (UNII: 0O72R8RF8A)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>TAURINE</b> (UNII: 1EQV5MLY3D)	
<b>INOSITOL</b> (UNII: 4L6452S749)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>POTASSIUM LACTATE</b> (UNII: 87V1KMK4QV)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>LACTIC ACID, DL-</b> (UNII: 3B8D35Y7S4)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>CAPRYLYL/CAPRYL OLIGOGLUCOSIDE</b> (UNII: E00JL9G9K0)
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)

### Product Characteristics

<b>Color</b>	WHITE (Off-White)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-120-02	1 in 1 CARTON	01/03/2022	
1	NDC:70381-120-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	01/03/2022	

**Labeler** - Murad, LLC (781254792)

### Establishment

Name	Address	ID/FEI	Business Operations
Beauty Manufacturing Solutions Corp (BMSC)		783200723	MANUFACTURE(70381-120)

