NIGHTTIME SLEEP AID- diphenhydramine hydrochloride capsule, liquid filled Shield Pharmaceuticals Corp

Nighttime Sleep Aid

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

∏Uses

for relief of occasional sleeplessness

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an
- enlarged prostate gland

Ask a doctor or pharmacist before useif you are taking sedatives or tranquilizers **When using this product** avoid alcoholic drinks

Stop use and ask a doctor if

sleeplessness persist continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store at controlled room temperature 20-25°C (68-77°F)
- protect from light, heat and moisture

Inactive ingredients

FD&C Blue #1, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide

Questions or comments?

1-800-373-6981

Distributed by: **Shield Pharmaceuticals Corp.** Ronkonkoma, NY 11779

PRINCIPAL DISPLAY PANEL

Compare to the active ingredient in Unisom® SleepGels

Sleep-Aid

Diphenhydramine HCI Softgels, 50 mg

Carton



Drug Facts

Active ingredient (in each softge

Uses or relief of occasional sleeplessness

Warnings
Do not use
Inforchildren under 12 years of age
Inforchildren under 12 years of age
Inwith any other product containing diphenhy
one used on skin
Ask a doctor before use if you have
In a breathing problem such as emphysema o
enlarged prostate gland
Ask a doctor before use if you have Intakin

Ask a doctor or pharmacist before use if yo

taking sedatives or tranquilizers
When using this product avoid alcoholic dri
Stop use and ask a doctor if sleeplessness
Insomnia may be a symptom of serious unde If pregnant or breast-feeding, ask a health Keep out of reach of children. In case of ov-right away (1-800-222-1222).

Directions ■ adults and children 12 years of age and or doctor

Other information

m store at controlled room temperature 20-29 m protect from light, heat and moisture

Inactive ingredients

Questions or comments? 1-800-37

NIGHTTIME SLEEP AID

diphenhydramine hydrochloride capsule, liquid filled

Product Information

HUMAN OTC DRUG NDC:83059-0109 **Product Type Item Code (Source)**

ORAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients Ingredient Name Strength FD&C BLUE NO. 1 (UNII: H3R47K3TBD) GELATIN (UNII: 2G86QN327L) GLYCERIN (UNII: PDC6A3C0OX) POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) PROPYLENE GLYCOL (UNII: 6DC9Q167V3) SORBITAN (UNII: 6092ICV9RU)

TITANIUM	DIOXIDE	(UNII:	15FIX9V2JP)
-----------------	---------	--------	-------------

Product Characteristics			
Color	blue	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	SDU
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:83059- 0109-8	1 in 1 CARTON	11/11/2025		
1	8 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	11/11/2025	

Labeler - Shield Pharmaceuticals Corp (118724924)

Revised: 11/2025 Shield Pharmaceuticals Corp