

NARS PURE RADIANT TINTED MOISTURIZER FINLAND- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER ALASKA- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER ST. MORITZ- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER TERRE-NEUVE- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER GROENLAND- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER CUZCO- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER GOTLAND- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER NORWICH- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER MYKONOS- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER SYDNEY- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER AUCKLAND- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER SANTIAGO- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER MARRAKESH- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER HAVANA- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER GUERNSEY- octinoxate and titanium dioxide cream

NARS PURE RADIANT TINTED MOISTURIZER GRANADA- octinoxate and titanium dioxide cream

NARS Cosmetics

NARS PURE RADIANT TINTED MOISTURIZER

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Water • Dimethicone • Butylene Glycol • Propanediol • Glycerin • Diethylhexyl Succinate • Nylon-12 • PEG-9 Polydimethylsiloxyethyl Dimethicone • PEG-10 Dimethicone • Aluminum Hydroxide • Diphenylsiloxy Phenyl Trimethicone • Sorbitan Sesquiosostearate • Distearidimonium Hectorite • Vibrio Alginolyticus Ferment Filtrate • Alteromonas Ferment Filtrate • Curcuma Longa (Turmeric) Root Extract • Stearic Acid • Dimethicone/Vinyl Dimethicone Crosspolymer • Polymethylsilsesquioxane • Trisodium EDTA • Ascorbyl Glucoside • Polysilicone-2 • Talc • Tocopherol • Sea Salt • BHT • Hydrogen Dimethicone • Fragrance • Phenoxyethanol • Sodium Metabisulfite • Potassium Sorbate • [(May Contain): Titanium Dioxide • Iron Oxides] •

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 1 - FINLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 1
FINLAND

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	

Uses

· helps prevent sunburn
· if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
· wear long-sleeve shirts, pants, hats, and sunglasses
· children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylnonyl Succinate · Nylon-12 · PEG-9 Polycdimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearidimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabисульфite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz, 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

607845023111



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 2 - ALASKA

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 2
ALASKA

Drug Facts

Active ingredients

Octinoxate 7.49%	} Sunscreen
Titanium Dioxide 6.25%	

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethynyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearldimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS


PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

607845023128



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 1 - ST. MORITZ

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 1
ST. MORITZ

Drug Facts

Active ingredients

Octinoxate 7.49%	} Sunscreen
Titanium Dioxide 6.25%	

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethoxy Succinate · Nylon-12 · PEG-9 Polycaprylyl Ether · Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiosulfate · Distearoylmonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite [May Contain: Iron Oxides · Titanium Dioxide]


Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

607845023142



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 0 - TERRE-NEUVE

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 0
TERRE-NEUVE

Drug Facts

Active ingredients

Ocinoxate 7.49% }
Titanium Dioxide 6.25% } Sunscreen

Uses

· helps prevent sunburn
· if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
· wear long-sleeve shirts, pants, hats, and sunglasses
· children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylnonyl Succinate · Nylon-12 · PEG-9 Polycdimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearidimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]


Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED, IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC. DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

607845023203



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 3 - GROENLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.

1.9 Oz. 50 mL

LIGHT 3
GROENLAND

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylnonyl Succinate · Nylon-12 · PEG-9 Polychimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearldimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION. FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS, IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz, 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

607845023326



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 1.5 - CUZCO

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 1.5
CUZCO

Drug Facts

Active ingredients Purpose

Octinoxate 7.49% }
Titanium Dioxide 6.25% } Sunscreen

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product
keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially ►

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-768-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION. FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS, IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz, 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

607845023739



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 1.2 - GOTLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

LIGHT 1.2
GOTLAND

Drug Facts

Active ingredients

Octinoxate 7.49%	} Sunscreen
Titanium Dioxide 6.25%	

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylnhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearldimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz, 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

194251009575



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - LIGHT 1.5 - NORWICH

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.

1.9 Oz. 50 mL

LIGHT 1.5
NORWICH

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	

Uses

· helps prevent sunburn
· if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
· wear long-sleeve shirts, pants, hats, and sunglasses
· children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polycdimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearidimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION. IN JUST 4 WEEKS, IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

194251009636



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 0 - MYKONOS

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.

1.9 Oz. 50 mL

MEDIUM
MYKONOS

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethyhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearcimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM


PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VELVET OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251009698



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 1.2 - SYDNEY

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 1.2
SYDNEY

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearidimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS


PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION. IN JUST 4 WEEKS, IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

194251009759



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM 2 - AUCKLAND

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM 2
AUCKLAND

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

- from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylnyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]


Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

194251009810



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM-DEEP 1 - SANTIAGO

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM-DEEP 1
SANTIAGO

Drug Facts

Active ingredients Purpose
Octinoxate 7.49% }
Titanium Dioxide 6.25% } Sunscreen

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polycdimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Aluminum Hydroxide · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Talc · Tocopherol · Sea Salt · BHT · Hydrogen Dimethicone · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION. FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS, IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz, 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DJST,
MADE IN USA
WWW.NARSCOSMETICS.COM

194251009872



**PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM-DEEP 2 -
MARRAKESH**

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM-DEEP 2
MARRAKESH

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49%	} Sunscreen
Titanium Dioxide 6.25%	

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially ▶

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearidimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information


Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS

NARS™

NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT, OIL-FREE, TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz, 50 mL

194251009933



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - MEDIUM-DEEP 3 - HAVANA
NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

MEDIUM-DEEP 3
HAVANA

Drug Facts

Active ingredients	Purpose
Ocinoxate 7.49% Titanium Dioxide 6.25%	Sunscreen

Uses

• helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product
Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.
If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
• wear long-sleeve shirts, pants, hats, and sunglasses
• children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylnexyl Succinate · Nylon-12 · PEG-9 Polycdimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearidmonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION. IN JUST 4 WEEKS, IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

194251009995



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - DEEP 1 - GUERNSEY

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.

1.9 Oz. 50 mL

DEEP 1
GUERNSEY

Drug Facts

Active ingredients

Octinoxate 7.49%	} Sunscreen
Titanium Dioxide 6.25%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
wear long-sleeve shirts, pants, hats, and sunglasses
children under 6 months: Ask a doctor

Inactive ingredients

Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Disteardimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabisulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS


PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION FOR A BRIGHTER LOOKING COMPLEXION IN JUST 4 WEEKS. IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.



PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

194251010052



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - DEEP 2 - GRANADA

NARS

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

DEEP 2
GRANADA

Drug Facts

Active ingredients	Purpose
Octinoxate 7.49%	Sunscreen
Titanium Dioxide 6.25%	

Uses

· helps prevent sunburn
· if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially ▶

Drug Facts (continued)

Directions

from 10 a.m. - 2 p.m.
· wear long-sleeve shirts, pants, hats, and sunglasses
· children under 6 months: Ask a doctor

Inactive ingredients


Water · Dimethicone · Butylene Glycol · Propanediol · Glycerin · Diethylhexyl Succinate · Nylon-12 · PEG-9 Polydimethylsiloxyethyl Dimethicone · PEG-10 Dimethicone · Diphenylsiloxy Phenyl Trimethicone · Sorbitan Sesquiossearate · Distearldimonium Hectorite · Vibrio Alginolyticus Ferment Filtrate · Alteromonas Ferment Extract · Curcuma Longa (Turmeric) Root Extract · Aluminum Hydroxide · Stearic Acid · Dimethicone/Vinyl Dimethicone Crosspolymer · Polymethylsilsesquioxane · Talc · Trisodium EDTA · Ascorbyl Glucoside · Polysilicone-2 · Tocopherol · Sea Salt · Hydrogen Dimethicone · BHT · Fragrance · Phenoxyethanol · Sodium Metabissulfite · [May Contain: Iron Oxides · Titanium Dioxide]

Other information

Protect this product in this container from excessive heat and direct sun

Questions or comments?

Call toll free 1-888-788-NARS



PURE RADIANT TINTED MOISTURIZER
BROAD SPECTRUM SPF 30 SUNSCREEN

THIS LIGHTWEIGHT OIL-FREE TINTED MOISTURIZER IMMEDIATELY HELPS THIRSTY SKIN FEEL HYDRATED. IT HAS BEEN SHOWN TO HELP REDUCE THE APPEARANCE OF DISCOLORATION AND DARK SPOTS CAUSED BY HYPERPIGMENTATION. IN JUST 4 WEEKS, IT OBSCURES THE APPEARANCE OF LINES, WRINKLES, PORES AND OTHER IMPERFECTIONS. SPF 30 SUNSCREEN ADDS A TRANSLUCENT VEIL OF PROTECTION.

OIL-FREE, PARABEN FREE, SYNTHETIC-FRAGRANCE FREE, NON-COMEDOGENIC, DERMATOLOGIST TESTED.

DIRECTIONS FOR USE: SMOOTH A SMALL AMOUNT OVER ENTIRE FACE PRIOR TO MAKEUP APPLICATION. MAY ALSO BE WORN ALONE AS A SUNSCREEN TO CREATE A SMOOTH COMPLEXION.

REDUCING THE QUANTITY OF APPLICATION WILL LOWER THE LEVEL OF SUNSCREEN PROTECTION SIGNIFICANTLY.

PURE RADIANT
TINTED MOISTURIZER
BROAD SPECTRUM
SPF 30 SUNSCREEN

NET WT.
1.9 Oz. 50 mL

NARS™
NARS COSMETICS
NEW YORK, NY 10017 DIST.
MADE IN USA
WWW.NARSCOSMETICS.COM

194251010113



NARS PURE RADIANT TINTED MOISTURIZER FINLAND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-171
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	

SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-171-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER ALASKA

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-172
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	

PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE TRISODIUM (UNII: 420IP921MB)
TALC (UNII: 7SEV7J4R1U)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)
SEA SALT (UNII: 87GE52P74G)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TURMERIC (UNII: 856YO1Z64F)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-172-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER ST. MORITZ
 octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-173
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-173-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER TERRE-NEUVE

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-174
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-174-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GROENLAND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-175
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE TRISODIUM (UNII: 420IP921MB)
TALC (UNII: 7SEV7J4R1U)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)
SEA SALT (UNII: 87GE52P74G)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TURMERIC (UNII: 856YO1Z64F)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-175-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER CUZCO

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-176
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | **TITANIUM DIOXIDE** | 3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-176-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH			

OTC MONOGRAPH DRUG	M020	04/01/2021	
-----------------------	------	------------	--

NARS PURE RADIANT TINTED MOISTURIZER GOTLAND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-161
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	

TURMERIC (UNII: 856Y01Z64F)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-161-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER NORWICH

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-162
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE TRISODIUM (UNII: 420IP921MB)
TALC (UNII: 7SEV7J4R1U)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)
SEA SALT (UNII: 87GE52P74G)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TURMERIC (UNII: 856YO1Z64F)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-162-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER MYKONOS

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-163
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V15VM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-163-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER SYDNEY

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-164
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-164-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER AUCKLAND

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-165
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE TRISODIUM (UNII: 420IP921MB)
TALC (UNII: 7SEV7J4R1U)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)
SEA SALT (UNII: 87GE52P74G)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TURMERIC (UNII: 856YO1Z64F)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-165-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER SANTIAGO

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-166
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-166-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER MARRAKESH

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-167
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-167-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER HAVANA

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-168
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE TRISODIUM (UNII: 420IP921MB)
TALC (UNII: 7SEV7J4R1U)
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)
SEA SALT (UNII: 87GE52P74G)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TURMERIC (UNII: 856YO1Z64F)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-168-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GUERNSEY

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-169
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
PROPANEDIOL (UNII: 5965N8W85T)
GLYCERIN (UNII: PDC6A3C0OX)
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)
NYLON-12 (UNII: 446U8J075B)
FERRIC OXIDE RED (UNII: 1K09F3G675)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
STEARIC ACID (UNII: 4ELV7Z65AP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
EDETATE TRISODIUM (UNII: 420IP921MB)
TALC (UNII: 7SEV7J4R1U)
ASCORBYL GLUCOSIDE (UNII: 2V52RONHXW)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)
SEA SALT (UNII: 87GE52P74G)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
TURMERIC (UNII: 856YO1Z64F)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13734-169-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

NARS PURE RADIANT TINTED MOISTURIZER GRANADA

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13734-170
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.745 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPANEDIOL (UNII: 5965N8W85T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
NYLON-12 (UNII: 446U8J075B)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
TALC (UNII: 7SEV7J4R1U)	
ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ALTEROMONAS MACLEODII POLYSACCHARIDES (UNII: AP6XG2GR8Z)	
SEA SALT (UNII: 87GE52P74G)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
TURMERIC (UNII: 856YO1Z64F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:13734-170-60	1 in 1 CARTON	04/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	04/01/2021	

Labeler - NARS Cosmetics (837363571)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	MANUFACTURE(13734-161, 13734-162, 13734-163, 13734-164, 13734-165, 13734-166, 13734-167, 13734-168, 13734-169, 13734-170, 13734-171, 13734-172, 13734-173, 13734-174, 13734-175, 13734-176) , ANALYSIS(13734-161, 13734-162, 13734-163, 13734-164, 13734-165, 13734-166, 13734-167, 13734-168, 13734-169, 13734-170, 13734-171, 13734-172, 13734-173, 13734-174, 13734-175, 13734-176)

Revised: 3/2021

NARS Cosmetics