

**CHILDRENS MUCINEX MULTI-SYMPTOM COLD- dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride solution**  
**RB Health (US) LLC**

-----  
**Children's Mucinex® Multi-Symptom Cold**

**Drug Facts**

| <b>Active ingredients (in each 5 mL)</b> | <b>Purposes</b>    |
|--|--------------------|
| Dextromethorphan HBr 5 mg                | Cough suppressant  |
| Guaifenesin 100 mg                       | Expectorant        |
| Phenylephrine HCl 2.5 mg                 | Nasal decongestant |

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep
  - nasal congestion due to a cold
  - stuffy nose

**Warnings**

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**When using this product** do not use more than directed

**Stop use and ask a doctor if**

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

| Age                                | Dose                |
|------------------------------------|---------------------|
| children 6 years to under 12 years | 10 mL every 4 hours |
| children 4 years to under 6 years  | 5 mL every 4 hours  |
| children under 4 years             | do not use          |

### Other information

- each 5 mL contains: **sodium 3 mg**
- tamper evident: do not use if neckband on bottle cap is broken or missing
- store between 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

### Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Red #40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate <sup>1</sup>, xanthan gum

<sup>1</sup> may contain this ingredient

### Questions?

**1-866-MUCINEX (1-866-682-4639)**

You may also report side effects to this phone number.

Dist. by: Reckitt Benckiser, Parsippany, NJ 07054-0224

Made in England

**PRINCIPAL DISPLAY PANEL - 201 mL Bottle Carton**

**VALUE SIZE!**

**NDC 63824-282-67**

**Children's  
Mucinex®**

**Multi-Symptom  
Cold**

**Cough Suppressant  
Expectorant  
Nasal Decongestant**

**Dextromethorphan HBr 5 mg**

**Guaifenesin 100 mg**

**Phenylephrine HCl 2.5 mg**

- **Stuffy Nose**
- **Cough**
- **Chest Congestion**
- **Breaks up Mucus**

**Age 4+**

**Very Berry  
Flavor Liquid**

**6.8 FL OZ  
(201 mL)**

Tamper evident: do not use if neckband on bottle cap is broken or missing.

# Children's Mucinex®

## Multi-Symptom Cold

Cough Suppressant  
Expectorant  
Nasal Decongestant

Dextromethorphan HBr 5 mg  
Guaifenesin 100 mg  
Phenylephrine HCl 2.5 mg

### Drug Facts (continued)

**Inactive ingredients** anhydrous citric acid, edetate disodium, FD&C Red #40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate\*, xanthan gum  
\*may contain this ingredient

**Questions?** 1-866-MUCINEX (1-866-682-4639)  
You may also report side effects to this phone number.

**PARENTS:**

Learn about teen medicine abuse

[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

Also look for  
**Children's  
Mucinex®**

mini-melts

Great-tasting  
chest-congestion relief in  
fun-to-take, convenient  
granule packets!



Dist. by: Reckitt Benckiser, Parsippany, NJ 07054-0224  
Made in England ©2013 RB 072513 3000460

**VALUE SIZE!**

NDC 63824-282-67

# Children's Mucinex®

## Multi-Symptom Cold

Cough Suppressant  
Expectorant  
Nasal Decongestant

Dextromethorphan HBr 5 mg  
Guaifenesin 100 mg  
Phenylephrine HCl 2.5 mg

- ✓ Stuffy Nose
- ✓ Cough
- ✓ Chest Congestion
- ✓ Breaks up Mucus

Age **4+**

Very Berry  
Flavor Liquid

6.8 FL OZ  
(201 mL)






LOT CODE:

EXP. DATE:

3000460



Children's  
**Mucinex**

**Multi-Symptom  
Cold**



**DOSING CUP INCLUDED**

Each dose of very berry-flavored  
**Children's Mucinex**<sup>®</sup>  
**Multi-Symptom Cold Liquid:**

**✓ Relieves Stuffy Nose**

### Drug Facts

| Active ingredients (in each 5 mL) | Purposes           |
|-----------------------------------|--------------------|
| Dextromethorphan HBr 5 mg.....    | Cough suppressant  |
| Guaifenesin 100 mg.....           | Expectorant        |
| Phenylephrine HCl 2.5 mg.....     | Nasal decongestant |

### Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help your child get to sleep
  - nasal congestion due to a cold
  - stuffy nose

### Warnings

**Do not use** in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

#### Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

**When using this product** do not use more than directed

#### Stop use and ask a doctor if


- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor





## CHILDRENS MUCINEX MULTI-SYMPATOM COLD

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride solution

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:63824-282 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength                | Strength          |
|---|----------------------------------|-------------------|
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 5 mg<br>in 5 mL   |
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                           | GUAIFENESIN                      | 100 mg<br>in 5 mL |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)         | PHENYLEPHRINE<br>HYDROCHLORIDE   | 2.5 mg<br>in 5 mL |

### Inactive Ingredients

| Ingredient Name                                       | Strength |
|---|----------|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)       |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)            |          |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)         |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                    |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)            |          |
| <b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)              |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                       |          |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)             |          |
| <b>SORBITOL</b> (UNII: 506T60A25R)                    |          |
| <b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)                   |          |
| <b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K) |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                 |          |

## Product Characteristics

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | pink  | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   | BERRY | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

## Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:63824-282-67 | 1 in 1 CARTON   | 07/17/2012           |                    |
| 1 |                  | 201 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product) |                      |                    |
| 2 | NDC:63824-282-64 | 1 in 1 CARTON   | 07/17/2012           | 02/15/2024         |
| 2 |                  | 118 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product) |                      |                    |
| 3 | NDC:63824-282-22 | 2 in 1 CELLO PACK   | 07/17/2012           | 09/01/2024         |
| 3 |                  | 1 in 1 CARTON   |                      |                    |
| 3 |                  | 118 mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination Product (e.g., Drug/Device/Biological Product) |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 07/17/2012           |                    |

**Labeler** - RB Health (US) LLC (081049410)

Revised: 10/2023

RB Health (US) LLC