

OXYGEN- oxygen gas
B & J Welding Supply, LTD. dba B & J Welding Supply

oxygen - 0104

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS

) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

B & J WELDING SUPPLY

1512 East 50th Street

Lubbock TX 79404

806-747-1542

8102 West I-20

Midland, Tx 79706


432-563-1277

NO SMOKING

NO VAPING

CONTENTS:

LTRS: CU.FT



OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|----------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:67573-0104 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 995 mL in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:67573-0104-7 | 420 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1977 | |
| 2 | NDC:67573-0104-8 | 690 L in 1 CYLINDER; Type 0: Not a Combination Product | 01/01/1977 | |
| 3 | NDC:67573-0104-9 | 3160 L in 1 DEWAR; Type 0: Not a Combination Product | 01/01/1977 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA | NDA205712 | 01/01/1977 | |

Labeler - B & J Welding Supply, LTD. dba B & J Welding Supply (016029732)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---------|-----------|-------------------------|
| B & J Welding Supply, LTD. dba B & J Welding Supply | | 079376192 | manufacture(67573-0104) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---------|-----------|-------------------------|
| B & J Welding Supply, LTD. dba B & J Welding Supply | | 085779403 | manufacture(67573-0104) |

Revised: 11/2025

B & J Welding Supply, LTD. dba B & J Welding Supply