

YAT TIP XIAO - salicylic acid plaster
Internationa Nature Nutraceuticals, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Salicylic Acid 156mg

Purpose

Corns and callus remover

Warnings

For external use only. This product may cause allergic reactions.

Stop use and ask doctor or podiatrist if

Discomfort persists, nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs

Do not use

On irritated skin. On an area that is reddened or infected. If you are a diabetic. If you have poor blood circulation

Keep out of reach of children

Keep out of reach of Children

Storage

Store at 15-30 degrees C. Keep away from heat.

Use

For the removal of corns and callus


Directions

Wash affected area and dry thoroughly, apply medicated plaster over corns and calluses, after 24 hours remove the medicated plaster, repeat this procedure every 24 hours as needed until corn /callus is removed

Inactive Ingredients

Lanolin, paraffin, petrolatum, phenol, and zinc oxide

Image



Drug Facts
成份說明

Active Ingredients: 有效成份
Salicylic acid/水楊酸: 156mg

Purpose 目的:
Corn and callus remover.
雞眼·胼胝去除劑

Uses: 用途:
For the removal of corns and calluses. 去除雞眼, 胼胝

Warnings: 警告:
For External Use Only. This product may cause allergic reactions.
只供外用. 本品可能引起過敏反應.


Do not use: 下列情況請勿使用:
On irritated skin. On any area that is infected or reddened. If you are a diabetic. If you have poor blood circulation.
皮膚過敏. 任何感染或出現紅色的部位. 糖尿病患. 血液循環不良.

Stop use and ask a doctor or podiatrist if:
出現下列情況應停止使用及請教醫生.
Discomfort persists, nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs. 持續不適, 噁心, 嘔吐, 腹部不適, 腹瀉, 出現皮疹.

Directions: 用法:
wash affected area and dry thoroughly, apply medicated plaster over corn or callus, after 24 hours remove the medicated plaster, repeat this procedure every 24 hours as needed until corn/callus is removed.
清洗患處並完全擦乾, 將藥膏貼片貼於雞眼或胼胝上, 每24小時後將貼片撕下, 如有須要, 每隔24小時換一次藥膏片, 直至雞眼或胼胝去除.

Inactive Ingredients: 輔助成份:
Lanolin, paraffin, petrolatum, phenol, and zinc oxide.
羊毛脂, 石蠟, 軟石蠟, 酚, 氧化鋅.


Storage: 存放:
store at 15°C to 30°C (59° F to 86°F) keep away from heat
保存在15°C to 30°C (59° F to 86°F) 之間. 遠離高溫.
Keep out of reach of children. 存放於兒童拿不到的地方

External Use 

Exclusive U.S. Distributor: 全美總代理:
國際中藥保健集團

International Nature Nutraceuticals, Inc. New York, NY 10002 www.innherb.com

NDC 51367-001-10




一貼消

YAT TIP XIAO

CORN AND CALLUS REMOVING PLASTER

雞眼膏



For the removal of corns and calluses
去除雞眼, 胼胝

黃石衛生材料藥業有限公司
Huangshi hygienic material medicine Co., Ltd.

Made in China

水楊酸苯酚貼膏

10

水楊酸苯酚貼膏


10

Made in China

Lot Number: _____

MFG: _____

Exp: _____



6 19 0 3 5 4 4 1 7 3 5 7 6 3 1

YAT TIP XIAO

salicylic acid plaster

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51367-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Salicylic Acid (UNII: O414PZ4LPZ) (Salicylic Acid - UNII:O414PZ4LPZ)	Salicylic Acid	156 mg

Inactive Ingredients

Ingredient Name	Strength
Lanolin (UNII: 7EV65EAW6H)	
Paraffin (UNII: I9O0E3H2ZE)	
Petrolatum (UNII: 4T6H12BN9U)	

Phenol (UNII: 339NCG44TV)	
Zinc Oxide (UNII: SOI2LOH54Z)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51367-001-10	10 in 1 PACKAGE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	01/01/1977	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358F	01/01/1977	

Labeler - Internationa Nature Nutraceuticals, Inc (006106879)

Establishment			
Name	Address	ID/FEI	Business Operations
Huangshi Hygenic Material Medicine Co. Ltd.		527157596	manufacture(51367-001)

Revised: 12/2017

Internationa Nature Nutraceuticals, Inc