

OXYGEN- oxygen gas
Clinical 1 Home Medical, Inc.

oxygen

OXYGEN, COMPRESSED USP
UN 1072

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Clinical 1 Home Medical
65 Mathewson Drive Unit E
Weymouth, MA 02189
800-261-5737
CAS NO: 7782-44-7

**OXYGEN,
COMPRESSED USP
UN 1072**

DANGER:
MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.
CONTAINS GAS UNDER PRESSURE.
MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

CAS NO: 7782-44-7

Contents	Size
248 Liters	<input type="checkbox"/> C
415 Liters	<input type="checkbox"/> D
802 Liters	<input type="checkbox"/> E
1405 Liters	<input type="checkbox"/> F
2800 Liters	<input type="checkbox"/> H
_____ Liters	<input type="checkbox"/> Other

Clinical 1 Home Medical
65 Mathewson Drive Unit E
Weymouth, MA 02189
800-261-5737

OXYGEN, REFRIGERATED LIQUID USP
UN 1073
CONTENTS: LITERS
CAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

Clinical 1 Home Medical

65 Mathewson Drive

Unit E

Weymouth, MA 02189

800-261-5737

**OXYGEN,
REFRIGERATED
LIQUID USP**
UN 1073



CONTENTS: _____ LITERS

GAS NO: 7782-44-7

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURN OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID:

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.

Warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, For only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of a toral blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

©2008 Home Medical Corp. All Rights Reserved.

Clinical 1 Home Medical Corp

65 Mathewson Drive
Unit E
Weymouth, MA 02189
781-331-6856

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:65919-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	100 L in 99 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65919-003-01	170 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
2	NDC:65919-003-02	248 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
3	NDC:65919-003-03	415 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
4	NDC:65919-003-04	682 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
5	NDC:65919-003-05	3455 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	

6	NDC:65919-003-06	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2000	
7	NDC:65919-003-07	31 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/2000	
8	NDC:65919-003-08	41 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/2000	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205840	06/01/2000	

Labeler - Clinical 1 Home Medical, Inc. (110832404)

Establishment

Name	Address	ID/FEI	Business Operations
Clinical 1 Home Medical, Inc.		110832404	repack(65919-003)

Revised: 10/2018

Clinical 1 Home Medical, Inc.