

# **STOMACH RELIEF- bismuth subsalicylate liquid**

## **Family Dollar (FAMILY WELLNESS)**

-----

### **Drug Facts**

#### **Active ingredient (in each 30 mL dose)**

Bismuth subsalicylate 525 mg

#### **Purpose**

Upset stomach reliever/Antidiarrheal

#### **Uses**

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
  - heartburn
  - indigestion
  - nausea
  - gas
  - fullness
  - belching

#### **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

#### **Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

#### **Do not use**

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

#### **Ask a doctor before use if you have**

- fever
- mucus in the stool

## **Ask a doctor or pharmacist before use if you are**

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

## **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur.

## **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- mL = milliliter
- shake well before using
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- adults and children 12 years and over
  - 30 mL (1 dose) every 1/2 or 60 mL (2doses) every hour as needed for diarrhea/traveler's diarrhea
  - 30 mL (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
  - do not exceed 8 doses (240 mL) in 24 hours
  - use until diarrhea stops but not more than 2 days
- children under 12 years of age: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

## **Other information**

- **each 30 mL contains:** potassium 8 mg, sodium 9 mg
- **each 30 mL** contains: salicylate 206 mg
- low sodium
- keep tightly closed
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

## **Inactive ingredients**

benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

## **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENT IN PEPTO-BISMOL®\*

REGULAR STRENGTH

### **STOMACH RELIEF**

Bismuth subsalicylate 525 mg

upset Stomach reliever/Antidiarrheal

RELIEVES

- heartburn
- Indigestion
- nausea
- upset stomach
- diarrhea

ALCOHOL-FREE

SUGAR-FREE

FL OZ (mL)

\*This product is not manufactured or distributed by The Procter & Gamble Company, Pepto-Bismol® is a registered trademark of The Procter & Gamble Company.

**TAMPER EVIDENT; DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY:

MIDWOOD BRANDS LLC

510 VOLVO PKWY,

CHESAPEAKE, VA 23320

## **Package Label**

**FAMILY Wellness™** COMPARE TO THE ACTIVE INGREDIENT IN PEPTO-BISMOL®

REGULAR STRENGTH  
**STOMACH RELIEF**

Bismuth subsalicylate 525 mg  
Upset Stomach Reliever/Antidiarrheal

RELIEVES

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

ALCOHOL-FREE  
SUGAR-FREE

NDC 55319-951-16

Questions or comments?  
Call 1-877-753-3935  
Monday-Friday 9AM-5PM EST

DISTRIBUTED BY: MIDWOOD BRANDS, LLC  
510 VOLVO PKWY, CHESAPEAKE, VA 23320 USA  
PRODUCT OF GERMANY

NOT 100% SATISFIED?  
Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

16 FL OZ (473 mL)

0 3225 192101 8  
SKU 997590 PLD-B492B LB010721

**Drug Facts**

**Active ingredient (in each 30 mL dose)**  
Bismuth subsalicylate 525 mg.....Upset stomach reliever/Antidiarrheal

**Purpose**

**Uses** relieves ■ diarrhea ■ travelers' diarrhea  
■ upset stomach due to overindulgence in food and drink, including ■ heartburn ■ gas ■ indigestion ■ nausea ■ fullness ■ belching

**Warnings**  
**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert: Contains salicylate. Do not take if you are:**  
■ allergic to salicylates (including aspirin)  
■ taking other salicylate products

**Do not use if you have**  
■ an ulcer ■ a bleeding problem ■ bloody or black stool

**Ask a doctor before use if you have** ■ fever ■ mucus in the stool

**Ask a doctor or pharmacist before use if you are taking any drug for**  
■ diabetes ■ gout ■ arthritis ■ anticoagulation (thinning the blood)

**When using this product** a temporary, but harmless, darkening of the stool and/or tongue may occur.

**Stop use and ask a doctor if**  
■ symptoms get worse or last more than 2 days  
■ ringing in the ears or loss of hearing occurs  
■ diarrhea lasts more than 2 days

\*This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol® is a registered trademark of The Procter & Gamble Company.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

PLD-A492B LB009811

PEEL CORNER FOR MORE DRUG FACTS

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use.  
**Keep out of reach of children.**  
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- mL = milliliter ■ shake well before using
- measure only with dosing cup provided. Do not use any other dosing device. ■ keep dosing cup with product
- adults and children 12 years and over  
■ 30 mL (1 dose) every ½ hour or 60 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea
- 30 mL (1 dose) every ½ hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years of age: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information**

- each 30 mL contains: potassium 8 mg, sodium 9 mg
- each 30 mL contains: salicylate 206 mg
- low sodium ■ keep tightly closed ■ protect from freezing
- avoid excessive heat (over 104°F or 40°C)

**Inactive ingredients** benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

## FAMILY WELLNESS Regular Strength Stomach Relief

### STOMACH RELIEF

bismuth subsalicylate liquid

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-951
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:Z59CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

#### Inactive Ingredients

Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>D&amp;C RED NO. 22</b> (UNII: 1678RKX8RT)	
<b>D&amp;C RED NO. 28</b> (UNII: 7671P0Y5NH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-951-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2023	
2	NDC:55319-951-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2023	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	07/01/2023	

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 11/2025

Family Dollar (FAMILY WELLNESS)