
NITROUS OXIDE- nitrous oxide gas Metro Welding Supply Corporation

Nitrous Oxide

NITROUS OXIDE USP UN1070 NON-FLAMMABLE GAS 2 OXIDIZER 5.1

Rx only. WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER CONTAINS GAS UNDER PESSURE; MAY EXPLODE IF HEATED. MAY CUASE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoide breathing gas. Do not put in eyes on skin or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. WARNING: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. CAS: 10024-97-2 CONTENTS: LTRS CU. FT. DO NOT REMOVE THIS LABEL. METRO WELDING SUPPLY 12620 SOUTHFIELD **DETROI, MI 48223** CALL (313) 834-1660 FOR PICKUP



NITROUS OXIDE

nitrous oxide gas

Product Information							
Product T ype	PRESCRIPTION ANIMAL DRUG	Item Cod	e (Source) N	DC:62273-015			
~	DECDIDATORY (INITIAL ATION)						
Route of Administration	RESPIRATORY (INHALATION)						
Route of Administration	RESPIRATORY (INHALATION)						
Active Ingredient/Active M	oiety						
Active Ingredient/Active M			Basis of Strength	Strength			
Active Ingredient/Active M	oiety	29)	Basis of Strength NITROUS OXIDE	Strength 990 mL in 1 L			

F	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:62273-015-01	15770 L in 1 CYLINDER				

Marketing Info Marketing Category	rmation Application Number or Monogr NADA141350	aph Citation	Marketing Start Date 03/17/2015	Marketing End Date			
•		aph Citation	Marketing Start Date	Marketing End Date			
Marketing Info	rmation						
Marketing Information							
5 NDC:62273-015-05	4928 L in 1 CYLINDER						
4 NDC:62273-015-04	7392 L in 1 CYLINDER						
3 NDC:62273-015-03	12320 L in 1 CYLINDER						

Labeler - Metro Welding Supply Corporation (005328869)

Establishment

Name	Address	ID/FEI	Business Operations
Metro Welding Supply Corporation		005328869	ma nufa c ture

Establishment

Name	Address	ID/FEI	Business Operations
Metro Welding Supply Corporation		079716147	manufacture

Revised: 7/2020

Metro Welding Supply Corporation