

REVIVE INTENSITE CREME LUSTRE DAY FIRMING MOISTURE CREAM BROAD SPECTRUM SPF 30 SUNSCREEN- avobenzone, octisalate, and octocrylene lotion

Revive Skincare

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**RÉVIVE INTENSITÉ CRÈME LUSTRE DAY
Firming Moisture Cream Broad Spectrum SPF 30 Sunscreen**

Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Octisalate 5.0%	Sunscreen
Octocrylene 8.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Helianthus Annuus (Sunflower) Seed Oil, Cyclopentasiloxane, Butyloctyl Salicylate, Undecylcrylene Dimethicone, Butylene Glycol, Cetearyl Alcohol, C13-15 Alkane, Glycerin, Cyclohexasiloxane, Sorbitan Stearate, Potassium Cetyl Phosphate, PPG-2 Myristyl Ether Propionate, Tocopheryl Acetate, Palmitoyl Tripeptide-1, Decapeptide-4, Palmitoyl Tetrapeptide-7, Phenoxyethanol, Dimethiconol, Polysorbate 60, Microcrystalline Cellulose, Polymethyl Methacrylate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aminomethyl Propanol, Mica, Panthenol, Sodium PCA, Caprylyl Glycol, Allantoin, Chlorphenesin, Disodium EDTA, Chlorella Vulgaris Extract, Cellulose Gum, Fragrance, Carbomer, Polysorbate 20, Magnesium Ascorbyl Phosphate, Tocopherol, Lecithin, Citric Acid, Citronellol, Limonene, Linalool, Hexyl Cinnamal. May Contain (+/-): Titanium Dioxide.

Questions or comments?

Call **1-866-986-7083**, M – F 8am – 5pm CST.

PRINCIPAL DISPLAY PANEL - 50 g Jar Carton

**INTENSITÉ™
CRÈME LUSTRE DAY**

RéVive

Firming Moisture Cream
Broad Spectrum SPF 30 Sunscreen

50 g /net wt. 1.7 oz.

INTENSITÉ™
CRÈME LUSTRE DAY

RéVive

Firming Moisture Cream
Broad Spectrum SPF 30 Sunscreen

50 g/net wt. 1.7 oz.



Drug Facts

Active ingredients

Avobenzone 3.0%
Octisalate 5.0%
Octocrylene 8.0%

Purpose

Sunscreen
Sunscreen
Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating

Drug Facts (continued)

- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients Water, Helianthus Annuus (Sunflower) Seed Oil, Cyclopentasiloxane, Butyloctyl Salicylate, Undecylcylene Dimethicone, Butylene Glycol, Cetearyl Alcohol, C13-15 Alkane, Glycerin, Cyclohexasiloxane, Sorbitan Stearate, Potassium Cetyl Phosphate, PPG-2 Myristyl Ether Propionate, Tocopheryl Acetate, Palmitoyl Tripeptide-1, Decapeptide-4, Palmitoyl Tetrapeptide-7, Phenoxyethanol, Dimethylconol, Polysorbate 60, Microcrystalline Cellulose, Polymethyl Methacrylate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Aminomethyl Propanol, Mica, Panthenol, Sodium PCA, Caprylyl Glycol, Allantoin, Chlorphenesin, Disodium EDTA, Chlorella Vulgaris Extract, Cellulose Gum, Fragrance, Carbomer, Polysorbate 20, Magnesium Ascorbyl Phosphate, Tocopherol, Lecithin, Citric Acid, Citronellol, Limonene, Linalool, Hexyl Cinnamal. May Contain (+/-): Titanium Dioxide.

Questions or comments? Call 1-866-986-7083, M – F 8am – 5pm CST.



RéVive

RESEARCH, RENEWAL, RESULTS.™

Dr. Brown formulates RéVive™ products with Renewal Epidermal Science (RES) Technology, a collection of special bio-engineered ingredients inspired by Nobel Prize winning technology to help regenerate the appearance of youthful skin. Powered by RES Technology and featuring firming enzymes, this intensive firming moisturizer is designed to help increase elasticity while reducing the appearance of sagging skin. Antioxidants and SPF 30 help protect against free radicals and UVB/UVA rays that can lead to visible signs of aging. Gives skin a firmer, brighter, younger look, with diminished fine lines and wrinkles.

APPLICATION: Apply in the morning after cleanser, toner and serum.

DERMATOLOGIST TESTED.

12607341



6 33222 10681 8

REVIVE INTENSITE CREME LUSTRE DAY FIRMING MOISTURE CREAM BROAD SPECTRUM SPF 30 SUNSCREEN

avobenzone, octisalate, and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-367
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	1500 mg in 50 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	2500 mg in 50 g
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	4000 mg in 50 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
UNDECYLCRYLENE DIMETHICONE (10000 MW) (UNII: HA26P2LA4P)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
GLYCERIN (UNII: PDC6A3C0OX)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
MICA (UNII: V8A1AW0880)	
PANTHENOL (UNII: WV9CM0O67Z)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

ALLANTOIN (UNII: 344S277G0Z)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
MAGNESIUM ASCORBYL PHOSPHATE (UNII: 0R822556M5)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-367-50	1 in 1 CARTON	12/01/2016	
1		50 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/01/2016	

Labeler - Revive Skincare (193691821)