TOPCARE HEMORRHOIDAL- mineral oil, petrolatum, phenylephrine hcl ointment Topco Associates LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Topco Associates LLC. Hemorrhoidal Ointment Drug Facts

Active ingredients

Mineral oil 14%

Petrolatum 74.9%

Phenylephrine HCI 0.25%

Purposes

Protectant

Vasoconstrictor

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- · temporarily shrinks hemorrhoidal tissue and relieves burning
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external and/or intrarectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- · difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

When using this product

do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days
- introduction of applicator into the rectum causes additional pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying ointment.
- when first opening the tube, puncture foil seal with top end of cap
- apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- intrarectal use: remove cover from applicator, attach applicator to tube, lubricate applicator well and gently insert applicator into the rectum, thoroughly cleanse applicator after each use and replace cover
- · also apply ointment to external area
- regular use provides continual therapy for relief of symptoms
- children under 12 years of age: ask a doctor

Inactive ingredients

benzoic acid, butylated hydroxyanisole, corn oil, glycerin, lanolin, lanolin alcohols, methylparaben, mineral oil, paraffin, propylparaben, purified water, thymus vulgaris (thyme) oil, tocopheryl acetate, white wax

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

TopCare® health

COMPARE TO PREPARATION H® OINTMENT ACTIVE INGREDIENTS

Hemorrhoidal Ointment

PREVENTS FURTHER IRRITATION

- Rapid Soothing Pain Relief from Painful Burning, Itching and Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue
- Relieves External Discomfort

NET WT 2 OZ (57g)



NDC 36800-499-16



COMPARE TO PREPARATION H® OINTMENT ACTIVE INGREDIENTS*

Hemorrhoidal Ointment

PREVENTS FURTHER IRRITATION

- Rapid Soothing Pain Relief from Painful Burning, **Itching and Discomfort**
- Shrinks Swollen **Hemorrholdal Tissue**
- Protects Irritated Tissue
- Relieves External Discomfort

**PREVENTS FURTHER IRRITATION
Iching and Discomfort
Irritated Tissue • Relieves Internal and External Discomfort

NET WT 2 0Z (57g)

Prompt, Soothing Relief from Painful Burning, Itching Shrinks Swollen Hemorrhoidal Tissue • Protects Irritat emorrhoidal

Care

ND C36800-499-16

intment

COMPARE TO PREPARATION H® CONTMENT
ACTIVE INGREDIENTS*

Drug Facts

Active ingredients Purposes Mineral oil 14%..... Petrolatum 74.9%. ..Protectan Phenylephrine HCI 0.25%..

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue and
- relieves burning

 temporarily provides a coating for relief of anorectal
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external and/or intrarectal use only

- Ask a doctor before use if you have
 | heart disease | high blood pressure |
 | thyroid disease | diabetes |
 | difficulty in unination due to enlargement of the

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if bleeding occurs

- bleeding occurs condition worsens or does not improve within 7 days ■ introduction of applicator into the rectum caus

additional pain If pregnant or breast-feeding, ask a health

professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults: when practical, cleanse the affected area by acuts: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wips. Gently dry by patting or blotting with a tissue or a soft cloth before applying ointment.
 when first opening the tube, puncture foil seal with the ped of cap.
- top end of cap
- apply to the affected area up to 4 times daily especially at night, in the morning or after each bowel movement
- intrarectal use: remove cover from applicator, attach applicator to tube, lubricate applicator well and gently insert applicator into the rectum, thoroughly cleanse applicator after each use and replace cover
- also apply ointment to external area regular use provides continual therapy for relief
- of symptoms children under 12 years of age: ask a doctor

Inactive ingredients benzoic acid, butylated hydroxyanisole, com oil, glycerin, lanolin, lanolin alcohols, methylparaben, mineral oil, paraffin, propylparaben, purified water, thymus vulgaris (thyme) oil, tocopheryl acetate, white wax

Questions or comments? 1-888-423-0139

*This product is not manufactured or distributed by Pfizer, distributor of Preparation H® 0intment. Store at 20-25°C (68-77°F)

DO NOT USE IF TUBE SEAL IS

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007 ©TOPCO PERA0122 QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com



Scan here for more information or call 1-888-423-0139



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



1 18836 88 CS

CODE

NET WT 2 OZ (57g)



TOPCARE HEMORRHOIDAL

mineral oil, petrolatum, phenylephrine hcl ointment

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:36800-499

Route of Administration RECTAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINERAL OIL (UNII: T5L8T28FGP) (MINERAL OIL - UNII:T5L8T28FGP)	MINERAL OIL	14 g in 100 g	
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	74.9 g in 100 g	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	.25 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
BENZOIC ACID (UNII: 85KN0B0MIM)		
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)		
CORN OIL (UNII: 8470G57WFM)		
GLYCERIN (UNII: PDC6A3C0OX)		
LANOLIN (UNII: 7EV65EAW6H)		
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PARAFFIN (UNII: 1900E3H2ZE)		
PROPYLPARABEN (UNII: Z8IX2SC10H)		
WATER (UNII: 059QF0KO0R)		
THYME OIL (UNII: 2UK410MY6B)		
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
WHITE WAX (UNII: 7G1J5DA97F)		

Product Characteristics			
Color	YELLOW (light)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:36800-499- 16	1 in 1 CARTON	03/28/2014		
1		57 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	03/28/2014	

Labeler - Topco Associates LLC (006935977)

Revised: 2/2022 Topco Associates LLC