

**CLE CCC NEUTRAL MEDIUM LIGHT- titanium dioxide, octinoxate,
octisalate cream
KW ABSC, INC.**

69231-029_CLE CCC Neutral Medium Light

Titanium Dioxide 9.03%

Ethylhexyl Methoxycinnamate 7.00%

Ethylhexyl Salicylate 3.00%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses

Ask a doctor to use for children under 6 months

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Cyclohexasiloxane, Butylene Glycol, Isoamyl p-Methoxycinnamate, Cetyl PEG/PPG-10/1 Dimethicone, Niacinamide, Dicaprylyl Carbonate, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Ceresin, Diisostearyl Malate, Sodium Chloride, Iron Oxides (CI 77492), Distearidimonium Hectorite, Sorbitan Sesquioleate, Synthetic Wax, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Sorbitan Olivat, Mica (CI 77019), Iron Oxides (CI 77491), Chlorphenesin, Dipropylene Glycol, Dimethicone, Polyester-1, Propylene Carbonate, 1,2-Hexanediol, Hydroxyacetophenone, Iron Oxides (CI 77499), Vegetable Oil, Silica Dimethyl Silylate, Citrus Aurantium Bergamia (Bergamot) Fruit Oil, Citrus Aurantium Dulcis (Orange) Oil, Phenyl Trimethicone, Dimethicone Crosspolymer, Adenosine, Cananga Odorata Flower Oil, Disodium EDTA, Natto Gum, Saussurea Involucrata Extract, Bambusa Vulgaris Leaf/Stem Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Cocos Nucifera (Coconut) Oil, Tocopheryl Acetate, Hydrolyzed Hyaluronic Acid, Glycerin, Melissa Officinalis Leaf Extract, Chrysanthemum Indicum Flower Extract, Camellia Sinensis Leaf Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Aspalathus Linearis Leaf Extract, Thymus Vulgaris (Thyme) Flower/Leaf Extract, Jasminum Officinale (Jasmine) Flower Water, Veronica Officinalis Extract, Malva Sylvestris (Mallow) Extract, Achillea Millefolium Extract, Alchemilla Vulgaris Extract, Alcohol, Primula Veris Extract, Mentha Piperita (Peppermint) Leaf Extract, Tocopherol

NEUTRAL
MEDIUM
LIGHT

DRUG FACTS

ACTIVE INGREDIENTS-PURPOSES

TITANIUM DIOXIDE 9.03% SUNSCREEN
OCTINOXATE 7% SUNSCREEN
OCTISALATE 3% SUNSCREEN

USES

HELP PREVENT SUNBURN

DIRECTIONS

FOR SUNSCREEN USE:

- APPLY LIBERALLY 15 MINUTES BEFORE SUN EXPOSURE. REAPPLY AT LEAST EVERY TWO HOURS. USE A WATER RESISTANT SUNSCREEN IF SWIMMING OR SWEATING.
- SUN PROTECTION MEASURES: SPENDING TIME IN THE SUN INCREASES YOUR RISK OF SKIN CANCER AND EARLY SKIN AGING. TO DECREASE THIS RISK, REGULARLY USE A SUNSCREEN WITH A BROAD-SPECTRUM SPF OF 15 OR HIGHER AND OTHER SUN PROTECTION MEASURES INCLUDING: 1) LIMITED TIME IN THE SUN, ESPECIALLY FROM 10 AM TO 2 PM. 2) WEAR LONG-SLEEVE SHIRTS, PANTS, HATS, AND SUN GLASSES
- ASK A DOCTOR TO USE FOR CHILDREN UNDER 6 MONTHS

INACTIVE INGREDIENTS

WATER, CYCLOPENTASILOXANE, C12-15 ALKYL BENZOATE, CYCLOHEXASILOXANE, BUTYLENE GLYCOL, ISOAMYL P-METHOXYCINNAMATE, CETYL PEG/PPG-10/1 DIMETHICONE, NIACINAMIDE, DICAPRYLYL CARBONATE, BIS-ETHYLHEXYLOXYPHENOL, METHOXYPHENYL TRIAZINE, CERESIN, DIISOSTEARYL MALATE, SODIUM CHLORIDE, IRON OXIDES (CI 77492), DISTEARDIMONIUM Hectorite, SORBITAN SESQUIOLEATE, SYNTHETIC WAX, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, SORBITAN OLIVATE, MICA (CI 77019), IRON OXIDES (CI 77491), CHLORPHENESIN, DIPROPYLENE GLYCOL, DIMETHICONE, POLYESTER-1, PROPYLENE CARBONATE, 1,2-HEXANEDIOL, HYDROXYACETOPHENONE, IRON OXIDES (CI 77499), VEGETABLE OIL, SILICA DIMETHYL SILYLATE, CITRUS AURANTIUM BERGAMIA (BERGAMOT) FRUIT OIL, CITRUS AURANTIUM DULCIS (ORANGE) OIL, PHENYL TRIMETHICONE, DIMETHICONE CROSSPOLYMER, ADENOSINE, CANANGA ODORATA FLOWER OIL, DISODIUM EDTA, NATTO GUM, SAUSSUREA INVOLUCRATA EXTRACT, VACCINIUM ANGSTIFOLIUM (BLUEBERRY) FRUIT EXTRACT, TOCOPHERYL ACETATE, HYDROLYZED HYALURONIC ACID, GLYCERIN, MELISSA OFFICINALIS LEAF EXTRACT, CHRYSANTHEMUM INDICUM FLOWER EXTRACT, CAMELLIA SINENSIS LEAF EXTRACT, ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT, ASPALATHUS LINEARIS LEAF EXTRACT, THYMUS VULGARIS (THYME) FLOWER/LEAF EXTRACT, JASMINUM OFFICINALE

DRUG FACTS (CONTINUED)

(JASMINE) FLOWER WATER, VERONICA OFFICINALIS EXTRACT, MALVA SYLVESTRIS (MALLOW) EXTRACT, ACHILLEA MILLEFOLIUM EXTRACT, ALCHEMILLA VULGARIS EXTRACT, ALCOHOL, PRIMULA VERIS EXTRACT, MENTHA PIPERITA (PEPPERMINT) LEAF EXTRACT, TOCOPHEROL

WARNINGS

FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. STOP USING AND ASK A DOCTOR IF RASH OCCURS WHEN USING THIS PRODUCT. KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

OTHER INFORMATION

PROTECT THIS PRODUCT FROM EXCESSIVE HEAT AND DIRECT SUNLIGHT.

MANUFACTURED FOR CLE LIFESTYLE CORPORATION 18655 BISHOP AVENUE CARSON, CALIFORNIA USA 90746

EU RESPONSIBLE PERSON BIORIUS EU: WAVE, BE / LONDON WC2H 9JQ, UK

MADE IN KOREA
WWW.CLECOSMETICS.COM



NEUTRAL MEDIUM LIGHT 201

PLEASE RECYCLED FOR ENVIRONMENTAL PRESERVATION PURPOSE. PLEASE FOLLOW THE INSTRUCTIONS AND CAUTION INFORMATION BEFORE USE.



CLE COSMETICS

OUR MULTI-FUNCTIONAL ESSENTIALS EDIT OUT THE EXCESS TO BRING YOU HERO PRODUCTS MADE TO MATCH THE PACE OF MODERN LIFE. FLEXIBLE, YET COMPREHENSIVE, EACH OF OUR PRODUCTS CAN SEAMLESSLY COMPLIMENT A MULTI-STEP SELF CARE RITUAL OR STAND ALONE AS A SINGLE, GO-TO PRODUCT.

CCC CREAM IS COMPOSED OF CC AND BB CREAM, UTILIZING MICRO CAPSULE TECHNOLOGY – AN EFFECTIVE TECHNIQUE TO ENSURE THE ESSENCE, TINT AND SUN PROTECTION ARE RELEASED INSTANTLY.

RADIANT SKIN
CCC CREAM

MICRO CAPSULE
TECHNOLOGY

SPF 50

e 30 ML 1 FL.OZ

CLE CCC NEUTRAL MEDIUM LIGHT

titanium dioxide, octinoxate, octisalate cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69231-029 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|--------------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 2.1 mg in 30 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 0.9 mg in 30 mL |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 2.7096 mg in 30 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| AMILOXATE (UNII: 376KTP06K8) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| NIACINAMIDE (UNII: 25X5118RD4) | |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA) | |
| BEMOTRIZINOL (UNII: PWZ1720CBH) | |
| CERESIN (UNII: Q1LS2UJO3A) | |
| DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A) | |
| SYNTHETIC WAX (1200 MW) (UNII: Q3Z4BCH099) | |
| LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA) | |
| SORBITAN OLIVATE (UNII: MDL271E3GR) | |
| MICA (UNII: V8A1AW0880) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| DIPROPYLENE GLYCOL (UNII: E107L85C40) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| POLYESTER-10 (UNII: 212N9O2MMZ) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | |
| HYDROXYACETOPHENONE (UNII: G1L3HT4CMH) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |
| CORN OIL (UNII: 8470G57WFM) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| BERGAMOT OIL (UNII: 39W1PKE3JI) | |

| | |
|--|--|
| ORANGE OIL (UNII: AKN3KSD11B) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6) | |
| ADENOSINE (UNII: K72T3FS567) | |
| CANANGA OIL (UNII: 8YOY78GNNX) | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69231-029-02 | 1 in 1 PACKAGE | 10/18/2022 | |
| 1 | NDC:69231-029-01 | 30 mL in 1 CONTAINER; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 10/18/2022 | |

Labeler - KW ABSC, INC. (079548604)

Registrant - KW ABSC, INC. (079548604)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------|---------|-----------|------------------------|
| Cit Co., Ltd | | 690081646 | manufacture(69231-029) |

Revised: 12/2024

KW ABSC, INC.