

SENNA PLUS- sennosides and docusate sodium tablet
Geri-Care Pharmaceutical Corp

gc 455t (458)

Active ingredient (in each tablet)

Docusate Sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use for more than 1 week unless directed by a doctor

Ask a doctor before use if you

- have abdominal pain, nausea or vomiting
- are taking mineral oil
- have noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime

children under 12
years

ask a doctor

Other information

- **each tablet contains:** calcium 20 mg, sodium 6 mg
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.
- store at room temperature

Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6, hypromellose, magnesium stearate, PEG, sodium benzoate, stearic acid, titanium dioxide. May also contain D&C yellow #10, FD&C yellow #5 (tartrazine), magnesium silicate, mineral oil, silica, sodium lauryl sulfate, starch, triacetin, wax.

Package Label

Drug Facts

Active ingredients (in each tablet) **Purpose**
 Docusate Sodium 50 mg.....Stool softener
 Sennosides 8.6 mg.....Laxative

Uses • relieves occasional constipation (irregularity)
 • this product generally produces a bowel movement in 6 to 12 hours

Warnings
 Do not use for more than one week unless directed by a doctor.
 Ask a doctor before use if you • have abdominal pain, nausea or vomiting • are taking mineral oil • have noticed a sudden change in bowel habits that lasts over two weeks
 Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶

3 57896 45510 1

NDC 57896-458-10

GERI CARE®

SENNAPLUS

STANDARDIZED SENNA CONCENTRATE
DOCUSATE SODIUM

**NATURAL VEGETABLE LAXATIVE
WITH STOOL SOFTENER**

Compare to active ingredients in **SENAKOT-S**®*

1000 Tablets

Directions • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

Other information • each tablet contains: calcium 20mg, sodium 6mg • store at room temperature
 • **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients: cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6, hypromellose, magnesium stearate, PEG, sodium benzoate, stearic acid, titanium dioxide. May also contain D&C yellow #10, FD&C yellow #5 (tartrazine), magnesium silicate, mineral oil, silica, sodium lauryl sulfate, starch, triacetin, wax.

* This product is not manufactured or distributed by the owner of the registered trademark Senokot-S®.
 Dist. By: Geri-Care Pharmaceuticals Corp.
 1295 Towbin Avenue, Lakewood, NJ 08701
 REV 0625T

SENNAPLUS

sennosides and docusate sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-458
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM SILICATE (UNII: 9B9691B2N9)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	TCL081
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-458-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	09/30/2025
2	NDC:57896-458-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	09/30/2025
3	NDC:57896-458-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2013	
4	NDC:57896-458-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug 505G(a)(3)

01/01/2000

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 12/2025

Geri-Care Pharmaceutical Corp