

FOSTER AND THRIVE EARWAX REMOVAL DROPS- carbamide peroxide solution/ drops
Mckesson Corp. Via Strategic Sourcing Services

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Foster & Thrive Earwax Removal Drops

Drug Facts

Active ingredient

Carbamide peroxide 6.5%

Purpose

Earwax removal aid

Uses

for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the ear only

Ask a doctor before use if you have

- ear drainage or discharge
- irritation or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

When using this product

avoid contact with the eyes

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and places 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

Children under 12 years: consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Do not store above 25°C (77°F)
- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated cracklig sound
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions?

833-358-6431 Monday to Friday 9:00-7:00 EST

Package Labeling:

Drug Facts
(continued)

- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound.
- Do not use if tamper-evident safety seal is broken or missing

Inactive ingredients

anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions?

833-358-6431 Monday to Friday 9:00-7:00 EST

©2023 McKesson Corporation
Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
Money Back Guarantee
www.fosterandthrive.com

REV 3/23

NDC 70677-1154-1

COMPARE TO DEBROX®
ACTIVE INGREDIENT*

Foster & Thrive™
Earwax Removal Drops

**Carbamide Peroxide 6.5%
EARWAX REMOVAL AID**

Safe, Gentle,
Non-Irritating


0.5 FL OZ (15 mL)



Foster & Thrive™
Earwax Removal Drops

**Carbamide Peroxide 6.5%
EARWAX REMOVAL AID**

Safe, Gentle,
Non-Irritating



*This product is not manufactured or distributed by Medtech Products Inc. a Prestige Brands Company owner of the registered trademark Debrox®.

LOT & EXP AREA
NO INK IN THIS AREA

Foster & Thrive™
Earwax Removal Drops
Carbamide Peroxide 6.5%
EARWAX REMOVAL AID

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient Carbamide peroxide 6.5% **Purpose** Earwax removal aid

Uses for occasional use as an aid to soften, loosen, and remove excessive earwax

Warnings

For use in the ear only

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

■ **When using this product avoid contact with the eyes**

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive earwax remains after use of this product

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age:

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

Children under 12 years: consult a doctor

Other information

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Do not store above 25°C (77°F)

Foster & Thrive™
Earwax Removal Drops
 Carbamide Peroxide 6.5%
EARWAX REMOVAL AID
 Safe, Gentle, Non-Irritating
 0.5 FL OZ (15 mL)

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

Drug Facts

Active ingredient Purpose
 Carbamide peroxide 6.5%..... Earwax removal aid

Directions FOR USE IN THE EAR ONLY
Adults and children over 12 years of age:
 ■ Tilt head sideways and place 5 to 10 drops into ear ■ Tip of applicator should not enter ear canal ■ Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear ■ Use twice daily for up to 4 days if needed, or as directed by a doctor
 ■ Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe
Children under 12 years: consult a doctor

Inactive ingredients anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

Questions? 833-358-6431

©2023 McKesson Corporation REV 3/23
 Distributed by: McKesson Corp., via SSSL Memphis, TN 38141
 LOT:
 EXP:

press web direction ↑

FOSTER AND THRIVE EARWAX REMOVAL DROPS

carbamide peroxide solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1154
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE -	CARBAMIDE	65 mg

UNII:BBX060AN9V)

PEROXIDE

in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1154-1	1 in 1 BOX	05/31/2023	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M014	05/31/2023	

Labeler - Mckesson Corp. Via Strategic Sourcing Services (116956644)

Revised: 6/2023

Mckesson Corp. Via Strategic Sourcing Services