RUGBY OMEPRAZOLE- omeprazole tablet, delayed release Rugby Laboratories

Rugby Laboratories Omeprazole Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2** or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions. Symptoms may include:
 - skin reddening
 - blisters
 - rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting

• stomach pain

Ask a doctor or pharmacist before use if you are

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- · do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate


succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

Questions or comments? 1-800-719-9260

Principal Display Panel

actual size

Rugby®
compare to Prilosec OTC®
omeprazole delayed release tablets
20 mg
acid reducer
24 HR
treats frequent heartburn!
one 14-day course of treatment
may take 1 to 4 days for full effect
14 tablets



Stop use and ask a doctor if:

your heartburn continues or worsens

you need to take this product for more than 14 days

you need to take more than 1 course of treatment

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose,

Unrections
■ for adults 18 years of age and older
■ this product is to be used once a day (every 24 hours),
every day for 14 days
■ it may take 1 to 4 days for full effect; some people
get complete relief of symptoms within 24 hours

you may repeat a 14-day course every 4 months
 do not take for more than 14 days or more
 often than every 4 months unless directed by

Repeated 14-Day Courses (if needed)

get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

triethyl citrate

1 Bottle inside

Other information

read the directions and warnings before use
keep the carton. It contains important information.
store at 20-25°C (68-77°F) and protect from moistur

Inactive ingredients carnauba wax, ferric oxide rindcure ingredients canadida wax, reinc oxide red, ferric oxide yellow, hypomellose, hypomellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide,

Ouestions or comments? 1-800-719-9260

Tips for Managing Hearthurn
■ Do not lie flat or bend over after eating
■ Do not wear tight-fitting clothing around the stomach

Do not eat before bedtime
 Raise the head of your bed
 Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and

certain fruits and vegetables

■ Eat slowly and avoid big meals

■ If overweight, lose weight ■ Quit smoking

Drug Facts (continued)

you get diarrhea
you develop a rash or joint pain

every 4 months

Directions



Safety Feature - Do not use if printed seal under cap is broken or missing.

Rugby

NDC 0536-1448-88

omeprazole

delayed release tablets

acid reducer

24 HR

treats frequent heartburn!

one 14-day course of treatment may take 1 to 4 days for full effect



Active ingredient (in each tablet) Purpose Omeprazole 20 mg...

- treats frequent heartburn (occurs <u>2 or more</u> days
- a week)

 not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

- Warnings
 Allergy alert:
 do not use if you are allergic to omeprazole.
 omeprazole may cause severe skin reactions.
 Symptoms may include:
- skin reddening blisters rash
 If an allergic reaction occurs, stop use and seek
 medical help right away.

- Do not use if you have:

 trouble or pain swallowing food, vomiting with blood, or bloody or black stools

 heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness frequent chest pain
 These may be signs of a serious condition. See your doctor.
- Ask a doctor before use if you have: had heartburn over 3 months. This may be a sign of a more serious condition.
 particularly with heartburn loss ■ nausea or vomiting ■ stomach pain
- Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.



Distributed by: RUGBY® LABORATORIES Indianapolis, IN 46268 (800) 616-2471 www.major-rugbv.com Made in Israel 14 tablets

915D5 8T C1



RUGBY OMEPRAZOLE

omeprazole tablet, delayed release

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0536-1448

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength **OMEPRAZOLE** (UNII: KG60484QX9) (OMEPRAZOLE - UNII: KG60484QX9) **OMEPRAZOLE** 20 mg

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
HYPROMELLOSE ACETATE SUCCINATE, UNSPECIFIED (UNII: A7ZHS2RJ34)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MONOETHANOLAMINE (UNII: 5KV86114PT)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
SODIUM STEARATE (UNII: QU7E2XA9TG)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics							
Color	BROWN	Score	no score				
Shape	OVAL	Size	12mm				
Flavor		Imprint Code	20				
Contains							

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0536-1448- 88	1 in 1 CARTON	04/15/2025			
1		14 in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:0536-1448- 13	3 in 1 CARTON	04/15/2025			
2		14 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA022032	04/15/2025		

Labeler - Rugby Laboratories (079246066)

Revised: 4/2025 Rugby Laboratories