

**HELIUM OXYGEN NITROGEN MIXTURE- helium oxygen nitrogen mixture gas
Linde Gas & Equipment Inc.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Helium Oxygen Nitrogen Mixture

Oxygen, Helium, Nitrogen Mix

UN1956

COMPRESSED GAS,

N.O.S.

(OXYGEN,

HELIUM, NITROGEN)

WARNING!

**CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.
CONCENTRATIONS BELOW 19.5% OXYGEN MAY DISPLACE OXYGEN AND
CAUSE RAPID SUFFOCATION.**

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

WARNING: Administration for this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

Rx ONLY

COMPONENTS

_____% OXYGEN USP

_____% HELIUM USP

_____% NITROGEN NF

LOT NUMBER _____

NET CONTENTS _____

IN CASE OF EMERGENCY: CALL 1-800-645-4633

CAS: (7782-44-7) (7440-59-7) (7727-37-9)

DO NOT REMOVE THIS LABEL

MDB-0007 (Rev. 01)
DISTRIBUTED BY LINDE, INC.
DANBURY, CT 06810-6268

UN1956

**COMPRESSED GAS,
N.O.S.
(OXYGEN,
HELIUM, NITROGEN)**



WARNING!

CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

**CONCENTRATIONS BELOW 19.5% OXYGEN MAY DISPLACE
OXYGEN AND CAUSE RAPID SUFFOCATION.**

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

WARNING: Administration for this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

Rx ONLY

COMPONENTS

_____ % OXYGEN USP LOT NUMBER _____

_____ % HELIUM USP NET CONTENTS _____

_____ % NITROGEN NF

Medipure
By Linde

IN CASE OF EMERGENCY: CALL 1-800-645-4633
GAS: (7782-44-7) (7440-59-7) (7727-37-9)

Linde

DO NOT REMOVE THIS LABEL

MDB-0007 (Rev. 01)

DISTRIBUTED BY LINDE, INC.
DANBURY, CT 06810-6268

Oxygen, Helium, Nitrogen Mix

UN3156

**COMPRESSED GAS,
OXIDIZING N.O.S.**

(OXYGEN, HELIUM, NITROGEN)

COMPONENTS

_____% OXYGEN USP LOT NUMBER _____
_____% HELIUM USP NET CONTENTS _____
_____% NITROGEN NF

DANGER!

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.

GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep/Store away from clothing, combustible materials. Keep reduction valves/valves and fittings free from oil and grease. **IN CASE OF FIRE:** Stop leak if safe to do so. Use and store only outdoors or in a well-ventilated place. Use only with equipment rated for cylinder pressure, of compatible materials of construction, cleaned for oxygen service, and passivated before use. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, trained personnel should give oxygen. Call a physician. **FIRST AID: IF IN EYES:** Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open and away from the eyeballs to ensure that all surfaces are flushed thoroughly. Contact an ophthalmologist immediately.

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

Rx ONLY

IN CASE OF EMERGENCY: CALL 1-800-645-4633

CAS: (7782-44-7) (7440-59-7) (7727-37-9)

MDB-0076 (Rev. 01)

DO NOT REMOVE THIS LABEL

DISTRIBUTED BY LINDE, INC.
DANBURY, CT 06810-6268

UN3156

COMPRESSED GAS, OXIDIZING, N.O.S.
(OXYGEN, HELIUM, NITROGEN)



COMPONENTS:

_____ % OXYGEN USP

_____ % HELIUM USP

_____ % NITROGEN NF

LOT NUMBER _____

NET CONTENTS _____

DANGER!

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.

CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.

Do not handle until all safety precautions have been read and understood. Keep/Store away from clothing, combustible materials. Keep reduction valves/valves and fittings free from oil and grease. **IN CASE OF FIRE:** Stop leak if safe to do so. Use and store only outdoors or in a well-ventilated place. Use only with equipment rated for cylinder pressure, of compatible materials of construction, cleaned for oxygen service, and passivated before use. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTALLY INHALED: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, trained personnel should give oxygen. Call a physician. **FIRST AID: IF IN EYES:** Immediately flush eyes thoroughly with water for at least 15 minutes. Hold the eyelids open and away from the eyeballs to ensure that all surfaces are flushed thoroughly. Contact an ophthalmologist immediately.

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

Rx ONLY

IN CASE OF EMERGENCY: CALL 1-800-645-4633
CAS: (7782-44-7) (7440-59-7) (7727-37-9)

Medipure
By Linde

Linde

MDB-0076 (Rev. 01)

DO NOT REMOVE THIS LABEL

DISTRIBUTED BY LINDE, INC.
DANBURY, CT 06810-6268

HELIUM OXYGEN NITROGEN MIXTURE

helium oxygen nitrogen mixture gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59579-010
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HELIUM (UNII: 206GF3GB41) (HELIUM - UNII:206GF3GB41)	HELIUM	200 mL in 1 L
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	500 mL in 1 L
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	300 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-010-01	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
2	NDC:59579-010-02	5975 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
3	NDC:59579-010-03	2010 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
4	NDC:59579-010-04	963 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	

5	NDC:59579-010-05	595 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
6	NDC:59579-010-06	368 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/01/2005	

Labeler - Linde Gas & Equipment Inc. (042845636)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		161317490	manufacture(59579-010)

Establishment

Name	Address	ID/FEI	Business Operations
Linde Gas & Equipment Inc.		153670138	manufacture(59579-010)

Revised: 12/2025

Linde Gas & Equipment Inc.