CAREALL SENNOSIDES- sennosides tablet New World Imports, Inc

Drug Facts

Active Ingredient

Sennosides

Purpose

Laxative

Keep out of Reach of Children

In case of accidental overdose, contact a doctor or Poison Control Center immediately.

Uses

For relief of occasional constipation and irregularity.

This product produces a bowel movement in 6 to 12 hours.

Warnings

Do not use laxative products for more than one week unless directed by a doctor

Ask a doctor before use if you have stomach pains, nausea, vomiting, notice a sudden change in bowel habits that continues over a period of 2 weeks.

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These could be signs of a serious condition.

If Pregnant or breast-feeding ask a health professional before use.

Directions

Take preferably at bedtime or as directed by a doctor.

Adults and children over 12 years: 2 tablets once a day. Maximum of 4 tablets twice a day.

Children 6 to under 12 years: 1 tablet once a day. Maximum of 2 tablets twice a day.

Children 2 to under 6 years: 1/2 tablet once a day. Maximum of 1 tablet twice a day.

Children under 2: consult a doctor

Inactive Ingredients

croscarmellose sodium, dibasic dicalcium phosphate, magnesium stearate, microcrystalline cellulose, and silicon dioxide.



Adults and children over microcrystalline cellulose, silicon dioxide dihydrate, magnesium stearate, croscarmellose sodium, dicalcium phosphate bedtime or as directed by a doctor (1-800-222-1222) immediately contact a doctor or Poison Control Center children. In case of accidental overdose, professional before use. Keep out of reach of serious condition of a laxative. These could be signs of a Drug Facts (continued) each tablet contains: calcium 50mg Other information Children under under 6 years If pregnant or breast-feeding, ask a health Children 2 to under 12 years Children 6 to nactive ingredients **Directions** ■ take preferably at I store at 20°C-25°C (68°F-77°F); excursions permitted between 15°-30°C (59°-86°F) ask a doctor once a day once a day 1/2 tablet once a day 2 tablets Starting dosage tablet doctor ask a twice a day twice a day 1 tablet twice a day 2 tablets 4 tablets dosage Maximum

CAREALL SENNOSIDES sennosides tablet Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:51824-058 Route of Administration ORAL Active Ingredient/Active Moiety Ingredient Name Basis of Strength

ı	sennosides a and b (UNII: 1B5FPI42EN) (SENNOSIDES A AND B -	sennosides a and b	9 6 ma
ı	UNII:185FPI42FN)	selliosides a alid b	6.0 mg

Inactive Ingredients		
Ingredient Name	Strength	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
Croscarmellose Sodium (UNII: M28OL1HH48)		
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)		
Magnesium stearate (UNII: 70097M6I30)		
Cellulose, microcrystalline (UNII: OP1R32D61U)		

Product Characteristics			
Color	brown (Speckled various shades of brown)	Score	no score
Shape	ROUND (Round)	Size	8mm
Flavor		Imprint Code	AZ;217
Contains			

l	P	ackaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:51824-058- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/18/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/18/2016	

Labeler - New World Imports, Inc (075372276)

Revised: 1/2024 New World Imports, Inc