

# **MINOXIDIL FOR MEN- minoxidil aerosol, foam BosleyMD**

-----  
**Minoxidil  
(for Men)**

## **Drug Facts**

### **Active ingredient**

Minoxidil 5% w/w (without propellant)

### **Purpose**

Hair regrowth treatment for men

### **Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

### **Warnings**

**For external use only. For use by men only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

### **Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. Minoxidil Topical Aerosol, 5% (Foam) is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

### **Ask a doctor before use if you have**

heart disease.

### **When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large

amounts of cool tap water.

- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

### **Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

### **May be harmful if used when pregnant or breast-feeding.**

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed leaflet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### **Other information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container.
- Do not expose to heat or store at temperatures above 120°F (49°C).

### **Inactive ingredients**

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

## **Questions?**

Call **1-800-BOSLEY1 (1-800-267-5391)**

### **Principal display panel**

Minoxidil Topical Aerosol 5% (For Men)

Hair Regrowth Treatment

Easy-to Use Foam For Men

Not For Use by Women

Reactivates Hair Follicles

Unscented

Clinically Proven To Help Regrow Hair

Minoxidil Topical Aerosol, 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Aerosol, 5% (For Men) has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.

For best results:

Use twice daily.

Apply directly to the scalp.

Read and keep carton and information leaflet for full product information.

Distributed by: BosleyMD

800.BOSLEY1 bosleymd.com

Manufactured for: Scientific Hair Research LLC,

Los Angeles, CA 90045

### **Package label**

NDC 69113-501-01

**BOSLEY MD**

# Minoxidil

Topical Aerosol,  
5% (For Men)

HAIR REGROWTH  
TREATMENT

NDC 69113-501-01

**BOSLEY MD**

# Minoxidil

Topical Aerosol,  
5% (For Men)

HAIR REGROWTH  
TREATMENT

CLINICALLY  
PROVEN  
TO HELP  
REGROW HAIR


Easy-to-Use  
Foam for Men  
Not For Use By Women  
Reactivates  
Hair Follicles  
Unscented



One Month Supply  
One 60 g (2.11 oz) Can

Minoxidil Topical Aerosol, 5% (For Men) is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline.

Minoxidil Topical Aerosol, 5% (For Men) has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



FOR BEST RESULTS  
USE  
TWICE  
DAILY

If men have more hair loss or hair loss in a place different than shown above, **Minoxidil Topical Aerosol, 5% (For Men)** may not work.

For best results:  
Use twice daily.  
Apply directly to  
the scalp.

**Drug Facts**

**Active ingredient** Minoxidil 5% w/w (without propellant) **Purpose** Hair regrowth treatment for men

**Use** to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**

For external use only. For use by men only. Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil Topical Aerosol, 5% (Foam) is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, itched, irritated or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, hairiness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed leaflet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18 - 49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container.
- do not expose to heat or store at temperatures above 120° F (49° C).

**Inactive ingredients**

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polyacrylate G1, propene, purified water, S1 alcohol 40-5, stearyl alcohol

**Questions?**

Call 1-800-BOSLEY1 (1-800-267-5391)

Read and keep carton and information leaflet for full product information.

**THIS PACKAGE CONTAINS**

- One 60 g (2.11 oz) can of Minoxidil Topical Aerosol, 5% (For Men) (one month supply)

**DIRECTIONS FOR USE**  
See information leaflet with complete directions on how to use and obtain best results.



**1: PREP HANDS WITH COLD WATER**  
Wash your fingers in cold water and dry them. Note: foam will melt on contact with warm surfaces.



**2: OPEN CHILD RESISTANT CAP**  
Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



**3: DISPENSE VERTICALLY ONTO A COLD SURFACE**  
Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto a cold surface (e.g. dish, or cold hands).



**4: APPLY TO SCALP, NOT HAIR**  
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.



**5: CLOSE CAP AND WASH HANDS**  
Snap cap back into place. Be sure arrow does not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Distributed by: BosleyMD  
800.BOSLEY1 bosleymd.com  
© 2024 Bosley, Inc. All rights reserved.  
Manufactured for: Scientific Hair Research LLC,  
Los Angeles, CA 90045  
Product of Italy



BP-SGF0035N  
8 15266 01319 6  
PLD-A798A F009532  
NOT FOR USE BY WOMEN

Lot No.:  
Exp. Date:

## Bosley Mens Hair Regrowth Treatment

### MINOXIDIL FOR MEN

minoxidil aerosol, foam

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69113-501
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	50 mg in 1 g	
Inactive Ingredients				
Ingredient Name		Strength		
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
ALCOHOL (UNII: 3K9958V90M)				
ISOBUTANE (UNII: BXR49TP611)				
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)				
BUTANE (UNII: 6LV4FOR43R)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
PROPANE (UNII: T75W9911L6)				
WATER (UNII: 059QF0KO0R)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
GLYCERIN (UNII: PDC6A3C0OX)				
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69113-501-01	1 in 1 PACKAGE	08/28/2025	
1		60 g in 1 CAN; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA208092	08/28/2025		

**Labeler** - BosleyMD (961897647)