

**ISOPROPYL ALCOHOL- isopropyl alcohol liquid
Phoenix**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Isopropyl Alcohol 70%

Isopropyl Alcohol 70%

ANTISEPTIC, DISINFECTANT RUBEFACIENT

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

FOR EXTERNAL USE ONLY

ACTIVE INGREDIENT:

Isopropyl Alcohol70%

INERT INGREDIENT:

Deionized Water 30%

INDICATIONS: For external use only as an antiseptic, disinfectant, and rubefacient.

WARNING: For external use only. If taken internally, serious gastric disturbance will result. Avoid contact with eyes. In case of eye contact, flush thoroughly with water. Call a physician.

First Aid: In case of ingestion, call poison control at 1-800-222-1222. Avoid getting into eyes or on mucous membranes. In case of eye contact, flush thoroughly with water. Call a physician immediately.

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15°-30°C (59°-86°F)

KEEP CONTAINER CLOSED WHEN NOT IN USE

WARNING! FLAMMABLE!

KEEP AWAY FROM HEAT AND OPEN FLAME

DIRECTIONS: Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.

PRINCIPAL DISPLAY PANEL

INDICATIONS:

For external use only as an antiseptic, disinfectant, and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS:

Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



Lot No.

Exp. Date

NDC 57319-614-22

Isopropyl Alcohol 70%

ANTISEPTIC, DISINFECTANT RUBEFACIENT

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

**Net Contents:
32 fl. oz.
(946 mL)**



ACTIVE INGREDIENT:

Isopropyl Alcohol 70%
INERT INGREDIENT
Deionized water 30%

WARNING

For external use only. If taken internally, serious gastric disturbance will result. Avoid contact with eyes. In case of eye contact, flush thoroughly with water. Call a physician.

First Aid: In case of ingestion, call poison control at 1-800-222-1222. Avoid getting into eyes or on mucous membranes. In case of eye contact, flush thoroughly with water. Call a physician immediately.

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15°-30°C (59°-86°F).

KEEP CONTAINER CLOSED WHEN NOT IN USE.

**WARNING! FLAMMABLE!
KEEP AWAY FROM HEAT
AND OPEN FLAME.**



Trademarks are property of Clipper Distributing Company, LLC

Rev. 01-24

INDICATIONS:

For external use only as an antiseptic, disinfectant, and rubefacient.

FOR EXTERNAL USE ONLY

DIRECTIONS:

Use full strength as topical antiseptic or for disinfections of instruments. May be used for temporary relief of minor muscular aches or pain due to overexertion and fatigue. Apply full strength to affected area and massage briskly to stimulate circulation.

CAUTION: In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian. Do not apply to irritated skin or if excessive irritation develops.



Lot No.

Exp. Date

NDC 57319-614-09

Isopropyl Alcohol 70%

ANTISEPTIC, DISINFECTANT RUBEFACIENT

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

**Net Contents:
3.785 L (1 gallon)
(128 fl. oz.)**



ACTIVE INGREDIENT:

Isopropyl Alcohol 70%
INERT INGREDIENT
Deionized water 30%

WARNING

For external use only. If taken internally, serious gastric disturbance will result. Avoid contact with eyes. In case of eye contact, flush thoroughly with water. Call a physician.

First Aid: In case of ingestion, call poison control at 1-800-222-1222. Avoid getting into eyes or on mucous membranes. In case of eye contact, flush thoroughly with water. Call a physician immediately.

STORE AT CONTROLLED ROOM TEMPERATURE BETWEEN 15°-30°C (59°-86°F).

KEEP CONTAINER CLOSED WHEN NOT IN USE.

**WARNING! FLAMMABLE!
KEEP AWAY FROM HEAT
AND OPEN FLAME.**



Trademarks are property of Clipper Distributing Company, LLC

Rev. 05-15

ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:57319-614
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)		ISOPROPYL ALCOHOL	70 L in 100 L	
Inactive Ingredients				
Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)		30 L in 100 L		
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57319-614-09	3.785 L in 1 JUG		
2	NDC:57319-614-22	0.946 L in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		05/15/2015		

Labeler - Phoenix (150711039)

Establishment			
Name	Address	ID/FEI	Business Operations
Centaur, Inc.		174239087	manufacture, api manufacture

Revised: 9/2024

Phoenix