## OXYGEN- oxygen gas J & M CYLINDER GASES, INC.

-----

## oxygen

OXYGEN, COMPRESSED USP


UN1072

## PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. DO not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

J & M Cylinder Gases, Inc. Because Contents Count 1702 FIFTH STREET NW DECATUR, AL 35601

(256) 355-2426



	XYGEN						
)X	xygen gas						
P	Product Informa	ntion					
Product T ype			HUMAN PRESCRIPTION DRUG	Item Code (Source)		NDC:63862-001	
Route of Administration			RESPIRATORY (INHALATION)	RESPIRATORY (INHALATION)			
A	ctive Ingredier	nt/Active Moi	ety				
Ingredient Name					Basis of Strength	Strength	
<b>OXYGEN</b> (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)					OXYGEN	99.5 L in 1 L	
Р	ackaging				Maxbating Start	Marketing End	
			Package Description		Marketing Start Date	Marketing End Date	
#		198.22 L in 1 CY Product	<b>Package Description</b> LINDER; Type 0: Not a Combination	11	U	0	
# 1	Item Code NDC:63862-001-	Product			Date	0	
# 1 2	Item Code NDC:63862-001- 01 NDC:63862-001-	Product 424.75 L in 1 CY Product	LINDER; Type 0: Not a Combination	11	<b>Date</b>	0	
# 1 2 3	Item Code   NDC:63862-001- 01   NDC:63862-001- 02   NDC:63862-001- 02	Product 424.75 L in 1 CY Product 707.92 L in 1 CY Product	LINDER; Type 0: Not a Combination LINDER; Type 0: Not a Combination	11	Date //07/1997 //07/1997	0	
P # 1 2 3 4 5	Item Code   NDC:63862-001-   01   NDC:63862-001-   02   NDC:63862-001-   03   NDC:63862-001-	Pro duct 424.75 L in 1 CY Pro duct 707.92 L in 1 CY Pro duct 7107.53 L in 1 C Pro duct	LINDER; Type 0: Not a Combination LINDER; Type 0: Not a Combination 'LINDER; Type 0: Not a Combination	11 11 11 11	Date   //07/1997   //07/1997   //07/1997	0	

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
NDA	NDA205865	11/07/1997					

## Labeler - J & M CYLINDER GASES, INC. (006977941)

Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					
J & M CYLINDER GASES, INC.		006977941	manufacture(63862-001)					

Revised: 12/2018

J & M CYLINDER GASES, INC.