

**DR LEE UV ICE SHIELD- titanium dioxide, octinoxate, zinc oxide, octisalate cream
DRLEECOSMETIC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active ingredients: Titanium Dioxide 2.85%, Ethylhexyl Methoxycinnamate 2.14%, Zinc Oxide 1.61%, Ethylhexyl Salicylate 1.43%

INACTIVE INGREDIENT

Inactive ingredients: Butane, Propane, Water, Cyclopentasiloxane, Alcohol Denat., Propanediol, C13-15 Alkane, Bis-Ethylhexyloxyphenol methoxyphenyl triazine, Niacinamide, Talc, 1,2-Hexanedio, Lauryl PEG-8 Dimethicone, Centella Asiatica Leaf Extract, Portulaca Oleracea Extract, Melaleuca Alternifolia (Tea Tree) Extract, Nymphaea Alba Flower Extract, LavandulaAngustifolia (Lavender) Extract, CI 77492, Polyglyceryl-6 Polyricinoleate, Hydrogen Dimethicone, Polymethyl Methacrylate, CI 77491, Lauryl PEG-9 polydimethylsiloxylethyl dimethicone, Aluminium Hydroxide, Stearic Acid, Ultramarines, CI 77499, Butylene Glycol, Adenosine, Triethoxycaprylylsilane, Triethoxysilylethyl PolydimethylsiloxylethylHexyl Dimethicone, Caprylyl Glycol, Disodium EDTA, Parfum

PURPOSE

Purpose: Sunscreen

WARNINGS

Warnings:

For external use only Do not use on damaged broken skin Do not store at any high or low temperature or sunlight. Product uses high pressure gas flammable. Shake well before use Do not spray over 3 second on same place, face, must use on hand and then spread it on face If possible spray the product from 20cm or farther from body Do not inhale spray gas When using this product

Avoid contact with eyes. Discontinue use if signs of irritation or rashes appear. Replace the cap after use. Before dispose gas must be removed. Do not use near fire, heating device such as heater

Keep Out of Reach of Children

DESCRIPTION

Uses: Helps prevent sunburn

Directions 1. Turn the top of the container to "ON" 2. Shake the container up and down before use 3. And then pump 4-5 times 4. Open the cap and lightly apply on skin with the puff in a tapping motion (If the puff is too cold, wait for 5 seconds, and then evenly spread in a stroking motion) 5. After use, put the puff back in the container, close the cap and then turn the top of the container to "OFF" (Do not spray when closed)

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71367-010-02	1 in 1 CARTON	04/01/2017	
1	NDC:71367-010-01	100 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/01/2017	

Labeler - DRLEECOSMETIC (694803063)**Registrant** - DRLEECOSMETIC (694803063)**Establishment**

Name	Address	ID/FEI	Business Operations
DRLEECOSMETIC		694803063	relabel(71367-010)

Establishment

Name	Address	ID/FEI	Business Operations
Seoul cosmetics co.,ltd		688397660	manufacture(71367-010)

Revised: 4/2017

DRLEECOSMETIC