

**ACTIBEAU CAMELLIA FLORAL CALMING SUNSCREEN- octinoxate, titanium dioxide cream**

**ACTIVEBEUTY CO.,LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**73016-004**

Octinoxate 7.2%

Titanium Dioxide 4.8184%

Sunscreen

Helps prevent sunburn

Apply liberally 15 minutes before sun exposure. Reapply at least every two hours

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

WATER, BUTYLENE GLYCOL, DICAPRYLYL CARBONATE, CYCLOPENTASILOXANE, DIPROPYLENE GLYCOL, PROPANEDIOL, DIMETHICONE, BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE, NIACINAMIDE, DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE, POLYMETHYL METHACRYLATE, HYDROGENATED POLY(C6-14 OLEFIN), POTASSIUM CETYL PHOSPHATE, C14-22 ALCOHOLS, TREHALOSE, C12-15 ALKYL BENZOATE, CETEARYL ALCOHOL, PEG-100 STEARATE, BEHENYL ALCOHOL, PHENOXYETHANOL, FRAGRANCE, C12-20 ALKYL GLUCOSIDE, ALUMINUM HYDROXIDE, POLYGLYCERYL-6 POLYRICINOLEATE, AMMONIUM ACRYLOYLDIMETHYLT AURATE/VP COPOLYMER, POLYHYDROXYSTEARIC ACID, STEARIC ACID, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, FERRIC OXIDE YELLOW (CI 77492), XANTHAN GUM, NEOPENTYL GLYCOL DIETHYLHEXANOATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, ADENOSINE, POTASSIUM HYDROXIDE, ETHYLHEXYLGLYCERIN, FERRIC OXIDE RED (CI 77491), DISODIUM EDTA, ZINC OXIDE, TRIETHOXYCAPRYLYLSILANE, SODIUM HYALURONATE, CAMELLIA JAPONICA SEED OIL, D&C RED NO. 33 (CI 17200), NELUMBO NUCIFERA FLOWER EXTRACT, LONICERA JAPONICA (HONEYSUCKLE) FLOWER EXTRACT, SOPHORA JAPONICA FLOWER EXTRACT, CARTHAMUS TINCTORIUS (SAFFLOWER) FLOWER EXTRACT, CAMELLIA JAPONICA FLOWER EXTRACT, PRUNUS MUME FLOWER EXTRACT, PYRUS COMMUNIS (PEAR) FLOWER EXTRACT

**액티브 카멜리아  
플로랄 카밍 썬스크린**

자외선차단 · 미백 · 주름개선  
3중 기능성 화장품

일상생활의 강한 자외선으로 부터 높은 지수의 자외선 차단 성분 (SPF50+/PA++++)이 피부를 보호해 줍니다. 동백나무꽃 추출물과 수분유지에 탁월한 트레할로오스, 히알루론산 성분을 함유하여 피부 보습을 돕고 촉촉하게 유지시켜 주어 피부를 생기 있게 가꾸어 주며, 특히 받은 7가지 꽃 추출물 콤플렉스가 외부 환경으로부터 민감해진 피부를 진정시켜줍니다. 또한, 나이아신아마이드 성분이 피부 미백, 아데노신 성분이 주름 개선에 도움을 줍니다.

**사용법:** 자외선에 노출되기 쉬운 부분에 적당량을 덜어 피부에 고르게 펴 바릅니다.

**효능효과:**  
 • 자외선으로부터 피부를 보호한다. (SPF50+ PA++++).  
 • 피부의 미백에 도움을 준다.  
 • 피부의 주름개선에 도움을 준다.

**용법용량:** 본 품을 적당량을 취해 피부에 골고루 펴 바릅니다.

본 제품에 이상이 있을 경우, 공정거래위원회 고시 "소비자분쟁 해결기준"에 의거 보상 받으실 수 있습니다.

**제조판매업자:** ㈜액티브뷰티  
서울특별시 서초구 매편로 52

제조번호및사용기한: 별도표기  
 소비자상담실: 02-2057-8887  
[www.activebeauty.co.kr](http://www.activebeauty.co.kr)  
 MADE IN KOREA



**Drug Facts (Continued)**

**Inactive Ingredients**

WATER, BUTYLENE GLYCOL, DICAPRYLYL CARBONATE, CYCLOPENTASILOXANE, DIPROPYLENE GLYCOL, PROPANEDIOL, DIMETHICONE, BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENYL TRIAZINE, NIACINAMIDE, DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE, POLYMETHYL METHACRYLATE, HYDROGENATED POLY[C6-14 OLEFIN], POTASSIUM CETYL PHOSPHATE, C14-22 ALCOHOLS, TREHALOSE, C12-15 ALKYL BENZOATE, CETEARYL ALCOHOL, PEG-100 STEARATE, BEHENYL ALCOHOL, PHENOXYETHANOL, FRAGRANCE, C12-20 ALKYL GLUCOSIDE, ALUMINUM HYDROXIDE, POLYGLYCERYL-6 POLYRICINOLEATE, AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER, POLYHYDROXYSTEARIC ACID, STEARIC ACID, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, FERRIC OXIDE YELLOW [CI 77492], XANTHAN GUM, NEOPENTYL GLYCOL DIETHYLHEXANOATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, ADENOSINE, POTASSIUM HYDROXIDE, ETHYLHEXYLGLYCERIN, FERRIC OXIDE RED [CI 77491], DISODIUM EDTA, ZINC OXIDE, TRIETHOXYCAPRYLYLSILANE, SODIUM HYALURONATE, CAMELLIA JAPONICA SEED OIL, D&C RED NO. 33 [CI 17200], NELLUMBO NUCIFERA FLOWER EXTRACT, LONICERA JAPONICA (HONEYSUCKLE) FLOWER EXTRACT, SOPHORA JAPONICA FLOWER EXTRACT, CARTHAMUS TINCTORIUS (SAFFLOWER) FLOWER EXTRACT, CAMELLIA JAPONICA FLOWER EXTRACT, PRUNUS MUME FLOWER EXTRACT, PYRUS COMMUNIS (PEAR) FLOWER EXTRACT

**Other Information**

▲ Protect the product in this container from excessive heat and direct sunlight.

**Manufactured for Activebeauty Co., Ltd**  
 52, Maheon-ro, Seocho-gu, Seoul, Republic of Korea 06770

**Distributed by ACTIBEAU INC**  
 900 S FIGUEROA ST #1602 LOS ANGELES, CA90015

à  
ACTIBEAU

à  
ACTIBEAU

CAMELLIA  
Floral Calming  
Sunscreen

SPF 50+  
PA++++

MOISTURIZING  
& SOOTHING



1.69FL.OZ./50ML

**Drug Facts**

Active Ingredients	Purposes
Octinoxate 7.2%	Sunscreen
Titanium Dioxide 2.6736%	Sunscreen

**Uses**

▲ Helps prevent sunburn

**Directions**

▲ Apply liberally 15 minutes before sun exposure. Reapply at least every two hours.  
 ▲ **Sun protection measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: 1) Limited time in the sun, especially from 10 am to 2 pm. 2) Wear long-sleeve shirts, pants, hats, and sunglasses.  
 ▲ Ask a doctor to use for children under 6 months

**Warnings**

▲ For external use only

▲ Do not use on damaged or broken skin  
 ▲ Stop using and ask a doctor if rash occurs

▲ When using this product, keep out of eyes. Rinse with water to remove

▲ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

# ACTIBEAU CAMELLIA FLORAL CALMING SUNSCREEN

octinoxate, titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:730 16-004
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	72 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	26.736 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
PROPANEDIOL (UNII: 5965N8W85T)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BEMOTRIZINOL (UNII: PWZ1720CBH)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE (UNII: ANQ870JD20)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
HYDROGENATED POLY(C6-14 OLEFIN; 2 CST) (UNII: P0TX083987)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
C14-22 ALCOHOLS (UNII: B1K89384RJ)	
TREHALOSE (UNII: B8WCK70T7I)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
PEG-100 STEARATE (UNII: YD01N1999R)	
DOCOSANOL (UNII: 9G10E216XY)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM ACRYLOYLDIMETHYLAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
XANTHAN GUM (UNII: TTV12P4NEE)	
NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ADENOSINE (UNII: K72T3FS567)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
FERRIC OXIDE RED (UNII: 1K09F3G675)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
ZINC OXIDE (UNII: SOI2LOH54Z)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
CAMELLIA JAPONICA SEED OIL (UNII: U37N0S910T)
D&C RED NO. 33 (UNII: 9DBA0SBB0L)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)
STYPHNOLOBIUM JAPONICUM FLOWER (UNII: 644C3CSB6E)
SAFFLOWER (UNII: 4VBL71TY4Y)
CAMELLIA JAPONICA FLOWER (UNII: KUB8101TNF)
PRUNUS MUME FLOWER (UNII: 2N8872050J)
PYRUS COMMUNIS FLOWER (UNII: P6Y3X4TOIW)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73016-004-02	1 in 1 CARTON	04/03/2019	
1	NDC:73016-004-01	50 mL in 1 CONTAINER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/03/2019	

**Labeler** - ACTIVEBEUTY CO.,LTD (695911007)

**Registrant** - ACTIVEBEUTY CO.,LTD (695911007)

### Establishment

Name	Address	ID/FEI	Business Operations
ACTIVEBEUTY CO.,LTD		695911007	manufacture(73016-004)

Revised: 4/2019

ACTIVEBEUTY CO.,LTD