

AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray
Rite Aid Corporation

Rite Aid D43.000/D43AA
Sport Sunscreen Spray SPF 50

Active Ingredients

Avobenzone 3%

Homosalate 12%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable

- Flammable: keep away from fire or flame.
- After application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, seek immediate medical attention or call a poison control center.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/octylacrylamide copolymer, butyloctyl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

Disclaimers

May stain or damage some fabrics or surfaces

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 50.

Adverse Reaction

DISTRIBUTED BY:

RITE AID

200 NEWBERRY COMMONS

ETTERS, PA 17319

www.riteaid.com

SATISFACTION GUARENTEE:

if you're not satisfied, we'll happily refund your money.

Principal display panel

Compare to Coppertone[®] Sunscreen Spray Sport Broad Spectrum SPF 50*

SPORT

WATER RESISTANT (80 MINUTES)

SUNSCREEN SPRAY

BROAD SPECTRUM SPF 50

Avobenzone 3%

Homosalate 12%

Octisalate 5%

50

NET WT 5.5 OZ (156 g)

Compare to Coppertone®
Sunscreen Spray Sport
Broad Spectrum SPF 50*

SPORT

WATER RESISTANT (80 MINUTES)

SUNSCREEN SPRAY

BROAD SPECTRUM SPF50

AVOBENZONE 3%,
HOMOSALATE 12%,
OCTISALATE 5%

50



NET WT
5.5 OZ (156 g)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

Uses

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Keep away from fire or flame. After application, wait until product dries before approaching a source of heat or flame, or before smoking.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

spray liberally and spread evenly by hand 15 minutes before sun exposure.
 apply to skin exposed to the sun. hold container 4 to 6 inches from the skin to apply.
 do not spray directly into face. Spray on hands then apply to face.
 do not apply in windy conditions. use in a well-ventilated area and avoid inhalation.
 reapply: after 80 minutes of swimming or sweating. immediately after towel drying.
 at least every 2 hours.
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 limit time in the sun, especially from 10 a.m. to 2 p.m.
 wear long-sleeved shirts, pants, hats and sunglasses.
 children under 6 months of age: Ask a doctor.

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/crylamide copolymer, butyloctyl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxycitronellal, limonol, tocopheryl acetate.

May stain or damage some fabrics or surfaces.

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 50.

DISTRIBUTED BY: RITE AID
 200 NEWBERRY COMMONS
 EITERS, PA 17319
 www.riteaid.com

SATISFACTION GUARANTEE
 If you're not satisfied,
 we'll happily
 refund your money.



LO02105NVA

AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0943
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0943-1	156 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	07/25/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/25/2023	

Labeler - Rite Aid Corporation (014578892)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(11822-0943)

Revised: 2/2026

Rite Aid Corporation