

YU LONG YOU PAIN RELIEVING- camphor, menthol, methyl salicylate lotion
International Nature Nutraceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients :

Camphor 10%

Menthol 5%

Methyl Salicylate 15%

Uses

For temporarily relieves of minor aches and pains of muscles and joints due to:

- Simple backache
- sprains
- bruises
- arthritis

Warnings :

For External Use only

Do not use if allergic to any of the ingredients

Avoid contact with the eyes

If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor

Do not apply to wounds and damaged skin

Do not bandage tightly

Keep out of reach of children

In case of accidental ingestion, contact a doctor or poison control center immediately

Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily

Children under 2 years of age: Do not use, consult a doctor

Other information

Keep bottle tightly closed, store in a cool and dry place

Do not use if seal is broken

Inactive ingredients

00. Ginger 000 Paeonia lactiflora root. 000 Arisaema Triphyllum Root 00 Aconitum Kusnezoffii Root 00
Aconitum Carmichaelii Root 00 Aconitum Napellus Root #000 Frankincense 000 . Angelica dahurica root.
000 Clematis Chinensis Root 00 Asarum Heterotropoides 000 Rhus Chinensis Whole 00 Amber. 000. .
Mentha arvensis flower oil. 00000 Brazil nut Oil. 000 Cinnamon bark Oil 00000 Anise Oil.

Packaging



NDC 51367-007-40
 国药准字Z44020914



Drug Facts 藥品資料


Active Ingredients/有效成份: Purpose 用途
 Camphor 10% External Analgesic 樟腦 鎮痛
 Menthol 5% External Analgesic 薄荷腦 鎮痛
 Methyl Salicylate 15% External Analgesic 水楊酸甲酯 鎮痛

Uses: 作用
 For temporarily relieves of minor aches and pains of muscles and joints due to: 暫時舒緩因下列症狀引致的肌肉和關節酸痛:
 ■ Simple backache 一般腰痠痛
 ■ Sprains 扭傷 ■ Bruises 瘀傷
 ■ Arthritis 關節炎

Warnings: 警告
 For external use only 只供外用
 ■ Do not use if allergic to any of the ingredients 如對任何成份過敏, 不要使用
 ■ Avoid contact with the eyes 不要塗在眼睛
 ■ If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor 如果病情持續惡化超過7天, 或症狀幾天之內再次發生, 請停止使用本產品, 並諮詢醫生
 ■ Do not apply to wounds and damaged skin 傷口和破損的皮膚不適用
 ■ Do not bandage tightly 不要包紮得太過緊實

Keep out of reach of children: In case of accidental ingestion, contact a doctor or poison control center immediately 存放在兒童觸摸不到之處。如不慎意外吞下, 請馬上和醫生或毒物控制中心聯絡。

(Continued) →



Net Wt., 1.35 Fl.oz (39.5ml)
External Use Only

全藥總代理: 國際中華藥材總匯
 專 Exclusive U.S. Distributor:
 International Nature Nutraceuticals, Inc.
 New York, NY 10002



NDC 51367-007-40
 国药准字Z44020914




Drug Facts 藥品資料
 (Continued 續)

Directions: 用法
 Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: Do not use, consult a doctor. 成人及兩歲以上的兒童, 並在患處, 輕和地旋轉直至完全滲透, 每日3-4次。兩歲以下的小童請遵醫使用。

Other information 其他注意事項:
 Keep bottle tightly closed, store in a cool and dry place 保持瓶蓋緊閉, 貯存在陰涼乾燥之處。
 Do not use if seal is broken 如封蓋有損壞, 不要使用。

Inactive Ingredients 輔助成份:
 Ginger, Paeonia lactiflora root, Arisaema Triphyllum Root, Aconitum Kusnezoffii Root, Aconitum Carmichaelii Root, Aconitum Nap ellus Root, Frankincense, Angelica dahurica root, Clematis Chin ensis Root, Asarum Heterotropoides, Rhus Chinensis Whole, Amber, Mentha arvensis flower oil, Brazil nut Oil, Cinnamon bark Oil, Anise Oil, 干姜, 赤芍, 天南星, 草烏, 川烏, 附子, 乳香, 白芷, 威靈仙, 細辛, 五倍子, 琥珀, 薄荷油, 丁香, 麥角朮油, 肉桂油, 八角茴香油



Net Wt., 1.35 Fl.oz (39.5ml)
External Use Only

廣州白云山敬修堂藥業股份有限公司
 廣藥集團 Guangzhou Baiyunshan Jingxiutang Pharmaceutical Co., Ltd.
 Guangzhou, China



Lot No.
 Exp.



NDC 51367-007-40
 国药准字Z44020914




Drug Facts 藥品資料

Active Ingredients/有效成份: Purpose 用途
 Camphor 10% External Analgesic 樟腦 鎮痛
 Menthol 5% External Analgesic 薄荷腦 鎮痛
 Methyl Salicylate 15% External Analgesic 水楊酸甲酯 止痛

Uses: 作用:
 For temporarily relieves of minor aches and pains of muscles and joints due to: 暫時舒緩因下列症狀引起的肌肉和關節酸痛:
 ■ Simple backache 一般腰痠痛
 ■ Sprains 扭傷 ■ Bruises 瘀傷
 ■ Arthritis 關節炎

Warnings: 警告:
 For external use only 只供外用
 ■ Do not use if allergic to any of the ingredients 如對任何成份過敏, 不要使用
 ■ Avoid contact with the eyes 不要塗在眼睛
 ■ If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a doctor 如果病情持續惡化超過7天, 或症狀幾天之內再次發生, 請停止使用本產品, 並諮詢醫生
 ■ Do not apply to wounds and damaged skin 傷口和破損的皮膚不適用
 ■ Do not bandage tightly 不要包紮得太過緊實

Keep out of reach of children:
 In case of accidental ingestion, contact a doctor or poison control center immediately 存放在兒童觸摸不到之處。如不慎意外吞下, 請馬上和醫生或毒物控制中心聯絡。
 (Continued) →



Net Wt., 1.35 Fl.oz (39.5ml)
External Use Only

全美國代理: 國際中華保健藥業
 總 Exclusive U.S. Distributor:
 International Nature Nutraceuticals, Inc.
 New York, NY 10002



NDC 51367-007-40
 国药准字Z44020914




Drug Facts 藥品資料
 (Continued 續)

Directions: 用法:
 Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: Do not use, consult a doctor. 成人及兩歲以上的兒童, 並在患處, 緩和地旋轉直至完全滲透, 每日3-4次。兩歲以下的小童請遵醫使用。

Other information 其他注意事項:
 Keep bottle tightly closed, store in a cool and dry place 保持瓶蓋緊閉, 貯存在陰涼乾燥之處。Do not use if seal is broken 如封蓋有損壞, 不要使用。

Inactive Ingredients 輔助成份:
 Ginger, Peonia lactiflora root, Arisaema Triphyllum Root, Aconitum Kusnezoffii Root, Aconitum Carmichaelii Root, Aconitum Nap ellus Root, Frankincense, Angelica dahurica root, Clematis Chin ensis Root, Asarum Heterotropoides, Rhus Chinensis Whole, Amber, Mentha arvensis flower oil, Brazil nut Oil, Cinnamon bark Oil, Anise Oil, 干姜, 赤芍, 天南星, 草烏, 川烏, 附子, 乳香, 白芷, 威靈仙, 細辛, 五倍子, 琥珀, 薄荷油, 丁香, 肉桂油, 肉桂油, 八角茴香油



Net Wt., 1.35 Fl.oz (39.5ml)
External Use Only

廣州白云山敬修堂藥業股份有限公司
 Guangzhou Baiyunshan Jingxiutang Pharmaceutical Co., Ltd.
 Guangzhou, China



Lot No.
 Exp.

YU LONG YOU PAIN RELIEVING
 camphor, menthol, methyl salicylate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51367-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	3.97 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1.78 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	7.04 g

Inactive Ingredients

Ingredient Name	Strength
GINGER (UNII: C5529G5JPQ)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
ARISAEMA TRIPHYLLUM ROOT (UNII: DM64K844DM)	
ACONITUM KUSNEZOFFII ROOT (UNII: 3L29I4K8KX)	
ACONITUM CARMICHAELII ROOT (UNII: XJ28061U1S)	
ACONITUM NAPELLUS ROOT (UNII: KPD2N7348X)	
FRANKINCENSE (UNII: R9XLF1R1WM)	
ANGELICA DAHURICA ROOT (UNII: 1V63N2S972)	
CLEMATIS CHINENSIS ROOT (UNII: 8Z18N528CU)	
ASARUM HETEROTROPOIDES (UNII: 443UN3XSTD)	
RHUS CHINENSIS WHOLE (UNII: J6BED8187F)	
AMBER (UNII: 70J9Z0J26P)	
MENTHA ARVENSIS FLOWER OIL (UNII: Q129Z1W6Y2)	
BRAZIL NUT OIL (UNII: 0G89T29HO6)	
CINNAMON BARK OIL (UNII: XE54U569EC)	
ANISE OIL (UNII: 6Y89129C8H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51367-007-40	1 in 1 BOTTLE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	07/01/2003	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/01/2003	

Labeler - International Nature Nutraceuticals (006106879)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Baiyunshan Jingxiutang Pharmaceutical Co., Ltd		654032218	manufacture(51367-007)

Revised: 12/2019

International Nature Nutraceuticals