PROFEND NASAL DECOLONIZATION- povidone iodine usp, 10% w/w swab Professional Disposables International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Profend Nas al Decolonization Kit

Active Ingredient

Povidone-Iodine USP 10% w/w (equivalent to 1.0% titratable iodine)

Purpose

Antiseptic

Uses

- Antiseptic for preparation of skin
- Helps reduce bacteria that can potentially cause skin infection
- A broad spectrum antiseptic for topical application for preparation of skin prior to surgery

Warnings

For external use only

Do not use

- in the eyes or mouth
- on individuals who are allergic or sensitive to iodine
- over large areas of the body

Stop use and ask doctor if irritation and redness develop or if condition persists for more than 72 hours.

Ask a doctor before use if you have

- Deep or puncture wounds
- animal bites
- serious burns

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For nasal application:

Step 1: Use tissue to clean inside of both nostrils, including inside tips of nostrils. Discard tissue.

Using total of four swabsticks, perform Steps 2-6 two times for right nostril and two times for left nostril.

Step 2: Hold applicator tube between thumb and forefinger at blue band with tube in vertical position with tip/handle up. With the other hand, place thumb and forefinger at base of handle ("thumb-to-thumb").

- Step 3: Bend and snap open along break line.
- Step 4: Bend and snap in opposite direction to disconnect swabstick.
- Step 5: Remove swabstick from tube. Discard tube.
- Step 6: Insert swabstick comfortably into one nostril. For a total of 15 seconds, rotate swabstick around circumference of nostril and then rotate in the anterior nares for a minimum of 6 complete revolutions with slight pressure, covering all surfaces. Discard swabstick.

Note: Do not blow nose. If solution drips, gently wipe with a tissue.

Other information

- For hospital and professional use
- Store at room temperature (15-29 °C; 59-84 °F)
- Avoid excessive heat

Inactive Ingredients

Purified Water, Sodium Hydroxide

Questions?

call 1-800-999-6423 (M-F 9 a.m.-5 p.m. EST)

Principal Display Panel

Profend

Nasal Decolonization Kit


Povidone-Iodine USP, 10% w/w

Antiseptic


Non-sterile solution

Swabstick






carton



insert



Drug Facts (continued)

Directions

For nasal application:

- Step 1: Use tissue to clean inside of both nostrils, including inside tips of nostrils. Discard tissue. Using total of four swabsticks, perform Steps 2-6 two times for right nostril and two times for left nostril.
- Step 2: Hold applicator tube between thumb and forefinger at blue band with tube in vertical position with tip/handle up. With the other hand, place thumb and forefinger at base of handle ("thumb-to-thumb").
- Step 3: Bend and snap open along break line.
- Step 4: Bend and snap in opposite direction to disconnect swabstick.
- Step 5: Remove swabstick from tube. Discard tube.
- Step 6: Insert swabstick comfortably into one nostril. For a total of 15 seconds, rotate swabstick around circumference of nostril and then rotate in the anterior nares for a minimum of 6 complete revolutions with slight pressure, covering all surfaces. Discard swabstick.
- Note: Do not blow nose. If solution drips, gently wipe with a tissue.

Other information

- For hospital and professional use.
- Store at room temperature (15-29°C; 59-84°F).
- Avoid excessive heat.

Inactive ingredients

Purified Water, Sodium Hydroxide

Questions? call 1-800-999-6423 (M-F 9 a.m.- 5 p.m. EST)

PROFEND NASAL DECOLONIZATION

povidone iodine usp, 10% w/w swab

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10819-3888
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PO VIDO NE-IO DINE (UNII: 85H0 HZU99M) (IO DINE - UNII:9679 TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SO DIUM HYDRO XIDE (UNII: 55X0 4QC32I)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10819- 3888-3	12 in 1 CARTON	0 2/16/20 18	
1	NDC:10819- 3888-2	4 in 1 BOX		
1		0.75 mL in 1 TUBE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	02/16/2018	

Labeler - Professional Disposables International, Inc. (800777117)

Establishment			
Name	Address	ID/FEI	Business Operations
Professional Disposables International, Inc.		800777117	manufacture(10819-3888)

Revised: 11/2019 Professional Disposables International, Inc.