

GIL SANI-OX- hydrogen peroxide liquid
Gilmer Industries, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Gil Sani-Ox

Drug Facts

Gil Sani-Ox
Sanitizing Teat Dip / Spray

Dairy Farm Use Only

WARNING! May Cause Eye Irritation.
Harmful If Swallowed.

Keep Out Of Reach Of Children

An aid in the prevention of organisms that might cause mastitis. Not intended to cure or help the healing of chapped or irritated teats. In case of teat irritation or chapping, have the condition examined.

Important: Do NOT mix with any other teat spray, dip, or product.

Precautions: KEEP FROM FREEZING. If frozen, let thaw and shake thoroughly before using. Do NOT get in eyes or on clothing. Do NOT take internally. Avoid contamination of food. Wash thoroughly after handling. Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area out of direct sunlight.



Gilmer Industries, Inc.

560 Stone Spring Road PO Box 1247
Harrisonburg, VA 22801 Harrisonburg, VA 22803
Phone 540/434-8877

Active Ingredient

Hydrogen Peroxide minimum 0.60%
Inactive Ingredients
Lactic acid, emollients, surfactants, and FD&C color 99.40%

First Aid

EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids. Contact a physician.

INGESTION: Drink large amounts of milk, egg whites, or water. Avoid alcohol. Contact a physician. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

Directions for Teat Spraying

Use as-is; do NOT dilute. Immediately after milking, spray entire teat with product, and allow to air dry—do NOT wipe. Always use fresh, undiluted product. Do NOT let cows out in freezing weather until completely dry.

Directions for Dipping

Always use fresh, undiluted product. If product in teat-dipping cup becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse or return used product to original container. **PRE-MILKING:** Fill teat cup with undiluted product. Before each cow is milked, dip the teats as far as possible into teat cup. Wipe teats dry using a single-service towel to avoid contaminating milk.

Net Contents: 275 Gallons (1039.5ℓ)

Lot:

Expiration:

Sanitizing Teat Dip / Spray

Dairy Farm Use Only

WARNING! May Cause Eye Irritation. Harmful If Swallowed.

Keep Out Of Reach Of Children

An aid in the prevention of organisms that might cause mastitis.

Not intended to cure or help the healing of chapped or irritated teats.

In case of teat irritation or chapping, have the condition examined.

Important: Do NOT mix with any other teat spray, dip, or product.

Precautions: KEEP FROM FREEZING. If frozen, let thaw and shake thoroughly before using. Do NOT get in eyes or on clothing. Do NOT take internally. Avoid contamination of food. Wash thoroughly after handling. Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area out of direct sunlight.

Active Ingredient

Hydrogen Peroxide 0.60%

Inactive Ingredients

Lactic acid, emollients, surfactants, and FD&C color.... 99.40%

First Aid

EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids. Contact a physician.

INGESTION: Drink large amounts of milk, egg whites, or water. Avoid alcohol. Contact a physician. Do not give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

Directions for Teat Spraying

Use as-is; do NOT dilute.

Immediately after milking, spray entire teat with product, and allow to air dry—do NOT wipe.

Always use fresh, undiluted product.

Do NOT let cows out in freezing weather until completely dry.

Directions for Dipping

Always use fresh, undiluted product.

If product in teat-dipping cup becomes visibly dirty, discard contents and refill with fresh product.

Do NOT reuse or return used product to original container.

PRE-MILKING: Fill teat cup with undiluted product.

Before each cow is milked, dip the teats as far as possible into teat cup.

Wipe teats dry using a single-service towel to avoid contaminating milk.

GIL SANI-OX				
hydrogen peroxide liquid				
Product Information				
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:54420-011	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	6000.0000 mg in 1 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54420-011-01	3.78 L in 1 JUG		
2	NDC:54420-011-02	18.9 L in 1 DRUM		
3	NDC:54420-011-03	56.7 L in 1 DRUM		
4	NDC:54420-011-04	113.4 L in 1 DRUM		
5	NDC:54420-011-05	207.9 L in 1 DRUM		
6	NDC:54420-011-06	1039.5 L in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/23/2002	

Labeler - Gilmer Industries, Inc. (066017575)

Establishment

Name	Address	ID/FEI	Business Operations
Gilmer Industries, Inc.		066017575	api manufacture, manufacture, label, pack

Revised: 6/2015

Gilmer Industries, Inc.