

**ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate solution**  
**McKesson Medical-Surgical**

-----  
**Antiseptic Skin Cleanser**

**Active ingredient**

Chlorhexidine gluconate 4% solution

**Purpose**

Antiseptic

**Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- **skin wound and general skin cleansing**

**Warnings**

**For external use only**

**Allergy Alert**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- **if you are allergic to chlorhexidine gluconate or any other ingredients in this product**
- **in contact with meninges**
- **in the genital area**
- **as a preoperative skin preparation of the head or face**

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin

**Stop use and ask doctor if** irritation, sensitization or allergic reaction occurs. These may be signs of a

serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

**Surgical hand scrub:**

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

**Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

**Patient preoperative skin preparation:**

- apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

**Skin wound and general skin cleaning:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

**Other information**

- store at 68-77°F (20-25°C)
- avoid excessive heat above 104°F (40°C)

**Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

**Questions?**

General Questions? Call 1-800-777-4908

Technical Support? Call 1-800-587-3721

**Principal Display Panel - McKesson Antiseptic Skin Cleanser 4 fl oz Bottle Label**

NDC 68599-5401-2

4%

**McKESSON**

**Antiseptic Skin Cleanser**

**4% CHLORHEXIDINE GLUCONATE SOLUTION**


Reduces the number of microorganisms on the skin prior to surgery or patient care.

**4 fl oz**

(118 mL)

DO NOT REUSE

MFR # **16-CHG4**



**Principal Display Panel - McKesson Antiseptic Skin Cleanser 8 fl oz Bottle Label**

NDC 68599-5401-3

**4%**

**McKESSON**

**Antiseptic Skin Cleanser**

**4% CHLORHEXIDINE GLUCONATE SOLUTION**

Reduces the number of microorganisms on the skin prior to surgery or patient care.

**8 fl oz**

(237 mL)

MFR # **16-CHG8**

NDC 68599-5401-3

4%

**McKESSON**

**Antiseptic  
Skin Cleanser**

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on  
the skin prior to surgery or patient care.



**8 fl oz**  
(237 mL)

MFR # **16-CHG8**



**Principal Display Panel - McKesson Antiseptic Skin Cleanser 16 fl oz Bottle Label**

NDC 68599-5401-4

4%

**McKESSON**

**Antiseptic Skin Cleanser**

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.

**16 fl oz**

(473 mL)

MFR # **16-CHG16**

NDC 68599-5401-4


4%

**McKESSON**

**Antiseptic  
Skin Cleanser**

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on  
the skin prior to surgery or patient care.



**16 fl oz**  
(473 mL)

MFR # 16-CHG16



**Principal Display Panel - McKesson Antiseptic Skin Cleanser 32 fl oz Bottle Label**

NDC 68599-5401-5

4%

**McKESSON**

**Antiseptic Skin Cleanser**

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.

**32 fl oz**  
(946 mL)

MFR # 16-CHG32

NDC 68599-5401-5

4%

**McKESSON**

# Antiseptic Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.



**32 fl oz**  
(946 mL)

MFR # 16-CHG32

## Drug Facts

**Active ingredient** Chlorhexidine gluconate 4% solution ..... Antiseptic

**Purpose** Antiseptic

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

### Warnings

#### For external use only

**Allergy alert:** This product may cause a severe allergic reaction. Symptoms may include:  
■ wheezing/difficulty breathing

- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meningitis
- in the genital area

#### When using this product

- Keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- If solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor** if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Drug Facts (continued)

**Directions** ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleanser may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

#### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

#### Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

#### Other information

- store at 68-77°F (20-25°C)
- avoid excessive heat above 104°F (40°C)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol.

#### Questions?

General Questions? call 1-800-777-4908  
Technical Support? call 1-800-587-3721

**WARNING:** Cancer - www.P65Warnings.ca.gov.

**LAUNDERING/CLEANING INSTRUCTIONS:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Keep away from open flames, hot surfaces and sources of ignition. Store in a cool, dry, well-ventilated area. Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.

Richmond, VA 22293

PVN 80318 Made in USA



4MCK32BTL1BLA

## Principal Display Panel - McKesson Antiseptic Skin Cleanser 1 gal Bottle Label

NDC 68599-5401-6

**McKESSON**

# Antiseptic Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.

**1 gal**  
(3.8 L)

MFR # 16-CHGGL

NDC 68599-5401-6

▲ Lift Here


4%

**MCKESSON**

# Antiseptic Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.



**1 gal**  
(3.8 L)

MFR # 16-CHGGL



## Drug Facts

**Active ingredient** Chlorhexidine gluconate 4% solution ..... **Purpose** Antiseptic

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

## Drug Facts (continued)

### Warnings

For external use only

#### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meninges
- in the genital area

#### When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor** if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

## ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate solution

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:68599-5401 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength       | Strength      |
|--|-------------------------|---------------|
| CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE GLUCONATE | 4 g in 100 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| COCO DIETHANOLAMIDE (UNII: 92005F972D)                      |          |
| GLUCONOLACTONE (UNII: WQ29KQ9POT)                           |          |
| HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP) |          |
| ISOPROPYL ALCOHOL (UNII: ND2M416302)                        |          |
| LAURAMINE OXIDE (UNII: 4F6FC4MI8W)                          |          |
| PEG-75 LANOLIN (UNII: 09179OX7TB)                           |          |
| WATER (UNII: 059QF0KO0R)                                    |          |
| TRIDECYL ALCOHOL (UNII: 8I9428H868)                         |          |

**Packaging**

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:68599-5401-1 | 48 in 1 CASE   | 06/01/2017           |                    |
| 1 | NDC:68599-5401-2 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product  |                      |                    |
| 2 | NDC:68599-5401-7 | 24 in 1 CASE   | 06/01/2017           |                    |
| 2 | NDC:68599-5401-3 | 237 mL in 1 BOTTLE; Type 0: Not a Combination Product  |                      |                    |
| 3 | NDC:68599-5401-8 | 12 in 1 CASE   | 06/01/2017           |                    |
| 3 | NDC:68599-5401-4 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product  |                      |                    |
| 4 | NDC:68599-5401-9 | 12 in 1 CASE   | 06/01/2017           |                    |
| 4 | NDC:68599-5401-5 | 946 mL in 1 BOTTLE; Type 0: Not a Combination Product  |                      |                    |
| 5 | NDC:68599-5401-0 | 4 in 1 CASE  | 06/01/2017           |                    |
| 5 | NDC:68599-5401-6 | 3800 mL in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA                | NDA019125                                | 06/01/2017           |                    |

**Labeler** - McKesson Medical-Surgical (023904428)

Revised: 3/2018

McKesson Medical-Surgical