

# **STOMACH RELIEF ULTRA- bismuth subsalicylate liquid**

## **Family Dollar (FAMILY WELLNESS)**

-----

### **Drug Facts**

#### **Active ingredient (in each 15 mL)**

Bismuth subsalicylate 525 mg

#### **Purpose**

Upset stomach reliever/Antidiarrheal

#### **Uses**

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
  - heartburn
  - indigestion
  - nausea
  - gas
  - fullness
  - belching

#### **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

#### **Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

#### **Do not use**

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

#### **Ask a doctor before use if you have**

- fever
- mucus in the stool

## **Ask a doctor or pharmacist before use if you are**

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

## **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur.

## **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- do not take more than 8 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- mL = milliliter
- shake well before using
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- adults and children 12 years and over:
  - 15 mL (1 dose) every 1/2 or 30 mL (2 doses) every hour as needed  
diarrhea/traveler's diarrhea
  - 15 mL (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- children under 12 years of age: ask a doctor

## **Other information**

- **each 15 mL contains:** sodium 5 mg
- **each 15 mL contains:** salicylate 206 mg
- low sodium
- keep tightly closed

- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

### **Inactive ingredients**

benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENT IN PEPTO-BISMOL® ULTRA\*

ULTRA

STOMACH RELIEF

Bismuth Subsalicylate 525 mg

Upset Stomach Reliever/Antidiarrheal

RELIEVES

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

2x STRENGTH PER OUNCE†

ALCOHOL-FREE

SUGAR-FREE

FL OZ (mL)

†This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol® is a registered trademark of The Procter & Gamble Company.

**TAMPER EVIDENT; DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY:

MIDWOOD BRANDS LLC

510 VOLVO PKWY,

CHESAPEAKE, VA 23320

### **Package Label**

**FAMILY Wellness™** COMPARE TO THE ACTIVE INGREDIENT IN PEPTO-BISMOL® ULTRA\*

# ULTRA STOMACH RELIEF

**2x STRENGTH PER OUNCE!**

Bismuth subsalicylate 525 mg  
Upset Stomach Reliever/Antidiarrheal

**RELIEVES**

- Heartburn
- Indigestion
- Nausea
- Upset Stomach
- Diarrhea

ALCOHOL-FREE  
SUGAR-FREE

NDC 55319-948-12

Questions or comments?  
Call 1-877-753-3935  
Monday-Friday 9AM-5PM EST

DISTRIBUTED BY: MIDWOOD BRANDS, LLC  
510 VOLVO PKWY, CHESAPEAKE, VA 23320 USA  
PRODUCT OF GERMANY

100% SATISFACTION OR YOUR MONEY BACK

NOT 100% SATISFIED? Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

12 FL OZ (355 mL)

SKU 997646 PLD-B494A LB010725

**Drug Facts**

**Active ingredient (in each 15 mL dose)**  
Bismuth subsalicylate 525 mg.....Upset stomach reliever/Antidiarrheal

**Purpose**

**Uses** relieves ■ diarrhea ■ travelers' diarrhea ■ upset stomach due to overindulgence in food and drink, including ■ heartburn ■ gas ■ indigestion ■ nausea ■ fullness ■ belching

**Warnings**  
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.  
**Allergy alert: Contains salicylates. Do not take if you are:**  
■ allergic to salicylates (including aspirin)  
■ taking other salicylate products

**Do not use if you have**  
■ an ulcer ■ a bleeding problem ■ bloody or black stool

**Ask a doctor before use if you have**  
■ fever ■ mucus in the stool

\*This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol® is a registered trademark of The Procter & Gamble Company.  
vs. Original Pepto-Bismol®

**TEMPER EVIDENT. DO NOT USE IF PRINTED SAFETY SEAL, APPEARANCE, DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

PLD-A494A LB009941

**PEEL CORNER FOR MORE DRUG FACTS**

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking any drug for**  
■ diabetes ■ gout ■ arthritis ■ anticoagulation (thinning the blood)

**When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.**

**Stop use and ask a doctor if**  
■ symptoms get worse or last more than 2 days  
■ ringing in the ears or loss of hearing occurs  
■ diarrhea lasts more than 2 days

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.**

**Directions**  
■ do not take more than 8 doses (120 mL) in 24 hours  
■ use until diarrhea stops but not more than 2 days  
■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea  
■ mL = milliliter  
■ shake well before using  
■ measure only with dosing cup provided. Do not use any other dosing device.  
■ keep dosing cup with product

**Drug Facts (continued)**

■ adults and children 12 years and over:  
■ 15 mL (1 dose) every 15 hour or 30 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea  
■ 15 mL (1 dose) every 15 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)  
■ children under 12 years of age: ask a doctor

**Other information**  
■ each 15 mL contains: sodium 5 mg  
■ low sodium ■ keep tightly closed  
■ protect from freezing  
■ avoid excessive heat (over 104°F or 40°C)

**Inactive ingredients:** benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

## FAMILY WELLNESS Ultra Stomach Relief

### STOMACH RELIEF ULTRA

bismuth subsalicylate liquid

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-948
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 15 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>D&amp;C RED NO. 22</b> (UNII: 1678RKX8RT)	
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-948-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2023	
2	NDC:55319-948-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/01/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	07/01/2023	

**Labeler** - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 11/2025

Family Dollar (FAMILY WELLNESS)