


GRANEX FOAM ACNE TREATMENT- salicylic acid aerosol, foam Catalysis, SL

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Granex Foam Acne Treatment

Salicylic Acid 0.7%.....Anti Acne

tubo Granex espuma 50ml USA V.3



- When using this product
- Avoid contact with eyes
- Keep out of reach of children. In case of overdose get medical help or Contact a Poison Control Center right away.
- For external use only
 - Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor
- Cleanse the skin thoroughly before applying medication. Cover the entire affected area with a thin layer one to two times daily. Massage for 30 seconds until the foam is absorbed Because excessive drying of the skin may occur. start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day

- "Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated above

For the management (or treatment) of Acne

Helps clear up acne blemishes, acne pimples, blackheads

+ 34 913456902 Monday to Friday: 9:00 am to 5:00 pm

- keep the product in a cool and dry place
- Apply a small amount the intimate parts and gently wash. Rinse with water
- Maybe used as often as necessary

Aqua, Isobutane, Butane, Propane, Propylene Glycol, PEG-8 Caprylic/Capric Glycerides, Propanediol, Aqua, Alcohol, Iris Florentina Root Extract, Zinc Sulfate, Retinyl Palmitate, Butylene Glycol, Aqua, Arctium Majus Root Extract, Zinc Sulfate, Biotin, Citrus Limon Fruit Water, PEG/PPG-20/6 Dimethicone, Cocamidopropyl Betaine, Phenoxyethanol, Ethylhexylglycerin, Polysorbate 20, Aloe barbadensis Extract, Citric Acid, Ascorbic Acid, Sodium Benzoate, Potassium Sorbate, Sodium Sulfite , Panthenol, Potassium Sorbate, Sodium Benzoate, Parfum, Glycyrrhizic Acid

Granex Foam Anti Acne Treatment



GRANEX

Foam
Acne Treatment
1.7 fl.oz.
(50 ml)

GRANEX
Foam
Acne
Treatment
1.7 fl.oz.
(50 ml)

DRUG FACTS

| Active Ingredient | Purpose |
|----------------------|-----------|
| *Salicylic Acid 0.7% | Anti-Acne |

Indications
*For the management (or treatment) of Acne.
*Helps clear up acne blemishes, acne pimples and blackheads.

Warnings
*For external use only.
*Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

When using this product
*Avoid contact with eyes.
Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

Directions
*Cleanse the skin thoroughly before applying medication. Cover the entire affected area with a thin layer one to two times daily. Massage for 30 seconds until the foam is absorbed. Start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
*Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first three days. If no discomfort occurs, follow the directions stated above.

Other information
*Store in a cool dry place.

Inactive Ingredients: Aqua, Isobutane-Butane-Propane, Propylene Glycol, PEG-8 Caprylic/Capric Glycolides, Propanediol-Aqua-Alcohol-ins Florentina Root Extract-Zinc Sulfate-Retinyil Palmitate, Butylene Glycol-Aqua-Archium Majus Root Extract-Zinc Sulfate-Biotin, Citrus Limon Fruit Water, PEG/PPG-20/6 Dimethicone, Cocamidopropyl Betaine, Phenoxylethanol-Ethylhexylglycerin, Polysorbate 20, Aloe barbadensis Extract-Citric Acid-Ascorbic Acid-Sodium Benzoate-Potassium Sorbate-Sodium Sulfite, Panthenol, Potassium Sorbate, Sodium Benzoate, Parfum, DMDM Hydantoin, Ammonium Glycyrrhizate.

QUESTIONS OR COMMENTS ?:
+ 34 91 3456902. Monday to Friday:
9:00 am to 5:00 pm. (UTC+GMT+1).



Made in Spain
Catalysis, S.L.
Macarena, 14
28016 Madrid • ESPAÑA / SPAIN
www.catalysis.es



DRUG FACTS

| Active Ingredient | Purpose |
|----------------------|-----------|
| *Salicylic Acid 0.7% | Anti-Acne |

Indications
*For the management (or treatment) of Acne.
*Helps clear up acne blemishes, acne pimples and blackheads.

Warnings
*For external use only.
*Using other topical acne medications at the same time or immediately following use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor.

When using this product
*Avoid contact with eyes.
Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

Directions
*Cleanse the skin thoroughly before applying medication. Cover the entire affected area with a thin layer one to two times daily. Massage for 30 seconds until the foam is absorbed. Start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
*Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first three days. If no discomfort occurs, follow the directions stated above.

Other information
*Store in a cool dry place.

Inactive Ingredients: Aqua, Isobutane-Butane-Propane, Propylene Glycol, PEG-8 Caprylic/Capric Glycolides, Propanediol-Aqua-Alcohol-ins Florentina Root Extract-Zinc Sulfate-Retinyil Palmitate, Butylene Glycol-Aqua-Archium Majus Root Extract-Zinc Sulfate-Biotin, Citrus Limon Fruit Water, PEG/PPG-20/6 Dimethicone, Cocamidopropyl Betaine, Phenoxylethanol-Ethylhexylglycerin, Polysorbate 20, Aloe barbadensis Extract-Citric Acid-Ascorbic Acid-Sodium Benzoate-Potassium Sorbate-Sodium Sulfite, Panthenol, Potassium Sorbate, Sodium Benzoate, Parfum, DMDM Hydantoin, Ammonium Glycyrrhizate.

QUESTIONS OR COMMENTS ?:
+ 34 91 3456902. Monday to Friday:
9:00 am to 5:00 pm. (UTC+GMT+1).

Imported by: GUNA, Inc.
3724 Crescent Court West -
Whitehall, PA 18052, USA
Phone: (484) 223-3500
Fax: (484) 223-3505
E-mail: info@gunainc.com
www.gunainc.com

Lot# / Batch:
F. Fab. / Mfg. date:
F. Cad. / Exp. date:

GRANEX® Foam
50 ml - 1.7 fl.oz.



GRANEX FOAM ACNE TREATMENT

salicylic acid aerosol, foam

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:64539-008 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 0.7 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | 2.25 mg in 1 mL |
| BIO TIN (UNII: 6SO6U10H04) | 2.25 mg in 1 mL |
| PEG/PPG-20/6 DIMETHICONE (UNII: PWZ7N4UIKE) | 1.8 mg in 1 mL |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | 0.9 mg in 1 mL |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | 0.9 mg in 1 mL |
| ALOE (UNII: V5VD430YW9) | 0.45 mg in 1 mL |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | 0.45 mg in 1 mL |
| ASCORBIC ACID (UNII: PQ6CK8PD0R) | 0.45 mg in 1 mL |
| PANTHENOL (UNII: WV9CM0O67Z) | 0.45 mg in 1 mL |
| GLYCYRRHIZIN (UNII: 6FO62043WK) | 0.09 mg in 1 mL |
| COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX) | 1.35 mg in 1 mL |
| ISOBUTANE (UNII: BXR49TP611) | 6 mg in 1 mL |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | 0.45 mg in 1 mL |
| PROPANEDIOL (UNII: 5965N8W85T) | 2.25 mg in 1 mL |
| VITAMIN A PALMITATE (UNII: 1D1K0N0VVC) | 2.25 mg in 1 mL |
| ALCOHOL (UNII: 3K9958V90M) | 2.25 mg in 1 mL |
| IRIS X GERMANICA NOTHOVAR. FLORENTINA ROOT (UNII: M30XO5X4XD) | 2.25 mg in 1 mL |
| ZINC SULFATE (UNII: 89DS0H96TB) | 2.25 mg in 1 mL |
| WATER (UNII: 059QF0K00R) | 2.25 mg in 1 mL |
| ARCTIUM MINUS ROOT (UNII: IS8QAQ61Q5) | 2.25 mg in 1 mL |
| CITRUS X LIMON FRUIT OIL (UNII: 0HNC1J1YED) | 2.25 mg in 1 mL |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | 0.54 mg in 1 mL |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | 0.45 mg in 1 mL |
| SODIUM SULFITE (UNII: VTK01UQK3G) | 0.45 mg in 1 mL |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:64539-008-02 | 1 in 1 BOX | 01/11/2018 | |
| 1 | NDC:64539-008-01 | 50 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333D | 01/11/2018 | |

Labeler - Catalysis, SL (862795119)

Registrant - Catalysis, SL (862795119)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------|---------|-----------|------------------------|
| Catalysis, SL | | 862795119 | manufacture(64539-008) |

Revised: 1/2018

Catalysis, SL