

LISTERINE FRESHBURST ANTISEPTIC- eucalyptol, menthol, unspecified form, methyl salicylate, and thymol mouthwash
Kenvue Brands LLC

LISTERINE® FRESHBURST® ANTISEPTIC

Drug Facts

<i>Active ingredients</i>	<i>Purposes</i>
Eucalyptol (0.092%)	Antiplaque/antigingivitis
Menthol (0.042%)	Antiplaque/antigingivitis
Methyl Salicylate (0.060%)	Antiplaque/antigingivitis
Thymol (0.064%)	Antiplaque/antigingivitis

Uses

helps prevent and reduce:

- plaque
- gingivitis

Warnings

Do not use in children under 12 years of age

Ask a dentist if symptoms persist

Ask a dentist if symptoms persist, new symptoms appear, or conditions worsen after regular use

Keep out of reach of children.

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- rinse full strength for 30 seconds with 20 mL (2/3 fluid ounce or 4 teaspoonfuls) morning and night
- do not swallow

Other information

- this rinse is not intended to replace brushing or flossing
- store at room temperature
- cold weather may cloud this product. Its antiseptic properties are not affected.

Inactive ingredients

Water, Alcohol (21.6% v/v), Sorbitol, Poloxamer 407, Benzoic Acid, Sodium Saccharin, Flavor, Sodium Benzoate, Yellow 10, Green 3

Questions?

call toll-free 888-222-0182 or 215-273-8755 (collect)

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 1500 mL Bottle Label

ANTISEPTIC

LISTERINE ®

FRESHBURST ®

FOR A FRESHER &

CLEANER MOUTH THAN

BRUSHING ALONE

ADA

Accepted

American

Dental

Association ®

1.5 L (1 Qt 1 Pt 2.7 fl oz)

KILLS 99.9% OF GERMS
THAT CAUSE BAD BREATH,
PLAQUE & GINGIVITIS

30040088



ANTISEPTIC

LISTERINE[®]
FRESHBURST[®]

FOR A FRESHER &
CLEANER MOUTH THAN
BRUSHING ALONE



30039998

1.5 L (1 Qt 1 Pt 2.7 fl oz)



CLINICALLY PROVEN. Kills Germs by Millions on Contact.

Use LISTERINE[®] FRESHBURST[®] Antiseptic twice daily to help: ■ Prevent & Reduce Plaque
■ Prevent & Reduce Gingivitis ■ Freshen Breath ■ Kill Germs Between Teeth

Drug Facts

Active ingredients	Purposes
Eucalyptol (0.092%) Menthol (0.042%) Methyl Salicylate (0.060%) Thymol (0.064%)	Antiplaque/antigingivitis

Uses helps prevent and reduce: • plaque • gingivitis

Warnings
Do not use in children under 12 years of age

Ask a dentist if symptoms persist, new symptoms appear, or conditions worsen after regular use
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions • rinse full strength for 30 seconds with 20 mL (2/3 fluid ounce or 4 teaspoonfuls) morning and night • do not swallow

Other information • this rinse is not intended to replace brushing or flossing • store at room temperature • cold weather may cloud this product. Its antiseptic properties are not affected.

Inactive ingredients Water, Alcohol (21.6% v/v), Sorbitol, Poloxamer 407, Benzoic Acid, Sodium Saccharin, Flavor, Sodium Benzoate, Yellow 10, Green 3

Questions? call toll-free 888-222-0182 or 215-273-8755 (collect)

Do not use if printed band around cap is broken or missing.



3 12547 42855 2



• Helps prevent and reduce plaque
• Helps prevent and reduce gingivitis

Distributed by:
JOHNSON & JOHNSON CONSUMER INC.
Skillman, NJ 08558 © J&J 2022
Pat. www.jcbs.com
www.listerine.com



THIS FORMULA IS NOT SOLD TO ANY RETAILER AS A STORE BRAND.

The LISTERINE[®] bottle design is a registered trademark of Johnson & Johnson.



PLASTIC BOTTLE



30052050

EXP
LOT

LISTERINE FRESHBURST ANTISEPTIC

eucalyptol, menthol, unspecified form, methyl salicylate, and thymol mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0239
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUCALYPTOL (UNII: RV6J6604TK) (EUCALYPTOL - UNII:RV6J6604TK)	EUCALYPTOL	0.92 mg in 1 mL
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.42 mg in 1 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.6 mg in 1 mL
THYMOL (UNII: 3J50XA376E) (THYMOL - UNII:3J50XA376E)	THYMOL	0.64 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

ALCOHOL (UNII: 3K9958V90M)
SORBITOL (UNII: 506T60A25R)
POLOXAMER 407 (UNII: TUF2IVW3M2)
BENZOIC ACID (UNII: 8SKN0B0MIM)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SODIUM BENZOATE (UNII: OJ245FE5EU)
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0239-5	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/17/2018	
2	NDC:69968-0239-2	250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/03/2019	
3	NDC:69968-0239-1	1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/18/2018	
4	NDC:69968-0239-3	1500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/28/2018	
5	NDC:69968-0239-8	2 in 1 PACKAGE	04/24/2020	10/11/2023
5	NDC:69968-0239-3	1500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/17/2018	

Labeler - Kenvue Brands LLC (118772437)