

**CDMA FIBER THERAPY- methylcellulose tablet**  
**CHAIN DRUG MARKETING ASSOCIATION**

-----  
**Quality Choice Fiber Therapy Methylcellulose 500 mg 100 Caplets**

***Active ingredient (in each caplet)***

Methylcellulose 500mg

***Purpose***

Bulk-forming fiber laxative (a non-allergenic fiber)

***Uses***

- helps restore and maintain regularity
- relieves constipation (irregularity)
- for constipation associated with other bowel disorders like IBS when recommended by a doctor.
- generally produces a bowel movement in 12 -72 hours.

***Warnings***

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking .Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

***Ask a doctor before use if you have***

- a sudden change in bowel habits that persists over a period of two weeks
- abdominal pain, nausea or vomiting

***Stop use and ask a doctor if***

- Constipation lasts more than 7 days
- you have rectal bleeding
- These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

***Directions***

Take this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid.

Taking this product without enough liquid may cause choking. See choking warning.

<b>Age</b>	<b>Dose</b>	<b>Maximum Dose</b>
adults & children 12 years of age and over	start with 2 caplets. Increase as needed up to 6 times per day.	Do not exceed 12 caplets per day
Children 6-11 years of age	Start with 1 caplet. Increase as needed up to 6 times per day	Do not exceed 6 caplets per day
children under 6 years of age	Consult a physician	Consult a physician

***Other information***

- **each caplet contains:** appx. 18 mg of calcium
- store at below 77° F (25°C)
- protect contents from humidity
- keep tightly closed

**Safety sealed: Do not use if printed seal under cap is torn or missing.**

***Inactive ingredients***

adipic acid, calcium carbonate, crospovidone, FD&C yellow no. 6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polysorbate 80, silica.

**Do not use if printed seal under cap is torn or missing.**

**Questions or comments?**

**1-866-467-2748**

**Principal Display Panel**

Quality Choice<sup>®</sup>

NDC# **63868-166-10**

**Compare to Citrucel<sup>®</sup> Caplets Active Ingredients\***

**Fiber Therapy**

**Fiber Therapy for Regularity**

Methylcellulose

- 100% non-allergenic
- Gentle and Gluten-Free
- 100 CAPLETS

100% QC SATISFACTION GURANTEED

**Distributed by C.D.M.A., Inc. ©**


**43157 W. Nine Mile**

**Novi, MI 48376-0995**

www.qualitychoice.com

Questions: 248-449-9300

\*This product is not manufactured or distributed by GlaxoSmithKline, the distributor of CITRUCEL® Caplets.



**QC QUALITY CHOICE**  
Compare To Citrucel® Caplets Active Ingredient\*

# Fiber Therapy

Fiber Therapy for Regularity

Methylcellulose

- 100% non-allergenic
- Gentle and gluten-free

**100** Caplets

**Do not use if printed seal under cap is torn or missing.**

<b>Drug Facts</b>	<p><b>Active ingredient (in each caplet) Purpose</b> Methylcellulose 500 mg.....Bulk-forming fiber laxative (a non-allergenic fiber)</p> <p><b>Uses</b> ■ helps restore and maintain regularity ■ relieves constipation (irregularity) ■ for constipation associated with other bowel disorders like IBS when recommended by a doctor ■ generally produces a bowel movement in 12-72 hours</p> <p><b>Warnings</b> <b>Choking:</b> Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.</p> <p><b>Ask a doctor before use if you have</b> ■ a sudden change in bowel habits that persists over a period of two weeks ■ abdominal pain, nausea or vomiting</p> <p><b>Stop use and ask a doctor if</b> ■ constipation lasts more than 7 days ■ you have rectal bleeding</p> <p><b>Keep out of reach of children.</b> In case of overdose get medical help or contact a Poison Control Center right away at 1-800-222-2222.</p>
-------------------	---

\*This product is not manufactured or distributed by GlaxoSmithKline the distributor of CITRUCEL® Caplets.

Distributed by C.D.M.A., Inc.®  
43157 W. Nine Mile  
Novi, MI 48376-0995  
www.qualitychoice.com  
Questions: 248-449-9300



122100CLR

6 35515 99280 1

LOT: \_\_\_\_\_

EXP: \_\_\_\_\_

SEAL ENTIRE LABEL INCLUDING DRUG FACTS AND DIRECTIONS PEEL BACK HERE

<b>Drug Facts (continued)</b>	<p><b>Directions</b> Take this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Age</th> <th>Dose</th> <th>Maximum Dose</th> </tr> </thead> <tbody> <tr> <td>adults &amp; children 12 years of age and over</td> <td>start with 2 caplets; increase as needed up to 6 times per day.</td> <td>do not exceed 12 caplets per day.</td> </tr> <tr> <td>children 6-11 years of age</td> <td>start with 1 caplet; increase as needed up to 6 times per day.</td> <td>do not exceed 6 caplets per day.</td> </tr> <tr> <td>children under 6 years of age</td> <td>consult a physician</td> <td>consult a physician</td> </tr> </tbody> </table> <p><b>Other information</b> ■ each caplet contains: approx. 18 mg of calcium ■ store at below 77°F (25° C) ■ protect contents from humidity ■ keep tightly closed</p> <p><b>Inactive Ingredients</b> adipic acid, calcium carbonate, croscopolidone, FD&amp;C yellow no. 6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyorbate 80, silica.</p> <p><b>Questions or comments?</b> 1-866-467-2748</p>	Age	Dose	Maximum Dose	adults & children 12 years of age and over	start with 2 caplets; increase as needed up to 6 times per day.	do not exceed 12 caplets per day.	children 6-11 years of age	start with 1 caplet; increase as needed up to 6 times per day.	do not exceed 6 caplets per day.	children under 6 years of age	consult a physician	consult a physician
Age	Dose	Maximum Dose											
adults & children 12 years of age and over	start with 2 caplets; increase as needed up to 6 times per day.	do not exceed 12 caplets per day.											
children 6-11 years of age	start with 1 caplet; increase as needed up to 6 times per day.	do not exceed 6 caplets per day.											
children under 6 years of age	consult a physician	consult a physician											

## CDMA FIBER THERAPY

methylcellulose tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-166
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
METHYLCELLULOSE (4000 MPA.S) (UNII: MRJ667KA5E) (METHYLCELLULOSE	METHYLCELLULOSE	500 mg

(4000 MPA.S) - UNII:MRJ667KA5E)

(4000 MPA.S)

500 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ADIPIC ACID</b> (UNII: 76A0JE0FKJ)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CROSPVIDONE (120 .MU.M)</b> (UNII: 68401960MK)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

### Product Characteristics

<b>Color</b>	orange (Light orange)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Caplet)	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	RP122
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-166-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/19/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/19/2019	

**Labeler** - CHAIN DRUG MARKETING ASSOCIATION (011920774)

Revised: 12/2025

CHAIN DRUG MARKETING ASSOCIATION