

**MUCOSA DM- guaifenesin dextromethorphan tablet**  
**TIME CAP LABORATORIES, INC.**

-----  
**280R Timely 49483-280 Dextromethorphan HBr 20 mg and Guaifenesin 400 mg Tablets**

***Active ingredients (in each immediate-release tablet)***

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

***Purpose***

Cough suppressant

Expectorant

***Uses***

- helps loosen phlegm (mucus)
- helps thin bronchial secretions to make coughs more productive
- temporarily relieves cough due to minor throat and bronchial irritation associated with the common cold

***Warnings***

**Do not use if you are now taking** a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough accompanied by excessive phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**When using this product**

- **do not exceed recommended dosage**
- do not use for more than 7 days

**Stop use and ask a doctor if**

- cough lasts for more than 7 days, recurs, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a healthcare professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

- adults and children 12 years of age and older: take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
- children under 12 years of age: do not use

## Other information

- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)
- keep in a dry place and do not expose to excessive heat

**Inactive ingredients** colloidal silicon dioxide, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, sodium starch glycolate, stearic acid

## Questions or comments?

Call **1-877-290-4008**

Adhesive Area

**Drug Facts (continued)**

**When using this product**

- do not exceed recommended dose age
- do not use for more than 7 days

**Stop use and ask a doctor if**

- cough lasts for more than 7 days, recurs, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a healthcare professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- adults and children 12 years of age and older: take 1 tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
- children under 12 years of age: do not use.

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- keep in a dry place and do not expose to excessive heat

**Inactive ingredients**

colloidal silicon dioxide, magnesium stearate, maltodextrin, microcrystalline cellulose, povidone, silicon dioxide, sodium starch glycolate, stearic acid

**Questions or comments? Call 1-877-290-4008**

NDC 49483-280-20

**timely™**

Immediate-Release

## Mucus Relief DM

Dextromethorphan HBr 20 mg  
Guaifenesin 400 mg

COUGH SUPPRESSANT & EXPECTORANT

- Controls Cough
- Thins and Loosens Mucus

**200 TABLETS**

TCL 280  
Actual Size

TAMPER EVIDENT - DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

**Drug Facts**

**Active ingredients (in each immediate-release tablet)**

Dextromethorphan HBr 20 mg... Cough suppressant  
Guaifenesin 400 mg... Expectorant

**Uses**

- helps loosen phlegm (mucus)
- helps thin bronchial secretions to make coughs more productive
- temporarily relieves cough due to minor throat and bronchial irritation associated with the common cold

**Warnings**

**Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (such as certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug.** If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough accompanied by excessive phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Drug Facts (continued under label)**

Manufactured by:  
Time-Cap Labs, Inc.  
7 Michael Avenue Farmingdale,  
NY 11735  
280R 0523



Lot No.:  
Exp Date:

Varnish Omit Area

PEEL HERE

## MUCOSA DM

guaifenesin dextromethorphan tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49483-280
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg

<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg
---	----------------------------------	-------

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL280
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49483-280-06	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2018	
2	NDC:49483-280-00	100000 in 1 CARTON; Type 0: Not a Combination Product	12/17/2018	
3	NDC:49483-280-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	09/15/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/17/2012	

**Labeler** - TIME CAP LABORATORIES, INC. (037052099)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

### Establishment

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC.		037052099	manufacture(49483-280)