

**REACTIVE PLUS ANTI-OXIDANT SERUM PLUS BROAD-SPECTRUM SPF 45-  
octinoxate and zinc oxide lotion  
Merz North America, Inc**

-----  
**Réactive+ Anti-Oxidant Serum plus Broad-spectrum SPF 45**

**Drug Facts**

**Active Ingredients**

Octinoxate 5.0%  
Zinc Oxide 5.1%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**WARNINGS**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10am - 2pm
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: ask a doctor

## **Inactive Ingredients**

Cyclopentasiloxane, Ascorbic Acid, Ethylhexyl Hydroxystearate, Polysilicone-11, Caprylic/Capric Triglyceride, Cetyl PEG/PPG-10/1 Dimethicone, Polyester-7, Tocopherol, Creatine, Epigallocatechin Gallate, Triethoxycaprylylsilane, Neopentyl Glycol Diheptanoate, Disteardimonium Hectorite, Polyhydroxystearic Acid, Propylene Carbonate, Dimethylmethoxy Chromanol, BHT

## **Other Information**

- protect the product in this container from excessive heat and direct sun

## **Questions?**

**1.844.469.6379**

## **PRINCIPAL DISPLAY PANEL - 30 ML Bottle Carton**

reactive+

ANTI-OXIDANT SERUM +  
BROAD-SPECTRUM SPF 45

NEOCUTIS®

### Drug Facts

Active Ingredients	Purpose
Octinoxate 6.0%	Sunscreen
Zinc Oxide 6.1%	

#### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warning

**For external use only.**

**Do not use** on damaged or broken skin.

**When using the product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Non-comedogenic, dermatologist-tested, free of color additives and fragrance, not tested on animals

Distributed in the USA by Merz North America, Inc., Raleigh, NC 27615 | Made in USA

**NEOCUTIS.com**

USA: 866.636.2884

1.0 FL. OZ. (30 ML) | AW00930-00

Protect against free radicals and harmful sun damage that cause premature skin aging

POWERED BY  
VITAPLEX C<sup>®</sup>



**Directions: Apply 15 minutes before sun exposure. Reapply at least every two hours. Use a water resistant sunscreen if swimming or sweating.**

reactive+

ANTI-OXIDANT SERUM +  
BROAD-SPECTRUM SPF 45

NEOCUTIS<sup>®</sup>

### Drug Facts (continued)

#### Directions

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

#### Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10am-2pm
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: ask a doctor

#### Inactive Ingredients

Cyclopentasiloxane, Ascorbic Acid, Ethylhexyl Hydroxystearate, Poly silicone-11, Octyloleate, Capric Triglyceride, Octyl PEG/PPG-10/1 Dimethicone, Polyester-7, Tocopherol, Creatine, Epigallocatechin Gallate, Triethoxycaprylylsilane, Neopentyl Glycol Diethylacetate, Distearidimonium Hectorite, Polyhydroxyethylsulfonate, Propylene Carbonate, Dimethylmethoxy Chromanol, BHT.

#### Other Information

- Protect this product from excessive heat and direct sun



# REACTIVE PLUS ANTI-OXIDANT SERUM PLUS BROAD-SPECTRUM SPF 45

octinoxate and zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:46783-222
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	51 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BVV5E)	
<b>POLYSILICONE-15</b> (UNII: F8DRP5BB29)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CREATINE</b> (UNII: MU72812GK0)	
<b>EPIGALLOCATECHIN GALLATE</b> (UNII: BQM438CTEL)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>DIMETHYLMETHOXY CHROMANOL</b> (UNII: XBH432G01F)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46783-222-30	1 in 1 CARTON	06/01/2018	

<b>1</b>		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
<b>2</b>	NDC:46783-222-04	4 mL in 1 TUBE; Type 0: Not a Combination Product	06/15/2019	04/04/2022
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph drug	M020		06/01/2018	

**Labeler** - Merz North America, Inc (028147846)

Revised: 11/2024

Merz North America, Inc