

**MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet,
film coated**

Topco Associates, LLC

TopCare 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

Purpose

Pain reliever

Diuretic

Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- fatigue
- muscle aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-888-423-0139

Principal display panel

+TopCare®
health

**COMPARE TO
MIDOL® COMPLETE
ACTIVE INGREDIENTS***

NDC 36800-391-08

Menstrual Complete

**ACETAMINOPHEN, CAFFEINE, PYRILAMINE MALEATE
PAIN RELIEVER • DIURETIC • ANTIHISTAMINE**

MULTI-SYMPTOM RELIEF OF:

- Cramps • Headache • Bloating
- Backache • Fatigue

24 CAPLETS

actual
size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

50844 REV0623B39008

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ITASCA, IL 60143

©TOPCO LNKA1023
QUESTIONS?
1-888-423-0139
topcare@topco.com
www.topcarebrand.com

**QUALITY
GUARANTEED**



COMPARE TO MIDOL® COMPLETE ACTIVE INGREDIENTS*

NDC 36800-391-08

Menstrual Complete

ACETAMINOPHEN, CAFFEINE, PYRILAMINE MALEATE
PAIN RELIEVER • DIURETIC • ANTIHISTAMINE

MULTI-SYMPTOM RELIEF OF:

- Cramps • Headache • Bloating
- Backache • Fatigue

24 CAPLETS

actual size



No print/No varnish
Lot & Exp date



B-1910-390-08-R
REV0623839008

TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark, Midol® Complete. 50844 REV0623839008



DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ITASCA, IL 60143
©TOPCO LINKA1023
QUESTIONS?
1-888-423-0139
topcare@topco.com
www.topcareand.com

QUALITY
GUARANTEE

Scan here for more
information or
call 1-888-423-0139

Drug Facts (continued)

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen or more alcoholic drinks every day while using this product.
Major alert: Acetaminophen may cause severe skin reactions. Symptoms may include: rash, blisters, skin redness. If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts
Acetaminophen 500 mg (in each caplet)
Caffeine 60 mg
Pyrilamine maleate 15 mg
Antihistamine
Duretic
Pain reliever

Purpose
FOR COMPLETE PRODUCT INFORMATION
KEEP OUTER PACKAGE

Active ingredients
Acetaminophen 500 mg (in each caplet)
Caffeine 60 mg
Pyrilamine maleate 15 mg
Antihistamine
Duretic
Pain reliever

Uses
for the temporary relief of these symptoms associated with menstrual periods:
■ bloating ■ headache
■ cramps ■ backache
■ fatigue ■ muscle aches
■ water-weight gain

Drug Facts (continued)

Other information
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ see end flap for expiration date and lot number
Inactive ingredients corn starch, croscarmellose sodium, crospovidone, hydroxypropyl methylcellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, Tracel

Directions
■ do not take more than directed
■ adults and children 12 years and over: take 2 caplets with water
■ repeat every 6 hours, as needed
■ do not exceed 6 caplets per day
■ children under 12 years: ask a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Questions or comments?
1-888-423-0139

Drug Facts (continued)

Do not use
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
■ if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor before use if you have
■ difficulty in urination due to enlargement of the prostate gland ■ liver disease
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are
■ taking the blood thinning drug warfarin
■ taking sedatives or tranquilizers
■ taking sedatives or tranquilizers

When using this product
■ drowsiness may occur
■ alcohol, sedatives, and tranquilizers may increase drowsiness

Drug Facts (continued)

Stop use and ask a doctor if
■ new symptoms occur
■ redness or swelling is present
■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days
These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Do not use
■ avoid alcoholic beverages
■ excitability may occur, especially in children
■ use caution when driving a motor vehicle or operating machinery
■ limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Topcare 44-390

MENSTRUAL COMPLETE
acetaminophen, caffeine, pyrilamine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-391
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;390
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-391-08	1 in 1 CARTON	01/01/2019	
1		24 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M013	01/01/2019	
--------------------	------	------------	--

Labeler - Topco Associates, LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(36800-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(36800-391) , pack(36800-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(36800-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(36800-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(36800-391)