

**MYHEALTH MOOD CARE WOMEN- aluminum sesquichlorohydrate aerosol, spray**  
**Aeroflex Industria de Aerosol Ltda**

-----

***Active Ingredients***

Aluminum sesquichlorohydrate 25%

***Purpose***

Antiperspirant

***Uses***

Reduces underarm wetness.

***Warnings***

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- KEEP OUT OF REACH OF CHILDREN.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

***Directions***

For underarm use only.

***Other Information***

Do not expose to the sun or to temperatures above 120°F/ 50°C

***Inactive Ingredients***

butane, isobutane, propane, methylal, cyclopentasiloxane, isopropyl myristate, parfum, quaternium-18, hectorite, propylene carbonate, 2-methyl 5-cyclohexylpentanol

**Product label**

**MODO DE USAR: AGITE BEM ANTES DE USAR.**

Aplicar o produto a 15 cm de distância das axilas. Esperar secar antes de se vestir. Em caso de funcionamento anormal da válvula, agitar bem, virar o frasco de cabeça para baixo e acione o atuador até que o produto volte a sair normalmente.

**INSTRUCCIONES DE USO: AGITAR BIEN ANTES DE USAR.** Aplicar el producto a 15 cm de las axilas. Espere a que se seque antes de vestirse. En caso de funcionamiento anormal de la válvula, agitar bien, dar la vuelta a la botella y accionar el actuador hasta que el producto vuelva a salir normalmente.


**PRECAUÇÕES: INFLAMÁVEL.** Conteúdo sob pressão. Não armazenar ou pulverizar perto do fogo ou superfície incandescente. Não fumar. Não perfurar, nem incinerar mesmo depois de vazio. Não expor ao sol nem a temperaturas superiores a 50 °C. Armazenar em ambiente fresco e ventilado. Seguir modo de uso para sua segurança. USO EXTERNO. Use este produto apenas nas axilas. Usar em ambientes ventilados. Não ingerir. Evitar a inalação. Proteger os olhos durante aplicação. Não usar se a pele estiver irritada ou lesionada. Caso ocorra alergia, irritação e/ou prurido no local aplicado, suspenda o uso imediatamente. **MANTER FORA DO ALCANCE DAS CRIANÇAS E DOS ANIMAIS DOMÉSTICOS.** Lote e validade: vide embalagem.

**PRECAUCIONES: INFLAMABLE.** Contenido bajo presión. No almacenar ni rociar cerca del fuego o de una superficie incandescente. No fume. No perforar ni incinerar aunque esté vacío. No exponer a la luz del sol ni a temperaturas superiores a 50°C. Almacenar en un lugar fresco y ventilado. Siga las instrucciones de uso para su seguridad. USO EXTERNO. Utilice este producto sólo en las axilas. Utilizar en una zona ventilada. No ingerir. Evitar la inhalación. Proteger los ojos durante la aplicación. No utilizar si la piel está irritada o dañada. Si se produce alergia, irritación y/o picor en el lugar de aplicación, interrumpa su uso inmediatamente. **MANTENER FUERA DEL ALCANCE DE LOS NIÑOS Y LOS ANIMALES DOMÉSTICOS.** Lote y fecha de caducidad: véase el envase. **COMPOSIÇÃO (PORTUGUÊS):** BUTANO, ISOBUTANO, PROPANO, METILAL, SESQUICHLORIDRATO DE ALUMÍNIO, DECAMETILCICLOPENTASILOXANO, MISTATO DE ISOPROPILA, FRAGRÂNCIA, QUATÉRNIO-18 HECTORITA, CARBONATO DE PROPILENO, 2-METIL 5-CICLOXILPENTANOL.

**Aeroflex**

Distribuído por: Aeroflex Laboratório de Pesquisas e Desenvolvimento de Produtos Químicos e Cosméticos Ltda. CNPJ: 30.931.967/0-001-40 RUA Pádua Geofúria, 3335 | CEP: 09460-090 | CIC - Curitiba, PR | Tel: +55 (41) 3065-7700 - 4040-1102 | www.aeroflex.com.br | at@eroflex.com.br | @aeroflex | @myhealthbr


Not a pharmaceutical drug | Not used in food



**MOOD**  
Care

Women

48H



ANTITRANSPIRANTE  
Antiperspirant  
Triclosan & Alcohol Free

150ml / 87g  
NET WT: 5.07 fl.oz / 3.0 oz.

Drug Facts	
<b>Active Ingredient</b>	<b>Purpose</b>
Aluminum sesquichlorohydrate	antiperspirant
<b>Uses</b> Reduces underarm wetness.	
<b>Warnings</b>	
<ul style="list-style-type: none"> <li>FLAMMABLE. Do NOT Use: NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.</li> <li>Keep away from face and mouth to avoid breathing in.</li> <li>Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C in enclosed places that could overheat.</li> <li>Do not use on broken skin, stop use if rash or irritation occurs.</li> <li>Ask a doctor before using if you have kidney disease.</li> <li>KEEP OUT OF REACH OF CHILDREN.</li> <li>Use ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.</li> </ul>	
<b>Directions</b> For underarm use only.	
<b>Other information</b> Do not expose to the sun or to temperatures above 120°F/50°C.	
<b>Inactive ingredients</b> BUTANE; ISOBUTANE; PROPANE; METHYLAL; ALUMINUM SESQUICHLOROHYDRATE; CYCLOPENTASILOXANE; ISOPROPYL MYRSIATE; PARSUM; QUATERNIUM-18 HECTORITE; PROPYLENE CARBONATE; 2-METHYL 5-CYCLOHEXYLPENTANOL.	



@myhealthbr



**MYHEALTH MOOD CARE WOMEN**  
aluminum sesquichlorohydrate aerosol, spray

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:80661-008
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	25 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>PROPANE</b> (UNII: T75W9911L6)	
<b>METHYLAL</b> (UNII: 7H1M4G2NUE)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>QUATERNIUM-18</b> (UNII: O7757NO1VL)	
<b>HECTORITE</b> (UNII: 08X4KI73EZ)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>2-METHYL 5-CYCLOHEXYLPENTANOL</b> (UNII: 460837ILID)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80661-008-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	01/01/2023	

**Labeler** - Aeroflex Industria de Aerosol Ltda (898397347)

## Establishment

Name	Address	ID/FEI	Business Operations
Aeroflex Industria de Aerosol Ltda		898397347	manufacture(80661-008)

Revised: 11/2024

Aeroflex Industria de Aerosol Ltda